

THE VOR NAVIGATION SYSTEM OF THIS
AIRCRAFT WAS CHECKED FOR ACCURACY AS
SPECIFIED UNDER FAR PART 91.25.

DATE 3-17-78 PLACE Savannah

WEARING ERROR ± 0 UOT
0 UOT

PILOT [Signature]

I certify that the altimeter and static system tests
required by FAR Part 91.170 have been performed.
The altimeter was tested to -1000 +20,000
feet on 10-6-77 MA HP
Signature Wm. Marshall
Date (S. S. Test) 3-20-78
Prod. Cert. # 3 SO DMK 50-118-6

4-14-90

4-14-92

Book 1

AIRCRAFT LOG

NC 128688

DESCRIPTION

AIRCRAFT MFG. Grumman American MOD. AA-5B SER. NO. AA5B-0757
AIRCRAFT COLOR _____ SPAN _____ LENGTH _____ DATE MFG. 1978
ENGINE MFG. Lycoming MOD. O-360-A4K SER. NO. L-24656-3
ENGINE MFG. _____ MOD. _____ SER. NO. _____
PROP. MFG. McCawley HUB MOD. _____ SER. NO. _____
BLADE MOD. 1A170 FFA 7563 SER. NO. 179523 SER. NO. _____ SER. NO. _____
SEAT CAP. _____ EMPTY WT. _____ GROSS WT. 2400 BAG. WT. _____
FUEL CAP. _____ OIL CAP. _____

LEFT TANK

RIGHT TANK

TOTAL USABLE

GALLONS

GRUMMAN

AMERICAN AVIATION
CORPORATION

ENG. SER.

AIRCRAFT LOG

OWNERSHIP RECORD

NC

ORIGINAL OWNER	<u>DONALD E WOODRUFF</u>		ADDRESS	<u>5358 SAGE ST.</u>	
DATE	<u>DEC 78</u>	CITY	<u>EDWARDS</u>	STATE	<u>CA. 93523</u>
TRANSFER TO	<u>ROBERT M. CHATHAM</u>		ADDRESS	<u>8775 SNIP RD, GERMANTOWN, OH</u>	
DATE	<u>AUGUST 1, 1988</u>	CITY	<u>GERMANTOWN</u>	STATE	<u>OHIO 45327</u>
TRANSFER TO	<u>JENNIFER F MCGUIN DEAN JOHNSON</u>		ADDRESS	<u>25 ORMOND BLVD</u>	
DATE	<u>JULY 27, 1992</u>	CITY	<u>DUSTY HON</u>	STATE	<u>LA.</u>
TRANSFER TO	<u>TIGER 688, INC</u>		ADDRESS	<u>2316 BAYNARD BLVD</u>	
DATE	<u>DEC 26, 1995</u>	CITY	<u>WILMINGTON</u>	STATE	<u>DELAWARE 19802</u>
TRANSFER TO			ADDRESS		
DATE		CITY		STATE	
TRANSFER TO			ADDRESS		
DATE		CITY		STATE	
TRANSFER TO			ADDRESS		
DATE		CITY		STATE	

AIRCRAFT LOG

NEW FAA LOG BOOK REGULATIONS

PUBLISHER —

This log book was specifically designed to meet the new FAA requirements pertaining to log book records and entries. Several new forms are incorporated in the rear of the log book to provide for entries of

- 1 Major Alteration and Major Repair
- 2 Mandatory Service Bulletins
- 3 Airworthiness Directives
- 4 Weight and Balance Record
- 5 Record of Equipment Installation and Removal
- 6 Periodic Inspections

§ 91.173 MAINTENANCE RECORDS

(a) Each registered owner or operator of an aircraft shall keep a separate, current, and permanent maintenance record for the aircraft and each engine and shall identify each record as to make, model, serial number, and, if applicable, registration number of the aircraft or engine concerned.

(b) Each registered owner or operator shall use a record of sufficient size and shall include in it the following information:

- 1 The kind and extent of maintenance and alteration, and the time in service and date when the work is done. However, major repairs or major alterations may be logged by making reference to the FAA Form ACA 337

by date or to the work order (by number) and the approving agency.

- 2 A chronological listing of compliance with mandatory service bulletins, Airworthiness Directives, and the method of compliance.
- 3 The current empty weight, empty center of gravity, and useful load.
- 4 The addition or removal of optional equipment.
- 5 The addition or removal of required equipment in exchange for optional equipment.
- 6 The total time in service and history of each engine overhauled, repaired, or reassembled to standards other than those for rebuilt engines as defined in § 91.175.
- 7 The total time in service of the aircraft.

(c) Each registered owner or operator shall —

- 1 Present the maintenance record for required entries each time inspection or maintenance is done on the aircraft or engine.
- 2 Upon disposing of the aircraft or engine, give the maintenance record to the new registered owner or operator, and
- 3 Make the maintenance record available for inspection by the Administrator or any authorized representative of the Civil Aeronautics Board.

NC

SIGNATURE AND
CERTIFICATE NO.

DATE	INSPECTIONS, ADJUSTMENTS, REPLACEMENTS, REPAIRS AND/OR ALTERATIONS
1979	EVERY REPAIR AND EVERY INSPECTION MUST BE ENDORSED BY A CERTIFICATED MECHANIC OR REPAIR FACILITY WITH NAME RATING AND CERTIFICATE NUMBER
4-4	Removed original altimeter and installed Aero Mech model 8140B Encoding altimeter S/N 8378. Checked static system and encoding - both certified to comply with all applicable FAR's as of this date. No significant wt change. Aranson's Air Service, Inc Rep. Sta Cert. #4909 By S.D. Ramsey
4-4	Installed Alcor mod 35 EGT S/N 132288 in accordance with mfr's approved instructions no significant wt. change S.D. Ramsey P 584 208

SEE PERTINENT FAR 91.161, 91.163, 91.165, 91.167, 91.169, 91.173, AND 91.175

DATE 1979	TACH. TIME	THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE AND CERTIFICATE NO.
				TT'311103 Service Bulletin #16-3, Gulfstream American, has been complied with. Torque tubes have been replaced ^{inspected} found to be bonded & riveted. 10/22/79	
				A. V. AVIATION	
				4555 W. Ave. G, Fox Field	
				Lancaster, CA. 93534	

FORWARD TOTALS TO
TOP OF NEXT LEFT PAGE

SIGNATURE AND
CERTIFICATE NO.

A. V. AVIATION	
4555 W. Ave.	G. Fox Field
Lancaster, CA.	93534



DATE 19__ INSPECTIONS, ADJUSTMENTS, REPLACEMENTS, REPAIRS AND/OR ALTERATIONS EVERY REPAIR AND EVERY INSPECTION MUST BE ENDORSED BY A CERTIFICATED MECHANIC OR REPAIR FACILITY WITH NAME, RATING AND CERTIFICATE NUMBER	
1 SEPT 79 TACH 332.33 HOURS 376.6 DATE OF LAST INSP 1 AUG 78 TIME SINCE LAST INSP. 226.17 TTA - 332.33 TTAE - 332.33	I certify that this <u>A/C</u> Serial No. <u>AA-5B-0757</u> has been inspected in accordance with a <u>100</u> inspection and was determined to be in <u>100</u> condition. Date <u>1 SEPT 79</u> Tach reading <u>332.33</u> Total time on Aircraft/Engine <u>332.33</u> <u>W. R. Ruggan</u> A&P <u>567-20-0052</u> CONTROL SURFACES, CABLES & PULLEYS CHKD & LUBED. ALL WHEEL AREAS CLEANED & REPAIRED. TIRES & BOTTLES CHKD & SERVICED. L/R TIRES REVERSED. DEF. RH BRAKE PUCKS & LINING PUCK REPLACED. ELECTRIC FUEL PUMP SCREEN CHKD & CLEANED. NOSE GEAR JACK BUSH CLEANED & LUBED & RE-TIGHTENED. A.D's TIE 79-16 CHKD A/C GIVEN CONTINUAL INSP.
Date <u>9-1-79</u> Total Time <u>332.33</u> I certify that this aircraft has <u>Continual</u> been inspected in accordance with inspection and was determined to be in airworthy condition. Floyd W. Byers 1234648 <u>Floyd W. Byers</u>	

SEE PERTINENT FAR 91.161, 91.163, 91.165, 91.167, 91.169 91.1

ENG. SER.

NC

DATE 1974	TACH. TIME	THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE AND CERTIFICATE NO.
6 Sept 79	TACH 332.95			ELT BATTERY REPLACED (DUE 28 JAN 81)	R. Vandenburg A&P 569 20 6052
27 Oct 79	TT 363.18			Seat belts changed as per AD-79-16-02 Indiana Mills & Manufacturing Co. Inc. <i>RRF</i>	
17 NOV 79	A/C TT 371.28			REMOVED ORIG. SPINNER AND INSTALLED REPLACEMENT SPINNER GAG. KIT NO. 143-2 & WT CHANGE IS NOTED ON WT & BAL. SHEET	Richard Vandenburg A&P 393447288
FORWARD TOTALS TO TOP OF NEXT LEFT PAGE					

AIRCRAFT LOG

DATE 19__	INSPECTIONS, ADJUSTMENTS, REPLACEMENTS, REPAIRS AND/OR ALTERATIONS EVERY REPAIR AND EVERY INSPECTION MUST BE ENDORSED BY A CERTIFICATED MECHANIC OR REPAIR FACILITY WITH NAME, RATING AND CERTIFICATE NUMBER
23 Nov 79	Service Bulletin No 167 does not apply to this propeller number  number A.V. AVIATION 4555 W. Ave. G, Fox Field Lancaster, CA. 93534
7 Mar '80	INSP Propeller per AD 80-04-05 USING DYE PENETRANT TACH 390.4 NO CRACKS FOUND & AD CLW <i>RRF</i> A&P 569 20 6052
7 MAR 80	REPLACED L/H & R/H FUEL GAGE LITES P/N 6037-001-704 AND TACH 390.4 RESEATED FUEL GAGE INDICATING SHOULDER WASHERS <i>Louise E. Stenlund A&P 393447288</i>
11 JUN 80	REPLACED NOSE WHEEL BEARINGS DUE TO SEVERE PITTING TACH 409.0 AND LACK OF PROPER LUBE <i>R. Vandenburg 393447288 A&P</i>

DATE 1980	TACH. TIME	THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE AND CERTIFICATE NO.
7 Jul	419.4 481	Tech Hobbs		Replaced tires, repacked bearings on main aircraft	Donald E. Woodruff
				THIS aircraft	
				HAS BEEN INSPECTED IN ACCORDANCE	
				WITH AN ANNUAL INSPECTION	
				AND RETURNED TO SERVICE.	
				DATE 1-2-81 T. T. 443	
				SIGNED <i>[Signature]</i>	
				INLAND AIR LINES INCORPORATED	
				MYRTLE BEACH MUNICIPAL AIRPORT	
				P. O. BOX 644, MYRTLE BEACH, S. C.	
				FAA APPROVED REPAIR STATION	
				NUMBER 5210	
				AD 79-22-04	
				C/W By Insp	
				due again at	
				543 hrs	
				AD 80-25-07	
				Stewart Warner	
				oil cooler DN 19	
				FORWARD TOTALS TO	

SIGNATURE AND
CERTIFICATE NO.

[illegible]

SEE PERTINENT FAR 91.161, 91.163, 91.165, 91.167, 91.169, 91.173, AND 91.175

ENG. SER.

NC

DATE 19__	TACH. TIME	THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE AND CERTIFICATE NO.
				THIS <u>aircraft</u>	
				HAS BEEN INSPECTED IN ACCORDANCE	
				WITH AN <u>ANNUAL</u> INSPECTION	
				AND RETURNED TO SERVICE.	
				DATE <u>2-4-82</u> T. T. <u>486</u>	
				SIGNED <u>W. Van Pinnighe</u>	
				estimated certificate no and repair etc see time at base agency where	
				number <u>4031</u>	
				<u>2-4-82</u> Signed <u>W. Van Pinnighe</u>	
				INLAND AIR LINES INCORPORATED	
				MYRTLE BEACH MUNICIPAL AIRPORT	
				P. O. BOX 644, MYRTLE BEACH	
				FAA APPROVED REPAIR	
FORWARD TOTALS TO TOP OF NEXT LEFT PAGE					

AIRCRAFT LOG

DATE 19__	INSPECTIONS, ADJUSTMENTS, REPLACEMENTS, REPAIRS AND/OR ALTERATIONS EVERY REPAIR AND EVERY INSPECTION MUST BE ENDORSED BY A CERTIFICATED MECHANIC OR REPAIR FACILITY WITH NAME, RATING AND CERTIFICATE NUMBER
	Hours <u>596</u> Date <u>Mar 10-83</u>
	I certify that this aircraft/engine has been
	inspected in accordance with an annual/100
	hour inspection and determined to be airworthy.
	Sig. <u>W. Van Pinnighe</u> A&P/AI <u>19050292H</u>
	EVERY 200 hrs C/w AD - 80-41-5 Propeller inspection
	For cracks,
	EVERY 100 hrs C/w AD - 79-16-5 79-22-09
	EVERY 25 hrs C/w AD - 81-24-3 Aileron insp
	REPLACED GLT BATTERY - REPLACE MAY
	1985

SEE PERTINENT FAR 91.161, 91.163, 91.165, 91.167, 91.169, 91.173, AND 91.175

ENG. SER.

NC

DATE 19__	TACH. TIME	THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE AND CERTIFICATE NO.
"I certify the ATC transponder tests and inspection required by FAR 91.177 were performed this date and found to comply with FAR 43, Appendix F.					
#1 Make <u>NARCO</u> Model <u>AT 150</u> S/N <u>13176</u>					
#2 Make <u>N/A</u> Model <u>N/A</u> S/N <u>N/A</u>					
Details of this inspection are on file at this repair station under W.O. <u>R 07541</u>					
Date <u>3-16-83</u> (Signature) <u>Terry L. Stichel</u> for					
(HAWTHORNE AVIATION CRS 3666)					
FORWARD TOTALS TO TOP OF NEXT LEFT PAGE					

ALTIMETER TEST RECORD

DATE 19__	S/N <u>8378</u>	Date <u>3-16-83</u>	By <u>HAWTHORNE AVIATION</u>	FOR ALTERATIONS MECHANIC OR REPAIR FACILITY
Thousands of Ft. Error		W/O. <u>12363</u>		
d. Alt.		Case Leak <u>20'</u>		
1 +5		50% <u>10'</u>		
.5		40% <u>30'</u>		
0 +5		Friction <u>50'</u>		
.5 +5		Scale Error <u>20'</u>		
1 +20		After Effect <u>5'</u>		
1.5 +25				

[illegible]

DATE 19 85

INSPECTIONS, ADJUSTMENTS, REPLACEMENTS, REPAIRS AND/OR ALTERATIONS
EVERY REPAIR AND EVERY INSPECTION MUST BE ENDORSED BY A CERTIFICATED MECHANIC OR REPAIR FACILITY
WITH NAME RATING AND CERTIFICATE NUMBER

3-9-85 Tach 573.20 Tightened RT. Aileron middle Hinge bolts. C/w AD 79-22-04 Aileron inspection - C/w AD 80-04-05 propeller inspection by Dye Penetrant Inspection - C/w AD 81-24-3 Air filter inspection. Replaced ELT Battery Replacement Date: March 1987. I certify that this Aircraft has been inspected in accordance with an 100 hr inspection and was determined to be in an Airworthy condition.

[Signature]
AEP 28828731

Date 3-12-85 Total Time 573.2 Meter Time

I certify that this aircraft has been inspected in accordance with ANWOK inspection and was determined to be in air worthy condition.

[Signature] John J. Barbieri 1767223 FA

SEE PERTINENT FAR 91.161, 91.163, 91.165, 91.167, 91.169, 91.173, AND 91.175

				NC	
DATE 1986	TACH. TIME	THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE AND CERTIFICATE NO.
Mar 7	590.24	-	590.24	I certify that this Aircraft has been Inspected in accordance with A100hr Inspection and was determined to be in airworthy condition. Replaced Vacuum inlet Air Filter, Replaced pitted Nose wheel bearing & cap. Hubbed Aft Control Cables Complied with AD's Thru 86-03 Inspected Air Box Per AD 81-14-3 Inspected Aileron Per AD 79-22-04 Robert Simpson AD 1678451	
FORWARD TOTALS TO TOP OF NEXT LEFT PAGE					

SIGNATURE AND
CERTIFICATE NO.

DATE 19__	INSPECTIONS, ADJUSTMENTS, REPLACEMENTS, REPAIRS AND/OR ALTERATIONS EVERY REPAIR AND EVERY INSPECTION MUST BE ENDORSED BY A CERTIFICATED MECHANIC OR REPAIR FACILITY WITH NAME RATING AND CERTIFICATE NUMBER
	1. Vehicle was inspected in accord-
	2. and was repaired by FAR
	and was in satisfactory condition.
	Date <u>3-7-86</u> Mileage <u>590.24</u> to <u>590.24</u>
	All Applicable AD notes checked through <u>86-03</u>
	LEROY A. TRULSON
	<u>Leroy A. Trulson</u>
	A & P - IA 40850700Z

SEE PERTINENT FAR 91 161, 91 163, 91 165 91 167, 91 169, 91 173, AND 91 175

DATE 1987	TACH. TIME	THIS FLIGHT	TOTAL TIME	REMARKS	NC SIGNATURE AND CERTIFICATE NO.
5-11	605.0			I Certify This Aircraft was Inspected Jan. Manufacture Service Manual For 100hr Inspected And Found To Be in Airworthy Cond Checked Controls And Lubricated Same, Checked wheels & Brakes Replaced E/H Battery, new Expendable Date APRIL 1990 LARRY A. TRULSON A & P IA 408507007	I certify that this Aircraft was inspected in accordance with an ANNUAL inspection as required by FAR and was determined to be in airworthy condition. Date 5-11-87 Tach Time 605.0 Total Time 605.0 All Applicable AD notes checked through 87-08 LEROY A. TRULSON LARRY A. TRULSON A & P IA 408507007
FORWARD TOTALS TO TOP OF NEXT LEFT PAGE					

AIRCRAFT LOG		88-06
DATE 1988	INSPECTIONS, ADJUSTMENTS, REPLACEMENTS, REPAIRS AND/OR ALTERATIONS EVERY REPAIR AND EVERY INSPECTION MUST BE ENDORSED BY A CERTIFICATED MECHANIC OR REPAIR FACILITY WITH NAME, RATING AND CERTIFICATE NUMBER	
Apr 8	Tach time 626.79 Hobbs 720.9 I certify that this Aircraft has been inspected in accordance with 100 hr. inspection and was determined to be in air worthy condition. Replaced Loose Rivet Nose wheel fairing. Inspected Aileron System Per AD 79-22-04 Carburetor Air box Inspected Per AD 81-24-03 Repacked wheel bearing, hubbed Aircraft Per Service Manual Checked wheels & Brakes All lights OK Good Robb Simpson Replaced Bearing R. Main wheel. AIP 1678451	
Apr 8	Transponder; Altimeter & Static system test Date of last compliance was 3-16-83. Inspection Per FAR 91.177 & FAR Part 91.170 Robb Simpson AIP 1678457	

ENG. SER.

DATE 19__	TACH. TIME	THIS FLIGHT	TOTAL TIME	REMARKS	NC SIGNATURE AND CERTIFICATE NO.
I certify that this Aircraft was inspected in accordance with an ANNUAL Inspection as required by FAA and was determined to be in airworthy condition.					
Date <u>4-13-88</u>	Tach Time <u>626.79</u>		Actal Time <u>626.75</u>		
All Applicable AD notes checked through <u>88.05</u>					
LeROY A. TRULSON					
<u>[Signature]</u>					
A & P IA 408507007					
FORWARD TOTALS TO TOP OF NEXT LEFT PAGE					

AIRCRAFT LOG

INSPECTIONS, ADJUSTMENTS, REPLACEMENTS, REPAIRS AND/OR ALTERATIONS
EVERY REPAIR AND EVERY INSPECTION MUST BE ENDORSED BY A CERTIFICATED MECHANIC OR REPAIR FACILITY
WITH NAME, RATING AND CERTIFICATE NUMBER

DATE 1989	INSPECTIONS, ADJUSTMENTS, REPLACEMENTS, REPAIRS AND/OR ALTERATIONS EVERY REPAIR AND EVERY INSPECTION MUST BE ENDORSED BY A CERTIFICATED MECHANIC OR REPAIR FACILITY WITH NAME, RATING AND CERTIFICATE NUMBER
9-6-89	I certify that this aircraft has inspection in accordance with a 100hr and a annual inspection and found to be airworthy. AD 79-22-04 complied with by inspection due again @ 743.2. AD 81-24-03 Carb air box inspection due again @ 768.2. All control surfaces rigged and cable tensions adjusted. Nose wheel fairing replaced. All wheels removed cleaned and repainted, chrome brake disc installed on main wheels and new lining installed. Cleaned and repacked all wheel bearings. Repaired by tightening the right flap hinge support and the left torque tube bearing. Central vacuum filter replaced.
	Cornelius J Baker
	API13440392 SA
	TACH 743.2

SEE PERTINENT FAR 91.161, 91.163, 91.165, 91.167, 91.169, 91.173, AND 91.175

DATE	TACH. TIME	THIS FLIGHT	TOTAL TIME	REMARKS	NC SIGNATURE AND CERTIFICATE NO.
10/2 89	744.1	.9	744.1	AIRCRAFT FLYS STRAIGHT & LEVEL AFTER RIGGING OF CONTROL SURFACES	Rh Chetham 260-50-3108
11-14	771.6			Complied with AD 89-18-08 as per service bulletin 176 and resealed both fuel cells. Cleaned all old sealant from tanks.	Cornelius J Bala AP113-440392
4-14-90			790.3	ELT BATTERY REPLACED EXPIRES APRIL 1992	Rh. Chetham 260-50-3108

FORWARD TOTALS TO TOP OF NEXT LEFT PAGE

MAJOR REPAIR AND MAJOR ALTERATION				
DATE 19__	TOTAL TIME	WORK ORDER NO.	DESCRIPTION OF REPAIR OR ALTERATION (ACA-337) OR MAINTENANCE RELEASE	SIGNATURE AND CERTIFICATE NO. OF MECHANIC OR REPAIR FACILITY
			I CERTIFY THAT TRANSPONDER(S)	
			#1 MAKE <u>NAECO</u> MODEL <u>AT150</u> S/N <u>13176</u>	
			#2 MAKE _____ MODEL _____ S/N _____	
			AND SYSTEM HAS BEEN INSPECTED AND FOUND	
			TO COMPLY WITH FAR 91.172.	
			W.O. # <u>200669</u> DATE <u>5-14-90</u>	
			BY <u>[Signature]</u>	
			FOR: MIDLANDS AVIATION CORPORATION	
			Owens Field, Box 5775, Columbia, S.C.	
			Certified Repair Station # _____	

NC

DATE 1990	TOTAL TIME	GIVE A BRIEF DESCRIPTION OF COMPLIANCE	SIGNATURE AND CERTIFICATE NO. OF MECHANIC OR REPAIR FACILITY
8-1-90	837.5	Replaced original ^{encoding} original altimeter Aero Mech model 8140B s/n 8378. With a United Instruments Inc standard altimeter P/N 5934P-1 s/n 56840 and a blind encoder ACK A-30 s/n 22126. Weight and balance change not required. Equipment reversed and 332 filled out.	Cornelius J Bohen AP113440392

NC

[illegible]

FAA/PMA APPROVED

THIS MAGNETO WAS MANUFACTURED FROM ALL NEW COMPONENTS IN ACCORDANCE WITH FAR 21.303h UNDER AUTHORITY OF MMF3226 AND IS AIRWORTHY. THIS MAGNETO IS FAA/PMA APPROVED FOR APPLICATIONS LISTED IN SLICK AIRCRAFT PRODUCTS FORMS L-1058 AND L-1199.

ENTER MAGNETO MODEL, SERIAL NUMBER AND DATE OF INSTALLATION AND ATTACH THIS TAG TO ENGINE LOGBOOK.

MAGNETO MODEL NO. 4270

MAGNETO SERIAL NO. 89080856

DATE OF INSTALLATION MAR 1 1990

/ES

NC

SIGNATURE AND CERTIFICATE NO. OF MECHANIC OR REPAIR FACILITY

and inspection altimeter(s) per

P-1

to 29000 feet.

to N/A feet.

ft.

J. Webb

AVIATION WAY
UMBIA, SC 29169

WO # 68184

ENG. SER.

AIRWORTHINESS DIRECTIVES

NC

DATE
1990

DIRECTIVE
NUMBER

GIVE A BRIEF DESCRIPTION
OF COMPLIANCE

SIGNATURE AND CERTIFICATE NO.
OF MECHANIC OR REPAIR FACILITY

10-15-90

I certify that this aircraft has been inspected in accordance with a 100 hour and a annual inspection and found to be in airworthy condition. A079-22-04 complied with by inspection due again at 970.2. All wheel bearings replaced cleaned and repacked. Battery serviced and aircraft lubed per maintenance manual. Alternator noise filter replaced. 870.2 Tach Cornelius J. Bah

APN3440392 SA

UNITED INSTRUMENTS

SCALE CORRECTIONS

Add Algebraically	Room Temp. °C		Low Temp. °C	
	Room Temp. °C	Low Temp. °C	Room Temp. °C	Low Temp. °C
0	0	0	0	0
1	1	1	1	1
2	2	2	2	2
3	3	3	3	3
4	4	4	4	4
5	5	5	5	5
6	6	6	6	6
7	7	7	7	7
8	8	8	8	8
9	9	9	9	9
10	10	10	10	10
11	11	11	11	11
12	12	12	12	12
13	13	13	13	13
14	14	14	14	14
15	15	15	15	15
16	16	16	16	16
17	17	17	17	17
18	18	18	18	18
19	19	19	19	19
20	20	20	20	20
21	21	21	21	21
22	22	22	22	22
23	23	23	23	23
24	24	24	24	24
25	25	25	25	25
26	26	26	26	26
27	27	27	27	27
28	28	28	28	28
29	29	29	29	29
30	30	30	30	30
31	31	31	31	31
32	32	32	32	32
33	33	33	33	33
34	34	34	34	34
35	35	35	35	35
36	36	36	36	36
37	37	37	37	37
38	38	38	38	38
39	39	39	39	39
40	40	40	40	40
41	41	41	41	41
42	42	42	42	42
43	43	43	43	43
44	44	44	44	44
45	45	45	45	45
46	46	46	46	46
47	47	47	47	47
48	48	48	48	48
49	49	49	49	49
50	50	50	50	50

TESTED BY:

INS BY:

NC

WEIGHT AND BALANCE RECORD						NC	
DATE 19 <u>92</u>	TOTAL TIME	EMPTY C.G.	EMPTY WEIGHT	USEFUL LOAD	GROSS WEIGHT	BAGGAGE ALLOWABLE	SIGNATURE AND CERTIFICATE NO OF MECHANIC OR REPAIR FACILITY
3-14-92	998.6	Replaced tires, tubes & battery					Rh Chatham 260-50-3108
4-29-92	999.8	Replaced ELT battery					Rh Chatham 260-50-3108
		REPLACEMENT DUE 4/94					
7-18-92	1013.1	Replaced both gas brake lining					Cornelius J. Buh AP113440392
7-18-92	1013.1	F/W AD 79-22-04 always inspect and carb air box due again @ 1113.1					AD 81-24-03 Cornelius J. Buh AP113440392

