ARTEX AIRCRAFT SUPPLIES, INC.
ARTEX 10714 S. Township Rd. Canby, OR 97013
(503) 266-9959 800-547-8901
LOG BOOK ENTRY 10-2003
E.L.T. BATTERY REPLACEMENT DATE 7-99

AIRCRAFT LOG

AF5-1

AIRCRAFT DESCRIPTION

MANUFACTURER _____ MODEL A-36 DATE OF MFG. _____

SERIAL NUMBER E-1898 REGISTRATION NUMBER N18255

REGISTERED OWNER _____

STREET ADDRESS _____

CITY, STATE, ZIP _____

OPERATOR _____

STREET ADDRESS _____

CITY, STATE, ZIP _____

REGISTERED OWNER _____

STREET ADDRESS _____

CITY, STATE, ZIP _____

OPERATOR _____

STREET ADDRESS _____

CITY, STATE, ZIP _____

Inspection Status

[Check one]

☐ F.A.R. 91.169 ANNUAL/100 HOUR

☐ F.A.R. 91.71 PROGRESSIVE

☐ F.A.R. 91.217 SUBPART D

☐ F.A.R. 135.60 A.T.C.O.

☐ OTHER

DATE ENTERED _____

MAINTENANCE RESPONSIBILITY

EQUIREMENTS

REMOVAL DATE/HOURS	AGENCY CERT. NO.

AIRWORTHINESS DIRECTIVE / FACTORY BULLETIN COMPLIANCE RECORD

A.D./BULL. NUMBER	ITEM AFFECTED	DATE & HRS. AT COMP.	METHOD OF COMPLIANCE	TYPE OF A.D. 1 TIME/RECUR.	NEXT COMP. DATE/HRS./CYCLE	AUTHORIZED SIGNATURE CERTIFICATE NO.
91-18-19	Shoulder Harness	6-26-93 Tach 993.83	inspection	1 Time	———	[signature] A&P 56137979
91-20-08	Blower	NOT	equipped. N/A.			[signature]
92-08-07	SPAR WEB	3-6-91 Tach 823.1	S/B 2360	Recur.	500 hrs. Tach 1332.1	Beechwest Fresno
92-15-07	Rudder Brackets	893.0 4-22-92	S/B 2333 dye Penmat	Recur	500 hrs. Tach 1393.0	Beechwest Fresno
92-18-11	N/A	BY S/N				[signature]

IN COMPLIANCE RECORD

CLE	AUTHORIZED SIGNATURE CERTIFICATE NO.

ALTIMETER & STATIC SYSTEM CHECKS
F.A.R. 91.171

DATE	MANUFACTURER	MODEL	SERIAL NO.	LOCATION	MAX. ALT.	RECHECK REQUIRED	APPROVED BY: AGENCY	CERT. NO.

Date 1-5-00 Tach Time 1452.9

I certify that the TRANSPONDER MODEL 1 KT76A SN 26918

TRANSPONDER MODEL 2 _____ SN _____

has been tested as required by F.A.R. Part 91.413

I certify that this ENCODER MODEL N/A SN N/A

has been tested and inspected and found to comply as required by F.A.R. Part 91.217.

I certify that the ALTIMETER and STATIC system tests required by F.A.R. Part 91.411 have been performed.

ALTIMETER 1 has been tested to 29,000 feet

ALTIMETER 2 has been tested to _____ feet

Pertinent details are on file at this Agency under W.O.# 10628

Signed by DL 2431928 for

AVIONICS PROFESSIONALS INC. F.A.A. APPROVED REPAIR STATION

9506 AIRPORT DRIVE, VISALIA CA. 93277 CRS CW3R438L

(209) 651-0750

ALTIMETER & STATIC SYSTEM CHECKS
F.A.R. 91.171

DATE	MANUFACTURER	MODEL	SERIAL NO.	LOCATION	MAX. ALT.	RECHECK REQUIRED	APPROVED BY: AGENCY	CERT. NO.	DATE

THE AVIONICS SHOP Inc.

5041 E. Anderson Fresno, CAL 93727

Repair Station # CP3R431L

WO # 9659 Reg # N18255 Hrs 156434

I Certify that the altimeter and static system tests required by FAR 91.411 have been performed. Performance was found to be in accordance with FAR 43 Appendix E. The altimeter/s have been tested to _____ ft.

The transponder in this aircraft was checked this date in accordance with FAR 91.413. Its performance was found to be in accordance with FAR 43 Appendix F. Test results are on file for transponder.

Make King M/N KT76A S/N 26003

INSP. Kevin Valley Johnson Date April 22-02

RADIO & ELECTRONIC CHECKS

APPROVED BY: AGENCY	CERT. NO.	DATE	TOTAL TIME	EQUIPMENT CHECKED	TYPE OF CHECK	ERROR OR RESULTS	NEXT CHECK DUE	CHECKED BY: SIGNATURE — CERT. NO.

STERLING AVIONICS

Removed KT 76A transponder. Replaced with Garmin GTX 345 ADS-B capable transponder per STC SA01714WI. Provided all pertinent documentation. Weight & balance/equipment list amended. Checks per FAR 91.411/91.413/91.225 satisfactory.----------END----------

The component identified above was installed or serviced and inspected IAW Federal Aviation Regulations and was found to be in an airworthy condition for return to service.

Signed: F. Lemon

Dated: 10/07/2019 N#:1825S Beech A36 S/N E-1898

Tach: 2051.11 TTSN: N/A

HOBBS: N/A For more info see w/o #38033

FAA Repair Station Certification # WQ3R954L

145 John Glenn Drive, Concord, CA. 94520 T: (925) 676-2100 F: 676-5580

MODEL BEECH A-36
S/N E-1898
REG. NO. N1825S
CYCLES

BEECHCRAFT WEST
5005 E. ANDERSEN AVE.
FRESNO, CALIFORNIA 93727
F.A.A. APPROVED REPAIR STATION NO. CN3R429L
AIRFRAME LOGBOOK INSERT

DATE 4-22-92
W.O. # 3843
HOBBS
TACH 893.0

THE AIRCRAFT AND/OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AIR REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR ARE ON FILE AT THIS AGENCY.

DATE 22 April 92 SIGNED Donald E. Williams

100 hr. inspection on propeller completed this date as per FAR 91.409(a)1 using Beech form P/N 98-32227H in accordance with Beech model 36 Maintenance Manual. Total time in service is 1840.0 hrs. C/W AD 77-12-6 Blade for compression rolled edges. C/W AD 89-22-05 Hub inspection. Time since overhaul 1376.9 hrs.

I CERTIFY THAT THIS PROPELLER HAS BEEN INSPECTED IN ACCORDANCE WITH ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIR WORTHY CONDITION.
W.O. # 3843
DATED 4-22-92 TOTAL TIME 1840.0 HRS.
INSP Donald E. Williams IA 184-23
BEECHCRAFT WEST
FRESNO, CALIFORNIA

BW-208 FAT

MODEL BEECH A-36
S/N E-1898
REG. NO. N1825S
CYCLES

THE AIRCRAFT AND/OR COMPON
CURRENT FEDERAL AIR REGUL
DETAILS OF THE REPAIR ARE ON

DATE SIGN

100 hr inspection
form p/n 98-32227H
inspected controls
hydraulic fluid. C/
C/W BSI 514-035R2
632-280R1 inspecti
color coding of el
of rudder spar for
as per maintenance
check, next due 4-
Checked ELT operat
shimmy damper and

BW-208 FAT

MODEL BEECH A-36
S/N E-1898
REG. NO. N1825S
CYCLES

BEECHCRAFT WEST

5005 E. ANDERSEN AVE.
FRESNO, CALIFORNIA 93727
F.A.A. APPROVED REPAIR STATION NO. CN3R429L

AIRFRAME LOGBOOK INSERT

DATE 4-22-92
W.O. # 3843
HOBBS
TACH 893.0

THE AIRCRAFT AND/OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AIR REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR ARE ON FILE AT THIS AGENCY.

DATE _____ SIGNED _____

100 hr inspection completed this date as per FAR 409(a)1 using Beech form p/n 98-32227H as per Beech model 36 Maintenance Manual. Visually inspected controls, control surfaces, lights, rod-ends, battery, and hydraulic fluid. C/W BSI 166-258R1 inspection of engine flexible ducts. C/W BSI 514-035R2 inspection of wing spar caps for corrosion. C/W BSI 632-280R1 inspection of wings for possible fuel seepage. C/W AD 91-17-1 color coding of elevator trim tab actuators. C/W AD 91-23-7 inspection of rudder spar for cracks. C/W primary control cable tension inspection as per maintenance manual. C/W FAR 91.411 & 91.413 Static and transponder check, next due 4-31-94. Installed new rod-end bearing on r/h elevator. Checked ELT operation, battery expires 4-93. Installed new seals in shimmy damper and serviced.

MODEL BEECH A36
S/N E-1898
REG. NO. N1825S
CYCLES

BEECHCRAFT WEST
5005 E. ANDERSEN AVE.
FRESNO, CALIFORNIA 93727
F.A.A. APPROVED REPAIR STATION NO. CN3R429L
AIRFRAME LOGBOOK INSERT

DATE March 3, 1993
W.O. # 4604
HOBBS 959,7
TACH

THE AIRCRAFT AND/OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AIR REGULATIONS AND WAS FOUND AIRWORTHY FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR ARE ON FILE AT THIS AGENCY.

DATE March 3, 1993 SIGNED David E. Williams

1. Replaced the NLG light socket with a new one.
2. Replaced the LH MLG uplock switch and adjusted same.
3. Replaced the compass diaphragm and serviced the compass with fluid.
4. Serviced the main and nose struts with nitrogen to proper heights.

BW-208 FAT

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE
6-25-93	Tach 99
	Perform 100
	P/N 98-3227H. Fr
	Lub all Turnbuckl
	extend (54) + 1/4 cu
	Install new ELT
	C/W S/B 2460 in
	wash exterior

COMPLETION	AIRCRAFT TIME IN SERVICE	F.A.R. 43.9 DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVIC
6-25-93	Tach 993.83 ACTT 1940.83		
	Perform 100hr inspection per Beechcraft Guide P/N 98-32227H. Inspect wing for fuel leaks per S/L 632-280R1. Lub all turnbuckles, rodends & pulleys. Retract gear & emergency extend (54) + 1/4 cushion. Install new main Tires L & R. Install new ELT Battery & Test unit "Due 6-95" c/w S/B 2460 inspect flap drive retainer & Threaded housing. wash exterior & clean interior.		

Jarrett E Jarrett A&P 581137979

Date 6-25-93 Tach Time 993.83

Total Time 1940.83

certify that this (Aircraft-~~Engine~~) has been inspected according to annual inspection and is found to be in an airworthy condition

STEPHEN W. STEWART
A/ 2129169

MAINTENANCE RECORD
F.A.R. 43.9

AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE	DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
	8-30-95	Tach 1175.79		
			Perform 100hr. inspection per Beechcraft	
			Guide P/N 98-322271-1. Lubricate all pulleys, Turnbuckles	
			+ bellcranks. Landing extension + retraction system Tested.	
			Install new left exhaust muffler. Install new	
			ELT Battery Test + inspect for corrosion. Due 10-97.	
			Inspect cabin Heater muffler as per BSI 558-412.	
			Inspect spar carry through web as per S/B 2360.	
			Wash exterior + clean interior	
			Dale E Tuck	A+P 561137979
	8-30-95	Tach 1175.79	Complete inspection this date	

I CERTIFY THAT THIS Aircraft HAS BEEN INSPECTED IN ACCORDANCE WITH Annual INSPECTION AND WAS DETERMINED TO BE IN AIR WORTHY CONDITION.

W. O. # _____ T.S.O.H. _____ HRS.

DATED 8-30-95 TOTAL TIME 2122.79 HRS.

INSP. [signature] NO. A+P 549768863

MAINTENANCE RECORD

F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
9-9-96	TACH - 1241.78	ACTT - 2188.78 N1825S	
		PERFORM 100 HR INSPECTION AS PER BEECH INSPECTION GUIDE P/N 982227H. INSPECT FUEL CELLS FOR LEAKS AS PER BSI 632-280R1. INSPECT HEAT MUFF AS PER BSI - 2360. SERVICE BATTERY . INSPECT ELT UNIT FOR OPERATION DUE 9-97 . INSTALL NEW AIR FILTER. INSTALL NEW NOSE BEARINGS & RACES. WASH EXTERIOR & CLEAN INTERIOR .	A&P561137979
9-9-96 TACH 1241.78		I CERTIFY THAT THIS Aircraft HAS BEEN INSPECTED IN ACCORDANCE WITH a Annual INSPECTION AND WAS DETERMINED TO BE IN AIR WORTHY CONDITION. W. O. # _____ T.S.O.H. _____ HRS. DATED 9-9-96 TOTAL TIME 2188.78 HRS. INSP. _____ NO. IA5 477688963	

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCR O
7-14-97	1304.39	Inst Pump Test

DATE: 11-05-97 TACH: 1324.

PERFORM 100 HR. INSPECTION AS PE
AND LININGS . INSTALL NEW NOSE
AND TEST FOR OPERATION 11/99. C/
C/W AD 72-22-01 BY LUBE AND INSP
WASH EXTERIOR AND CLEAN INTE

AGENCY & CERTIFICATE NO.
WORK PERFORMED/RETURNED TO SERVICE

25S

ION GUIDE P/N
632-280R1. INSPECT
PECT ELT UNIT FOR
'ALL NEW NOSE
IOR .

A&P561137979

N INSPECTED IN
TION AND WAS

HRS.
.78 HRS.
9768863

MAINTENANCE RECORD
F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVI
7-14-97	1304.39	Install new Vacuum Pump and filter. Test run for Operation	A&P561137979

LOG ENTRY

DATE: 11-05-97 **TACH: 1324.82** **SMOH:288.72** **N 1825S**

PERFORM 100 HR. INSPECTION AS PER BEECH GUIDE P/N 982227H. INSTALL NEW BRAKE DISCS AND LININGS . INSTALL NEW NOSE WHEEL BEARINGS AND RACES. INSTALL NEW ELT BATTERY AND TEST FOR OPERATION 11/99. C/W AD 93-24-03 BY INSPECTION OF RUDDER ATTACH POINTS. C/W AD 72-22-01 BY LUBE AND INSPECTION OF UPLOCK ROLLERS. INSTALL NEW AIRFILTER WASH EXTERIOR AND CLEAN INTERIOR.

A&P561137979

F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERV
11-5-97	TACH Time: 1324.86	TOTAL Time: 2298.86	
		ANNUAL INSP. COMPLETED This Date. ALL APPLICABLE ADS checked & C/W OR N/A AS LISTED in A.D. Log.	
		I CERTIFY THAT THIS POWER PLANT/AIRFRAME WAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN APPROVED FOR RETURN	Tim Machado A+P 568789943 I.A.

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	

DATE: 6/1/99 TACH: 141

PERFORM 100 HOUR INSPECTION
NOSE WHEEL BEARINGS / RACE
AIR FILTER. C/W AD 72-22-01 BY
TEST OF CABIN DOOR LATCHES
PLACARD. WASH EXTERIOR AN

TCM LINK FBO
TCM SERVICE CENTER
NO. F0124

AGENCY & CERTIFICATE NO.
ERFORMED/RETURNED TO SERVICE

98.86

This

ted ;

D. Log.

2.

MAINTENANCE RECORD
F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVIC

AIRFRAME
LOG ENTRY

DATE: 6/1/99 **TACH:** ~~1410.59~~ 1411.59 **ACTT:** 2385.59 **N** 1825S

PERFORM 100 HOUR INSPECTION AS PER GUIDE P/N 982227H. INSTALL MAIN WHEEL AND NOSE WHEEL BEARINGS / RACES. INSTALL NEW ELT BATTERY AND TEST. INSTALL NEW AIR FILTER. C/W AD 72-22-01 B BY INSPECTION OF UPLOCK ROLLERS. C/W AD 97-14-15 BY TEST OF CABIN DOOR LATCHES. C/W AD 99-05-13 B BY INSTALLATION OF FUEL SELECTOR PLACARD. WASH EXTERIOR AND CLEAN INTERIOR.

DARRELL TUNNELL CO.
VISALIA, CA
559-651-0190

TCM LINK FBO
TCM SERVICE CENTER
NO. F0124

A&P561137979

AGENCY & CERTIFICATE NO.
WORK PERFORMED/RETURNED TO SERVICE

: 2298.86
ted This
's checked ;
d in A.D. Log.

Lino Machado
A+P568789943 I.A.

MAINTENANCE RECORD
F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVIC

AIRFRAME
LOG ENTRY

DATE: 6/1/99 **TACH: ~~1411.59~~ 1411.59** **ACTT: 2385.59** **N 1825S**

PERFORM 100 HOUR INSPECTION AS PER GUIDE P/N 982227H. INSTALL MAIN WHEEL AND NOSE WHEEL BEARINGS / RACES. INSTALL NEW ELT BATTERY AND TEST. INSTALL NEW AIR FILTER. C/W AD 72-22-01 BY INSPECTION OF UPLOCK ROLLERS. C/W AD 97-14-15 BY TEST OF CABIN DOOR LATCHES. C/W AD 99-05-13 BY INSTALLATION OF FUEL SELECTOR PLACARD. WASH EXTERIOR AND CLEAN INTERIOR.

TCM LINK FBO
TCM SERVICE CENTER
NO. F0124

Darrell E Tunnell
A&P561137979

DARRELL TUNNELL CO.
VISALIA, CA
559-651-0190

MAINTENANCE RECORD
F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE

AIRFRAME LOG ENTRY

DATE: 6-1-99 TACH: 1411.59 ACTT: 2385.59 N 1825S

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG.

I CERTIFY THAT THIS **AIRFRAME** / POWERPLANT WAS INSPECTED IN ACCORDANCE WITH ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.

AP 568789943 AI

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	

TCM LINK FBO

TCM NO. FO124

DATE: 9/1/00 TA

PERFORM 100 HOUR INSPECTION
FILTER. C/W AD 72-22-01 BY INS
WHEEL BEARING AND RACE. W
ANNUAL INSPECTION COMPLET
C/W OR N/A AS LISTED IN AD L
INSPECTED IN ACCORDANCE W
TO BE IN AIRWORTHY CONDITI

TECHNICIAN AP 561137979

MAINTENANCE RECORD
F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVIC

TCM LINK FBO — **DARRELL TUNNELL CO.**

TCM NO. FO124 — AIRFRAME ENTRY — **VISALIA, CA**

DATE: 9/1/00 **TACH: 1486.86** **ACTT: 2460.86** **N 1825S**

PERFORM 100 HOUR INSPECTION AS PER BEECHCRAFT GUIDE P/N 982227H. INSTALL AIR FILTER. C/W AD 72-22-01 BY INSPECTION OF UPLOCK ROLLERS. INSTALL RIGHT MAIN WHEEL BEARING AND RACE. WASH EXTERIOR AND CLEAN INTERIOR. ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.

TECHNICIAN AP 561137979

INSPECTOR IA 568789943

MAINTENANCE RECORD
F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVIC



AIRFRAME ENTRY

DARRELL TUNNELL CO.
HANGER # 19
VISALIA, CA.

DATE 10/01/2001 *MODEL: A-36* *ACTT: 2516.87* *TACH: 1542.87*
REG: N1825S **S/N: E-1898**

1 PERFORM 100 HOUR / ANNUAL INSPECTION AS PER BEECHCRAFT GUIDE P/N 982227H.
2 C/W BENDIX AD 96-12-07 BY 500 HOUR INSPECTION.
3 C/W AD 2000-26-16 BY INSPECTION FOR RIVETS.
4 AD 2001-08-08 N/A BY MODEL.
5 AD 2001-11-03 N/A BY S/N.
6 INSTALL NEW MAIN & NOSE WHEEL BEARINGS & RACES P/N LM67048, LM67010, 13889 & 13836.
7 INSTALL NEW VACUUM FILTER P/N D9-14-5.
8 INSTALL NEW AIR FILTER P/N BA7112.
9 INSTALL NEW TAXI LIGHT P/N 4587.
10 INSPECT ELT IN ACCORDANCE WITH FAR 91.207d REPLACED BATTERY P/N 00-10-009. (DUE 10-03)
11 WASH EXTERIOR & CLEAN INTERIOR.

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS **AIRFRAME** WAS INSPECTED IN ACCORDANCE WITH **ANNUAL** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.

T.C.M LINK FBO
NO. 124

INSPECTOR IA 568789943

PERTINENT DETAILS ON FILE: W.O. 18251011

DATE	AIRCRAFT TIME IN SERVICE

DATE 3/20/2003 *MODE*
REG: N1825S **S/N:**

1 PERFORM 100 HOUR /
2 C/W AD 97-14-15 BY TE
3 C/W AD 93-24-03 BY IN
4 C/W AD 72-22-01 BY IN
5 INSTALL NEW WING T
6 REPAIR ROTATING BE
7 INSTALL NEW BRAKE
8 INSTALL NEW MAIN &
9 INSTALL 2 EACH NEW
10 INSTALL NEW LEFT H
11 INSTALL NEW TAIL LA
12 INSPECT ELT IN ACCO
13 WASH EXTERIOR & CL

ANNUAL INSPECTION
IN AD LOG. I CERTIFY
AND WAS DETERMINE

T.C.M LINK FBO
NO. 124

PERTINENT DETAILS

INSPECTION RECORD
F.A.R. 43.11 - 91.217

AGENCY & CERTIFICATE NO. / K PERFORMED/RETURNED TO SERVICE	DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST / SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

RELL TUNNELL CO.
HANGER # 19
VISALIA, CA.

TACH: 1542.87

13836.

DUE 10-03)

W OR N/A AS LISTED
ANNUAL INSPECTION

PECTOR IA 568789943

AIRFRAME ENTRY

DARRELL TUNNELL CO.
HANGAR # 19
VISALIA, CA.

DATE 3/20/2003 MODEL: A-36 ACTT: 2577.4 TACH: 1603.4

REG: N1825S S/N: E-1898

1 PERFORM 100 HOUR / ANNUAL INSPECTION AS PER BEECHCRAFT GUIDE P/N 982227H.
2 C/W AD 97-14-15 BY TEST OF CABIN DOOR LATCHES.
3 C/W AD 93-24-03 BY INSPECTION OF RUDDER ATTACH POINTS.
4 C/W AD 72-22-01 BY INSPECTION OF UP LOCK ROLLERS.
5 INSTALL NEW WING TIP LEN R/H P/N 000-170001-14 & L/H P/N 000-170001-13.
6 REPAIR ROTATING BEACON.
7 INSTALL NEW BRAKE PADS P/N 066-105.
8 INSTALL NEW MAIN & NOSE WHEEL BEARINGS & RACES P/N LM67048, LM67010, 13889 & 13836.
9 INSTALL 2 EACH NEW WHELEN NAV BULBS P/N WA7079B-24.
10 INSTALL NEW LEFT HAND STROBE TUBE P/N 202331.
11 INSTALL NEW TAIL LAMP P/N GE305.
12 INSPECT ELT IN ACCORDANCE WITH FAR 91.207d REPLACED BATTERY P/N 00-10-009. (DUE 03-05)
13 WASH EXTERIOR & CLEAN INTERIOR.

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS **AIRFRAME** WAS INSPECTED IN ACCORDANCE WITH **ANNUAL** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.

T.C.M LINK FBO
NO. 124

PERTINENT DETAILS ON FILE: W.O. 18252063

INSPECTOR IA 568789943

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AIRFRAME ENTRY

A.M.S., INC.
HANGER 9519
VISALIA, CALIFORNIA

DATE: 7/20/04 ***MODEL: BONANZA*** ***ACTT: 1690.22*** ***HOBBS: 1690.22***

REG: N1825S **S/N: E-1898**

1 REMOVE AND REPLACE ELT BATTERY P/N: 00-10-009 AVIALL#BS166 NEXT DUE 7/06.
2 INSPECT ELT IN ACCORDANCE WITH FAR 91.207d (DUE 7/06).
3 C/W AD 2001-11-03 BY N/A BY SERIAL NUMBER.
4 C/W AD 2001-08-08 N/A BY MODEL NUMBER.
5 C/W AD 2000-26-16 BY INSPECTION OF RIVETS.
6 WASH EXTERIOR & CLEAN INTERIOR.

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS **AIRFRAME** WAS INSPECTED IN ACCORDANCE WITH **ANNUAL** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. APPROVED FOR RETURN TO SERVICE.

T.C.M LINK FBO
NO. 124
PERTINENT DETAILS ON FILE: W.O.

INSPECTOR IA 568789943

DATE	AIRCRAFT TIME IN SERVICE

DATE: 9/10/05
REG: N1825S
1 C/W 100 HOUR
2 C/W AD 97-14
3 C/W AD 93-24-
4 C/W AD 72-22-
5 C/W AD 2000-2
6 REMOVE AND
7 INSPECTED E
8 WASH EXTER
APPROVED FO

T.C.M LINK FE
NO. 124
PERTINENT DE

KIND OF INSPECTION - STATUS & DISCREPANCY LIST

SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

91.217

AMS
AIRCRAFT MECHANICAL SERVICES, Inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 9/10/05 **MODEL: A36**

REG: N1825S **S/N: E-1898**

ACTT: 2708.38 **TACH: 1734.38**

1 C/W 100 HOUR INSPECTION IAW BEECHRAFT/RAYTHEON MAINTENANCE MANUAL.
2 C/W AD 97-14-15 BY TEST OF OOR LATCHES.
3 C/W AD 93-24-03 BY INSPECTION OF RUDDER ATTACH POINTS.
4 C/W AD 72-22-01 BY INSPECTION O LANDING GEAR UPLOCK ROLLERS.
5 C/W AD 2000-26-16 BY INSPECTION OF RIVETS.
6 REMOVE AND INSTALL NEW AIR FILTER P/N: BA-7112.
7 INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D). (NEXT DUE 07/2006).
8 WASH EXTERIOR & CLEAN INTERIOR.
APPROVED FOR RETURN TO SERVICE.

Dallas E. Smith
TECHNICIAN 561137979

T.C.M LINK FBO

NO. 124

PERTINENT DETAILS ON FILE: W.O. 182091005

DATE

AMS
AIRCRAFT MECHANICAL SERVICES, Inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 9/10/05 **MODEL: A36** **ACTT: 2708.38** **TACH: 1734.38**
REG: N1825S **S/N: E-1898**

1 C/W 100 HOUR INSPECTION IAW BEECHRAFT/RAYTHEON MAINTENANCE MANUAL.
2 WASH EXTERIOR & CLEAN INTERIOR.
ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH ***ANNUAL*** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.
APPROVED FOR RETURN TO SERVICE.

T.C.M LINK FBO
NO. 124
PERTINENT DETAILS ON FILE: W.O. 182091005

INSPECTOR IA 3050372

I certify that ATC Transponder(s) has/have been inspected, tested and found to comply with FAR 43, Appendix F.
Transponder No. 1 Serial No. ✓
Transponder No. 2 Serial No. ✓
Date: 9/8/05 Signature:
NavCom Inc. Certificate No. K7VR885Y Tel. (559) 651-2656
9506 Airport Dr., Visalia, Ca. 93277

N1825S

I certify that the Altimeter(s) Automatic Pressure Altitude Reporting System(s) and Static Pressure System(s) have been inspected, tested and found to comply with FAR Part 43, Appendix E.
Altimeter(s) tested to 25,000 FT
Pilot Altimeter Serial No.
Co-Pilot Altimeter Serial No.
Date: 9/8/05 Signature:
NavCom Inc. Certificate No. K7VR885Y Tel. (559) 651-2656
9506 Airport Dr., Visalia Ca. 93277

N1825S

DATE | AIRCRAFT TIME IN SERVICE

DATE: 11/27/06 **MODE**
REG: N1825S **S/N:**
1 C/W 100 HOUR INSPEC
2 C/W AD 97-14-15 BY TE
3 C/W AD 93-24-03 BY IN
4 C/W AD 72-22-01 BY IN
5 C/W AD 2000-26-16 BY
6 INSTALL NEW ELT BA
7 INSTALL NEW AIR FIL
8 INSPECTED ELT IN AC
9 WASH EXTERIOR & C
APPROVED FOR RETU

PERTINENT DETAILS

TACH: 1734.38

E MANUAL.

HECKED AND C/W
PECTED IN ACCORDANCE
HY CONDITION.

INSPECTOR IA 3050372

omatic Pressure Altitude Reporting System(s)
ve been inspected, tested and found to comply

200 FT

gnature:
K7VR885Y Tel. (559) 651-2656
77 N1825S

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 11/27/06 **MODEL: A36** **ACTT: 2738.54** **HOBBS: 1764.54**
REG: N1825S **S/N: E-1898**

1 C/W 100 HOUR INSPECTION IAW BEECHCRAFT MAINTENANCE MANUAL.
2 C/W AD 97-14-15 BY TEST OF DOOR LATCHES FOR PROPER LOCKING.
3 C/W AD 93-24-03 BY INSPECTION OF RUDDER ATTACH POINTS.
4 C/W AD 72-22-01 BY INSPECTION OF LANDING GEAR UPLOCK ROLLERS.
5 C/W AD 2000-26-16 BY INSPECTION FOR MISSING RIVETS.
6 INSTALL NEW ELT BATTERY P/N: BP-1010.
7 INSTALL NEW AIR FILTER ELEMENT P/N: BA7112.
8 INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D).
9 WASH EXTERIOR & CLEAN INTERIOR.
APPROVED FOR RETURN TO SERVICE.

A&P 561137979

PERTINENT DETAILS ON FILE: W.O. 182112706

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 11/27/06 MODEL: A36 ACTT: 2738.54 HOBBS: 1764.54

REG: N1825S S/N: E-1898

1 C/W 100 HOUR INSPECTION IAW BEECHCRAFT MAINTENANCE MANUAL.

2 WASH EXTERIOR & CLEAN INTERIOR.

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH ***ANNUAL*** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. APPROVED FOR RETURN TO SERVICE.

INSPECTOR IA 3050372

PERTINENT DETAILS ON FILE: W.O. 182112706

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

DATE: 1/7/08

REG: N1825S

1 C/W 100 H

2 C/W AD 91

3 C/W AD 95

4 C/W AD 20

5 REPLACE

504271, 1

6 INSTALL N

7 INSTALL N

8 INSTALL N

9 SERVICED

10 INSPECTE

PERTINEN

...URE — CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

...D OF INSPECTION - STATUS & DISCREPANCY LIST

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 1/7/08 **MODEL: A36**

REG: N1825S **S/N: E-1898**

ACTT: 2757.64 **HOBBS: 1783.64**

1 C/W 100 HOUR INSPECTION IAW BEECHCRAFT MAINTENANCE MANUAL.
2 C/W AD 91-18-19 BY INSPECTION OF THE SHOULDER HARNESS ISA SB 2394.
3 C/W AD 95-01-03 BY DYE PENETRANT INSPECTION OF SPAR WEB IAW SB 2360.
4 C/W AD 2007-08-08 BY INSPECTION AND LUBRICATION OF LANDING GEAR UPLOCK ROLLERS.
5 REPLACED O-RINGS AND SCRAPER RINGS ON RIGHT MAIN LANDING GEAR P/NS: 1 SCRAPER P/N: 504271, 1 O-RING P/N: MS28775-328, 1 O-RING P/N: MS28775-227, 1 O-RING P/N: MS28775-5.
6 INSTALL NEW NOSE WHEEL BEARING AND RACE P/NS: LM67048 & LM67010.
7 INSTALL NEW NOSE TIRE P/N: 505C66-5 AND 1 NEW TUBE P/N: 5.00-5 ON NOSE TIRE.
8 INSTALL NEW LANDING LIGHT P/N: GE4596.
9 SERVICED BRAKES WITH 5606 FLUID.
10 INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D).

J. CHRISTIAN CRAWFORD A&P 3275783

PERTINENT DETAILS ON FILE: W.O. 182010708

F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE — CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 1/7/08 **MODEL: A36** **ACTT: 2757.64** **HOBBS: 1783.64**
REG: N1825S **S/N: E-1898**

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH ***ANNUAL*** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. APPROVED FOR RETURN TO SERVICE.

TIM MACHADO - IA 3050372

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 7/27/09 **MODEL: A36**
REG: N1825S **S/N: E-1898**

1 THIS AIRCRAFT HAS BEEN APPROVED FOR AN EXTENSION ON COMPLIANCE TIME FOR AD 2008-13-17 REPLACEMENT OF TOGGLE SWITCHES - DUE TO PARTS NOT BEING AVAILABLE BEFORE THE REQUIRE TIME OF COMPLIANCE (AUGUST 6, 2009). PLEASE REFERENCE ATTACHED LETTER, DATED JULY 27, 2009, FOR ALTERNATE METHOD OF COMPLIANCE DETAILS.

DARRELL E. TUNNELL - A&P 3275726

PERTINENT DETAILS ON FILE: W.O. 182072709

DATE	AIRCRAFT TIME IN SERVICE	SIG

I certify that the Altimeter(s) Automatic Pr
and Static Pressure System(s) have been in
With FAR Part 43, Appendix E.
Altimeter(s) tested to 25,000
Pilot Altimeter Serial No. X
Co-Pilot Altimeter Serial No. X
Date: 1-7-08 Signature:
NavCom Avionics Inc. Certificate No.
9506 W. Airport Dr., Visalia Ca. 93277

I certify that ATC Transponder(s) has/have
Complies with FAR 43, Appendix F.
Transponder No. 1 Serial No. KT 76
Transponder No. 2 Serial No.
Date: 1-7-08 Signature:
NavCom Avionics Inc. Certificate No. K
9506 W. Airport Dr., Visalia, Ca. 93277

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

I certify that the Altimeter(s) Automatic Pressure Altitude Reporting System(s) and Static Pressure System(s) have been inspected, tested and found to comply With FAR Part 43, Appendix E.

Altimeter(s) tested to 25,000 FT

Pilot Altimeter Serial No. X

Co-Pilot Altimeter Serial No. X

Date: 1-7-08 Signature: [signature]

NavCom Avionics Inc. Certificate No. K7VR885Y Tel. (559) 651-2656

9506 W. Airport Dr., Visalia Ca. 93277 N 1825 S

I certify that ATC Transponder(s) has/have been inspected, tested and found to Complies with FAR 43, Appendix F.

Transponder No. 1 Serial No. KT 76C

Transponder No. 2 Serial No.

Date: 1-7-08 Signature: [signature]

NavCom Avionics Inc. Certificate No. K7VR885Y Tel. (559) 651-2656

9506 W. Airport Dr., Visalia, Ca. 93277 N 1825 S

0372

AD 2008-13-17

RE THE REQUIRE

~~ATED~~ JULY 27,

[signature]

IELL - A&P 3275726

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 2/23/09 **MODEL: A36** **ACTT: 2797.17** **TACH: 1823.17**
REG: N1825S **S/N: E-1898**

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH ***ANNUAL*** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. APPROVED FOR RETURN TO SERVICE.

STEPHEN STEWART - IA 2129169

PERTINENT DETAILS ON FILE: W.O. 182022309

DATE	AIRCRAFT IN SERV

DATE: 2/23
REG: N182
1 C/W 100
2 AD 93-2
3 AD 95-0
4 AD 200
5 C/W AD
ROLLE
6 AD 200
7 AD 200
8 AD 200
9 INSTAL
10 INSPEC

PERTIN

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 2/23/09 **MODEL: A36** **ACTT: 2797.17** **TACH: 1823.17**

REG: N1825S **S/N: E-1898**

1 *C/W 100 HOUR INSPECTION IAW BEECHCRAFT MAINTENANCE MANUAL.*
2 *AD 93-24-03 INSPECTION OF RUDDER ATTACH POINTS NOT DUE UNTIL TACH: 2264.54.*
3 *AD 95-04-03 INSPECTION OF SPAR WEB NOT DUE UNTIL TACH: 2283.64.*
4 *AD 2005-12-06 INSPECTION OF MAGNETO IMPULSE COUPLINGS NOT DUE UNTIL TACH: 2042.87.*
5 *C/W AD 2007-08-08 BY INSPECTION OF LANDING GEAR UPLOCK ROLLERS. GREASEABLE TYPE ROLLERS INSTALLED. NEXT INSPECTION DUE AT TACH: 1923.17.*
6 *AD 2007-26-09 HAS BEEN PREVIOUSLY COMPLIED WITH IAW AD 77-12-06 10/7/86 @ TACH: 463.1.*
7 *AD 2008-13-17 - NEW SWITCHES ON ORDER, MUST BE INSTALLED BY AUGUST 2009.*
8 *AD 2008-13-28 IS N/A BY NO LEFT HAND ROTATING PROPELLER INSTALLED.*
9 *INSTALL NEW AIR FILTER ELEMENT P/N: BA7112.*
10 *INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D). (DUE APRIL 2011).*

RAPHAEL LOPEZ - A&P 2709706

PERTINENT DETAILS ON FILE: W.O. 182022309

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277
Airframe

DATE: 12/9/09 **MODEL: A36** **ACTT: 2818.47** **TACH: 1844.47**
REG: N1825S **S/N: E-1898**

1 INSTALL NEW COMPASS DEVIATION CARD P/N: C23-807.
2 C/W AD 2008-13-17 BY INSTALLATION OF THE FOLLOWING NEW CIRCUIT BREAKER SWITCHES: 4 P/N: 35-380132-103, 1 P/N: 35-380132-101, 1 P/N: 35-380132-73, 1 P/N: 35-380132-63.

RAPHAEL LOPEZ - A&P 2709706

PERTINENT DETAILS ON FILE: W.O. 182120909

AMS AVIONICS, INC.
9504 Airport Drive, Hanger 19
Visalia, CA 93277
Airframe

DATE: 12/10/09 **MODEL: A36** **TACH: 1844.47**
REG: N1825S **S/N: E-1898**

1 TUNED UP KNS80 DME. TESTED ANTENNAS ANS CABLE. FUNCTIONAL CHECK GOOD.

ERIC OTT
REPAIR STATION NUMBER 7AXR408B

PERTINENT DETAILS ON FILE: W.O. 09-242

DATE	AIRCRAFT TIME IN SERVICE

DATE: 04/16/10
REG: N1825S
1 C/W 100 HOUR
2 AD 93-24-03 - I
3 AD 95-04-03 - I
4 AD 2005-12-06
5 C/W AD 2007-0
ROLLERS INST
6 AD 2009-16-03
7 AD 2009-19-07
8 AD 2009-24-52
9 AD 2009-25-01
10 INSTALLED NE
11 INSPECTED EL

PERTINENT DE

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE — CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 04/16/10 **MODEL: A36** **ACTT: 2826.0** **TACH: 1852.0**

REG: N1825S **S/N: E-1898**

1 *C/W 100 HOUR INSPECTION IAW BEECHCRAFT MAINTENANCE MANUAL.*
2 *AD 93-24-03 - INSPECTION OF RUDDER SPAR CRACKS - NOT DUE UNTIL TACH: 2264.54*
3 *AD 95-04-03 - INSPECTION OF SPAR WEB - NOT DUE UNTIL TACH: 2283.64*
4 *AD 2005-12-06 - INSPECTION OF MAGNETO IMPULSE COUPLINGS - NOT DUE UNTIL TACH: 2042.87*
5 *C/W AD 2007-08-08 BY INSPECTION OF LANDING GEAR UPLOCK ROLLERS. GREASEABLE TYPE ROLLERS INSTALLED. NEXT INSPECTION DUE AT TACH: 1952.0.*
6 *AD 2009-16-03 IS N/A BY TYPE OF CYLINDER INSTALLED.*
7 *AD 2009-19-07 IS N/A BY NO EQ3 CYLINDER INSTALLED.*
8 *AD 2009-24-52 IS N/A BY LIFTERS NOT REPLACED AT DATE ON AD.*
9 *AD 2009-25-01 IS N/A BY AIRCRAFT MODEL.*
10 *INSTALLED NEW AIR FILTER ELEMENT P/N: BA-7112*
11 *INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D). (DUE APRIL 2011).*

STEPHEN STEWART - A&P 2129169

PERTINENT DETAILS ON FILE: W.O. 182041610

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277
Airframe

DATE: 04/16/10 **MODEL: A36** **ACTT: 2826.0** **TACH: 1852.0**
REG: N1825S **S/N: E-1898**

12 REMOVE AND REINSTALL SHIMMY DAMPNER AFTER OVERHAUL USING THE FOLLOWING PARTS: 2 NEW O-RINGS P/N: MS28775-338, 1 NEW ROD ASSEMBLY P/N: 35-825148, 2 NEW O-RINGS P/N: MS28775-006, 2 NEW O-RINGS P/N: MS28775-012, 4 NEW O-RINGS P/N: MS28775-115, 1 NEW PISTON P/N: 35-825147, 2 NEW PISTONS P/N: 35-825152, 1 NEW PIN P/N: 102809-093-026, AND 2 NEW SPRINGS P/N: 100943-ZE316G.

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277
Airframe

DATE: 04/16/10 **MODEL: A36** **ACTT: 2826.0** **TACH: 1852.0**
REG: N1825S **S/N: E-1898**

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH ***ANNUAL*** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. APPROVED FOR RETURN TO SERVICE.

STEPHEN STEWART - IA 2129169

PERTINENT DETAILS ON FILE: W.O. 182041610

DATE	AIRCRAFT TIME IN SERVICE

DATE: 6/15
REG: N182
1 INSTAL
& GARI
43.13-2
WEIGH

PERTI

DATE: 6/7/11
REG: N1825S
ANNUAL I
OR N/A AS
WITH ***ANN***
APPROVE

PERTINEN

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS AVIONICS, INC.
9504 Airport Drive, Hanger 19
Visalia, CA 93277
Airframe

DATE: 6/15/11 **MODEL: A36**
REG: N1825S **S/N: E-1898**

1 INSTALL THE FOLLOWING NEW AVIONICS UNITS: GMA347 AUDIO PANEL S/N: 47007090 IAW AC 43.13-2A & GARMIN DOCUMENT # 190-00325-01 REV. B, GTN750 WAAS NAV/COM/GPS S/N: 1ZA000921 IAW 43.13-2A CHAPTER 2 & GARMIN DOCUMENT # 190-01004-02 REV. A AND GA35 GPS ANTENNA S/N: 75227 WEIGHT AND BALANCE AMENDED.

Eric Ott

ERIC OTT

PERTINENT DETAILS ON FILE: W.O. 11-144 **REPAIR STATION NUMBER 7AXR408B**

TON
PRINGS

CH: 1852.0

D AND C/W
ED IN ACCORDANCE
CONDITION.

HEN STEWART - IA 2129169

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277
Airframe

DATE: 6/7/11 **MODEL: A36** **ACTT: 2848.78** **TACH: 1874.78**
REG: N1825S **S/N: E-1898**

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH **ANNUAL** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. APPROVED FOR RETURN TO SERVICE.

STEPHEN STEWART - IA 2129169

PERTINENT DETAILS ON FILE: W.O. 182060711

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 6/7/11 **MODEL: A36** **ACTT: 2848.78** **TACH: 1874.78**

REG: N1825S **S/N: E-1898**

1 AD 93-24-03 - INSPECTION OF RUDDER SPAR CRACKS - NOT DUE UNTIL TACH: 2264.54

2 AD 95-04-03 - INSPECTION OF SPAR WEB - NOT DUE UNTIL TACH: 2283.64

3 AD 2005-12-06 - INSPECTION OF MAGNETO IMPULSE COUPLINGS - NOT DUE UNTIL TACH: 2042.87

4 AD 2007-08-08 - UPLOCK ROLLERS - NOT DUE UNTIL TACH: 1952.0

5 AD 2010-11-04 IS N/A BY LIFTER NOT REPLACED WITHIN DATE OF AD.

6 INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D) (DUE AUGUST 2013).

STEPHEN STEWART - A&P 2129169

7 INSTALL NEW ELT BATTERY P/N: BP-1010.

8 REMOVE AND REINSTALL LEFT HAND EXHAUST STACK P/N: 35-950005-1A AFTER REPAIRS BY KNISLEY EXHAUST SYSTEMS UNDER WORK ORDER NUMBER: 138738.

RAPHAEL LOPEZ - A&P 2709706

PERTINENT DETAILS ON FILE: W.O. 182060711

DATE	AIRCRAFT TIME IN SERVICE	

DATE: 07/13/12 **M**

REG: N1825S **S**

1 C/W AD 2007-08-0

2 AD 2012-03-06 - IS

3 INSTALL AIR FILTE

4 INSTALL R/H MUF

5 INSTALL NOSE ST

6 INSPECTED ELT I

7 RESEAL L/H MAIN

8 RESEAL NOSE GE

9 INSTALL DOUBLE

PERTINENT DETAI

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE — CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 07/13/12 **MODEL: A36** **ACTT: 2861.55** **TACH: 1887.55**

REG: N1825S **S/N: E-1898**

1 C/W AD 2007-08-08 - INSPECTION & LUBE OF UPLOCK ROLLERS - NEXT DUE AT TACH: 1987.0.

2 AD 2012-03-06 - IS N/A BY NO AVSTAR FUEL SYSTEM INSTALLED.

3 INSTALL AIR FILTER P/N: BA-7112.

4 INSTALL R/H MUFFLER ASSY. P/N: K701-05 AND LINK P/N: 002-910010-9.

5 INSTALL NOSE STEERING ARM BUSHING P/N: A-779.

6 INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D) ***(DUE AUGUST 2013).***

STEPHEN STEWART - A&P 2129169

7 RESEAL L/H MAIN BRAKE CALIPER.

8 RESEAL NOSE GEAR STRUT.

DANIEL SANTILLAN - A&P 3616668

9 INSTALL DOUBLER REAR R/H COWL LATCH AND BRACKET P/N: 35-910108.

CHRISTIAN MUNOZ - A&P 3559458

KENNETH TURNER - A&P 3274206

PERTINENT DETAILS ON FILE: W.O. 182071312

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 07/13/12 **MODEL: A36** **ACTT: 2861.55** **TACH: 1887.55**

REG: N1825S **S/N: E-1898**

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH ***ANNUAL*** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.

APPROVED FOR RETURN TO SERVICE.

STEPHEN STEWART - IA 2129169

PERTINENT DETAILS ON FILE: W.O. 182071312

I certify that ATC Transponder(s) has/have been inspected, tested and foun
Complies with FAR 43, Appendix F.
Transponder No. 1 Serial No. KT76A
Transponder No. 2 Serial No. _____
Date: 7-12-12 Signature: [signature]
AMS Avionics Inc. Certificate No. 7AXR408B Tel. (559) 651-0190
9504 W. Airport Dr., Visalia, Ca. 93277 N 1825S

I certify that the Altimeter(s) Automatic Pressure Altitude Reporting System(s) and Static Pressure System(s) have been inspected, tested and found to comply With FAR Part 43, Appendix E.
Altimeter(s) tested to 22,000 FT
Pilot Altimeter Serial No. _____
Co-Pilot Altimeter Serial No. _____
Date: 7-12-12 Signature: [signature]
AMS Avionics Inc. Certificate No. 7AXR408B Tel. (559) 651-0190
9504 W. Airport Dr., Visalia Ca. 93277 N 1825S

DATE	AIRCRAFT TIME IN SERVICE

DATE: 07/02/13
REG: N1825S
1 REMOVE AND RE
AFTER O/H BY D
2 INSTALL 2 BUSH
INSPECT NOSE S
3 REPLACE BUSHI
4 REPAIR TURN ST
5 REPAIRED NOSE
PERTINENT DETA

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE — CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277
Airframe

DATE: 07/02/13 **MODEL: A36** **ACTT: 2882.1** **TACH: 1908.1**

REG: N1825S **S/N: E-1898**

1 REMOVE AND RE-INSTALL NOSE STRUT P/N: 35-825195-5 AND P/N: 35-825195-31
AFTER O/H BY DELTA STRUT UNDER WORK ORDER 2013-31.

2 INSTALL 2 BUSHINGS P/N: 105740X-ZL0104 DUE TO INCORRECT HARDWARE.
INSPECT NOSE STEERING FOR PROPER ALIGNMENT.

3 REPLACE BUSHING P/N: A-779 ON NOSE STEERING LINKAGE.

CHRISTIAN MUNOZ - A&P 3559458

KENNETH TURNER - A&P 3274206

4 REPAIR TURN STOP NOSE GEAR.

CHRISTIAN MUNOZ - A&P 3559458

KENNETH TURNER - A&P 3274206

5 REPAIRED NOSE STEERING STOP BOLT.

PERTINENT DETAILS ON FILE: W.O. 182070213

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

DATE

DELTA STRUT

668 W. Kearney Blvd.
Fresno, CA 93706
deltastrut@aol.com

Your One Stop
Strut Service Center

559-441-1316 - Office
559-908-2957 - Cell
559-299-2669 - Res
559-497-0958 - Fax

Lawson Barber
and
Kathy Barber

DATE: June 27, 2013

ACFT: MODEL: Beech A-36, N1825S.

ACFT: TIME:

PART: # 35-825195-5 & 35-825195-31.

WORK ORDER #: 2013-31

LIC. #: A&P 1398894 IA

SIGNATURE: Lawson E. Barber

Piston assy # 35-825195-5, the lower O ring in piston replaced, part # MS28775-218 installed. Barrel part # 35-825195-31, the lower bearing replaced, part # 45-825031 installed and honed to match piston. The following new parts installed in the barrel. 1ea MS28775-5 O ring, 1ea 35-820134 Shim, 1ea MS28775-223 O ring, 1ea MS2875-224 O ring, 1ea 35-820130-2 Felt Pad, 1ea 111200-6 Snap ring, 1ea AN6231A19 Scraper, 1ea 35-820028 Bushing, 1ea 13909B170 Bolt, 1ea 35-825005 Bolt, & 1ea NAS76A020 Oilite bushing. Reassembled, serviced with MIL5606 HYD fluid and pressure tested to 300 PSI. Returned to service. END.

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE — CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 08/01/13 **MODEL: A36** **ACTT: 2883.0** **TACH: 1909.0**

REG: N1825S **S/N: E-1898**

1 C/W AD 2007-08-08 - INSPECTION & LUBE OF UPLOCK ROLLERS - NEXT DUE AT TACH: 2009.0.
2 REPLACE INJECTOR SERVO COWLING DUCT P/N: 115167CX060585.
3 REPLACE VAC FILTERS P/N: AAD9-14-5 AND P/N: AA2J4-7 AND COVER P/N: 58-910021-1.
4 REPLACE DIPSTICK GASKETS P/N: 633240.
5 INSTALL AIR FILTER P/N: BA-7112.
6 REPLACE ELT BATTERY P/N: BS2166.
7 INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D) ***(DUE SEPTEMBER 2015)***.

STEPHEN STEWART - A&P 2129169

8 REPLACE L/R BRAKE DISCS P/N: 164-02505 AND BRAKE LININGS P/N: 066-10500.
9 REPLACE L/H MAIN TIRE P/N: 301-068-006 AND BALANCE.
10 REPLACE R/H MAIN TIRE TUBE.

DANIEL SANTILLAN - A&P 3616668

PERTINENT DETAILS ON FILE: W.O. 182073013

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 08/01/13 **MODEL: A36** **ACTT: 2883.0** **TACH: 1909.0**

REG: N1825S **S/N: E-1898**

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH ***ANNUAL*** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. APPROVED FOR RETURN TO SERVICE.

STEPHEN STEWART - IA 2129169

PERTINENT DETAILS ON FILE: W.O. 182073013

I certify that ATC Transponder(s) has/have been inspected, tested and found to Complies with FAR 43, Appendix F.
Transponder No. 1 Serial No. KT 76A 26003
Transponder No. 2 Serial No. _____
Date: 7-25-13 Signature: _____
AMS Avionics Inc. Certificate No. 7AXR408B Tel. (559) 651-0190
9504 W. Airport Dr., Visalia, Ca. 93277 N 1825S

I certify that the Altimeter(s) Automatic Pressure Altitude Reporting System(s) and Static Pressure System(s) have been inspected, tested and found to comply With FAR Part 43, Appendix E.
Altimeter(s) tested to 25,000 FT
Pilot Altimeter Serial No. K
Co-Pilot Altimeter Serial No. R
Date: 7-25-13 Signature: _____
AMS Avionics Inc. Certificate No. 7AXR408B Tel. (559) 651-0190
9504 W. Airport Dr., Visalia Ca. 93277 N 1825S

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS AVIONICS, INC.

9504 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 9/29/15 **MODEL: A36** **TACH: 1942.80**

REG: N1825S **S/N: E-1898**

1 INSTALL NEW ACK MODE A30 ENCODER P/N: A30.02.00.

2 PITOTSTATCI ALTIMATER CERTIFICATION DONE. SEE FOLLOWING ENTRY.

KIRK KILLIAN

PERTINENT DETAILS ON FILE: W.O. 15-324 **REPAIR STATION NUMBER 7AXR408B**

29169

I certify that ATC Transponder(s) has/have been inspected, tested and found to Complies with FAR 43, Appendix F.
Transponder No. 1 Serial No. 26003
Transponder No. 2 Serial No. NA
Date: 9/29/15 Signature:
AMS Avionics Inc. Certificate No. 7AXR408B Tel. (559) 651-0190
9504 W. Airport Dr., Visalia, Ca. 93277 N 1825S

eporting System(s)
and found to comply

Tel. (559) 651-0190
N 1825S

I certify that the Altimeter(s) Automatic Pressure Altitude Reporting System(s) and Static Pressure System(s) have been inspected, tested and found to comply With FAR Part 43, Appendix E.
Altimeter(s) tested to 20,000 FT
Pilot Altimeter Serial No. 0578010
Co-Pilot Altimeter Serial No. NA
Date: 9/29/15 Signature:
AMS Avionics Inc. Certificate No. 7AXR408B Tel. (559) 651-0190
9504 W. Airport Dr., Visalia Ca. 93277 N 1825S

INSPECTION RECORD

DATE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 11/04/16 **MODEL: A36** **ACTT: 2937.0** **TACH: 1963.0**
REG: N1825S **S/N: E-1898**

1 AD 95-04-03 SPAR FAILURE IS NOT DUE AT THIS TIME.
DUE EVERY 500 HRS; NEXT DUE TACH: 2283.6.
2 AD 93-24-03 RUDDER SPAR CRACKS IS NOT DUE AT THIS TIME.
DUE EVERY 500 HRS NEXT DUE TACH: 2264.5.
3 AD 2007-08-08 INSP & LUBE OF LANDING GEAR UPLOCK ROLLERS IS NOT DUE AT THIS TIME
DUE EVERY 100 HOURS NEXT DUE TACH: 2033.0
4 AD 2008-13-17 INSP OF CIRCUIT BREAKER TOGGLE SWITCH IS NOT DUE AT THIS TIME
PREVIOUSLY COMPLIED WITH 12/2009
4 AD 2016-16-12 INSP CYLINDER ASSY FAILURES - N/A HAS CONT. CYLINDER INSTALLED
5 INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D) ***(DUE OCTOBER 2017).***
* ***PITOT / STATIC NEXT DUE: OCTOBER 2017.***

STEPHEN STEWART - A&P 2129169

6 REMOVE & REPLACE BEARING'S PN: 13889 & RACE'S PN: 13836 ON R/H MAIN WHEEL.
7 REMOVE & REPLACE BEARING'S PN: LM67048 & RACE PN: LM67010 ON NOSE WHEEL.
8 REMOVE & REPLACE R/H MAIN TIRE PN: 301-063-006
9 REMOVE & REPLACE AFT BATTERY PN: G-242 SN: G02820741 & SERVICED WITH ACID.
10 INSTALL AIR FILTER P/N: BA-7112.

RAPHAEL LOPEZ - A&P 2709706

PERTINENT DETAILS ON FILE: W.O. 182110416

DATE

AMS Avionics Inc. CRS 7AXR408B Tel. (559) 651-0190
9504 W. Airport Drive, Visalia, CA 93277

DATE: 11/
REG: N18
ANNUA
OR N/A
WITH A
APPRO
PERTIN

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE

AMS Avionics Inc. CRS 7AXR408B
9504 W. Airport Drive, Visalia, CA 93277 Tel. (559) 651-0190

A&P 2129169

PEZ - A&P 2709706

AMS
AIRCRAFT MECHANICAL SERVICES, Inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 11/04/16 **MODEL: A36** **ACTT: 2937.0** **TACH: 1963.0**

REG: N1825S **S/N: E-1898**

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH **ANNUAL** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. APPROVED FOR RETURN TO SERVICE.

STEPHEN STEWART - IA 2129169

PERTINENT DETAILS ON FILE: W.O. 18

Aircraft Registration: N1825S

I certify that ATC Transponder(s) has/have been inspected, tested and found to complies with FAR 43, Appendix F.

Transponder No. 1 Serial No.: 26003 (KT76A)

Transponder No. 2 Serial No.: _____

I certify that the Altimeter(s) Automatic Pressure Altitude Reporting System(s) and Static Pressure System(s) have been inspected, tested and found to comply with FAR Part 43, Appendix E.

Altimeter(s) tested to: 18,000 FT

Pilot Altimeter Serial No.: _____

Co-Pilot Altimeter Serial No.: _____

Signature: _____ Date: 12/26/2017

Additional Details under work order number: 17-220

INSPECTION RECORD
F.A.R. 43.11 - 91.217

DATE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 01/02/18 **MODEL: A36** **ACTT: 2968.0** **TACH: 1994.0**

REG: N1825S **S/N: E-1898**

1 AD 93-24-03 RUDDER SPAR CRACK INSP NOT DUE AT THIS TIME. NEXT DUE @ TACH: 2264.54

2 AD 95-04-03 SPAR FAILURE IS NOT DUE AT THIS TIME. DUE EVERY 500 HRS; NEXT DUE TACH: 2283.6.

3 AD 2007-08-08 INSP & LUBE OF LANDING GEAR UPLOCK ROLLERS IS NOT DUE AT THIS TIME DUE EVERY 100 HOURS NEXT DUE TACH: 2033.0

4 REMOVE & REPLACE ELT BATTERY PN: BS2166 (EXP DEC 2019)

5 REMOVE & REPLACE AIR FILTER ELEMENT PN: BA7112

6 INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D) ***(DUE DECEMBER 2019)***

* ***PITOT / STATIC NEXT DUE: DECEMBER 2019***

STEPHEN STEWART - A&P 2129169

7 REMOVE & REPLACE UPLOCK ROLLER BOLT PN: 35-810122-1 & BUSHING PN: 35-815124 ON L/H & R/H MAIN GEAR.

8 REMOVE & REPLACE BOLT PN: NAS6205-33D & BUSHING PN: 35-815124 ON LWR BRACE ATTACHMENT L/H & R/H MAIN GEAR.

CHRISTIAN MUNOZ - A&P 3559458

9 REMOVE & REPLACE BOOST FUEL PUMP PN: 1296-00-1 SN: 1083 & O-RING'S PN: MS28778-6.

RAPHAEL LOPEZ - A&P 2709706

PERTINENT DETAILS ON FILE: W.O. 182010218

DAT

DATE: 01/02/18

REG: N1825S

ANNUAL INSPEC

OR N/A AS LISTE

WITH ***ANNUAL*** I

APPROVED FOR

PERTINENT DET

DATE: 06/13/18 M

REG: N1825S S/

1 REMOVE & REPLA

PERTINENT DETAIL

TACH: 1994.0

DUE @ TACH: 2264.54
HRS; NEXT DUE TACH: 2283.6.
OT DUE AT THIS TIME

R 2019).

HEN STEWART - A&P 2129169
NG PN: 35-815124 ON L/H & R/H

4 ON LWR BRACE ATTACHMENT

RISTIAN MUNOZ - A&P 3559458
RING'S PN: MS28778-6.

RAPHAEL LOPEZ - A&P 2709706

DAT

F.A.R. 43.11 - 91.217

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 01/02/18 MODEL: A36 ACTT: 2968.0 TACH: 1994.0
REG: N1825S S/N: E-1898

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH ***ANNUAL*** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. APPROVED FOR RETURN TO SERVICE.

STEPHEN STEWART - IA 2129169

PERTINENT DETAILS ON FILE: W.O. 182010218

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 06/13/18 MODEL: A36 ACTT: 2980.61 TACH: 2006.61
REG: N1825S S/N: E-1898

1 REMOVE & REPLACE ALT GASKET P/N:653981.

RAPHAEL LOPEZ - A&P 2709706

PERTINENT DETAILS ON FILE: W.O. 182061318

F.A.R. 43.11 - 91.2

DATE	AIRCRAFT TIME IN SERVICE	SIGNATURE — CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE — KIND OF INSPECTION - STATUS & DISCREPANCY LIST

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

ACTT: TACH: 2027.0

DATE: 2/18/19 MODEL: A-36
REG: N1825S S/N: E-1898

1 INSTALL NEW ELEMENT PN:BA7112 EXP:03/21
2 INSTALL NEW ELT BATTERY PN:BS216
3 C/W AD 2007-08-08 UPLOCK ROLLERS INSP./LUBRICATION
4 AD 95-04-03 SPAR INSP NOT DUE AT THIS TIME . DUE AT TACH :2283.0
5 AD 93-24-03 RUDDER SPAR. NOT DUE AT THIS TIME. DUE AT TACH:2204.0

STEPHEN STEWART - A&P 2129169

6 RE-SEAL LEFT MAIN GEAR WITH PART NUMBERS: 504271 SCRAPER, 35-815247-9 FELT, MS28775-328 ORING, MS28778-5 ORING, MS28775-227 ORING, 9914B VALVE
7 SERVICE LEFT MAIN LANDING GEAR WITH 30OZ OF 5606 HYDRALIC FLUID

RAPHAEL LOPEZ - A&P 2709706

8 INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D) (DUE 03/21).
9 PITOT/STATIC ALTIMETER RANSPONDER CERT 91.411 & 91.413 DUE 10/19.

STEPHEN STEWART - A&P 2129169

PERTINENT DETAILS ON FILE: W.O. 182030119

DATE: 2/18/19
REG: N1825S
ANNUAL IN
OR N/A AS
WITH ***ANN***
APPROVED

DATE: 03/24/20
REG: N1825S
ANNUAL IN
OR N/A AS
WITH ***ANN***
APPROVED

PERTINENT

KIND OF INSPECTION - STATUS & DISCREPANCY LIST

SIGNATURE – CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 2/18/19 MODEL: A-36 ACTT: TACH: 2027.0

REG: N1825S S/N: E-1898

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH **ANNUAL** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. APPROVED FOR RETURN TO SERVICE.

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 03/24/20 MODEL: A-36 ACTT: TACH: 2061.0

REG: N1825S S/N: E-1898

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH **ANNUAL** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. APPROVED FOR RETURN TO SERVICE.

STEPHEN STEWART - IA 2129169

PERTINENT DETAILS ON FILE: W.O. 182032420

INSPECTION RECORD

F.A.R. 43.11 - 91.217

DATI

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 03/24/20 **MODEL: A-36** **ACTT:** **TACH: 2061.0**

REG: N1825S **S/N: E-1898**

1 AD 95-04-03 SPAR INSP NOT DUE AT THIS TIME . DUE AT TACH :2283.0

2 AD 93-24-03 RUDDER SPAR. NOT DUE AT THIS TIME. DUE AT TACH:2204.0

3 AD 2007-08-08 INSPECTION & LUBRICATION OF UPLOCK ROLLERS NOT DUE AT THIS TIME. NEXT DUE TACH TIME 2127.0

4 INSTALL NEW AIR FILTER ELEMENT P/N: BA7112.

5 REMOVE & REPLACE BRAKE RESERVOIR P/N: 9027A100-1.

6 REMOVE & REPLACE NOSE WHEEL BEARING P/N: LM67048 & RACE P/N: LM67010.

7 REMOVE & REPLACE GEAR WARNING HORN MICRO SWITCH P/N: V3-1.

STEPHEN STEWART - A&P 2129169

PERTINENT DETAILS ON FILE: W.O. 182032420

DATI

DATE: 03/24/20

REG: N1825S

8 REMOVE & REPLA
130909B253 & MS2

9 REMOVE & REPLA
BEARINGS P/N: LS

10 REMOVE & REPLA
130909B75, AN174-
& 45-825011, ROD E
P/N: 100951DD032X

11 INSPECTED NOSE

12 INSPECTED ELT IN A

* PITOT/STATIC ALTIM

PERTINENT DETAILS

KIND OF INSPECTION, STATUS & DISCREPANCY LIST

AMS
AIRCRAFT MECHANICAL SERVICES, Inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 03/24/20 **MODEL: A-36**

REG: N1825S **S/N: E-1898** **ACTT:** **TACH: 2061.0**

8 REMOVE & REPLACE NOSE GEAR STEERING BOLT'S P/N: AN24-25/M, 130909B248, 130909B239, 130909B253 & MS20006-35& BUSHING P/N: A-779.

9 REMOVE & REPLACE STEERING YOKE ASSY BOLT P/N: 35-825005, BUSHING P/N: NAS76A7-020, BEARINGS P/N: LS4, & GREASE FITTING 1736.

10 REMOVE & REPLACE NOSE GEAR RETRACT MECHANISM BOLT'S P/N: AN26-28, 130909B85, 35-825108, 130909B75, AN174-24A, AN174-35A, AN174-16 & 35825005-BSC, BUSHINGS P/N: 35-825123, NAS75-8-104 & 45-825011, ROD END'S P/N: ADNE-323 & ADNEL6-317 , SHEAR PIN P/N: MS20392-2C25, & WASHER P/N: 100951DD032XM

CHRISTIAN MUNOZ - A&P 3559458

11 INSPECTED NOSE GEAR RETRACT MECHANISM FOR PROPER TOLERANCES.

RAPHAEL LOPEZ - A&P 2709706

CHRISTIAN MUNOZ - A&P 3559458

12 INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D) (DUE 03/21).

* PITOT/STATIC ALTIMETER TRANSPONDER CERT 91.411 & 91.413 DUE 10/19.

STEPHEN STEWART - A&P 2129169

PERTINENT DETAILS ON FILE: W.O. 182032420

DATE | AIR

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 04/15/21 **MODEL: A-36** **ACTT:** **TACH: 2075.71**
REG: N1825S **S/N: E-1898**

1 C/W AD 2007-08-08 BY INSP. / LUBRICATION OF LANDING GEAR UPLOCK ROLLERS. NEXT DUE AT TACH TIME 2175.71.
2 AD 95-04-03 SPAR FAILURE INSP., NOT DUE AT THIS TIME . DUE AT TACH :2283.0
3 AD 93-24-03 INSP OF RUDDER SPAR FOR CRACKS. NOT DUE AT THIS TIME. DUE AT TACH:2204.0
4 AD 2007-08-08 INSPECTION & LUBRICATION OF UPLOCK ROLLERS NOT DUE AT THIS TIME. NEXT DUE TACH TIME 2127.0
5 INSTALL NEW AIR FILTER ELEMENT P/N: BA7112.
6 REMOVE & REPLACE R/H AILERON STATIC WICK P/N: SW10-96.
7 RESEALED L/H STRUT WITH O-RINGS P/N: MS28775-227, MS28775-328, MS28778-5, SCRAPER RING

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 04/15/21 **MODEL: A-36** **ACTT:** **TACH: 2075.71**
REG: N1825S **S/N: E-1898**

8 REMOVE & REPLACE L/H I.B. BEARINGS P/N: 13889 & RACES P/N: 13836.
9 REMOVE & REPLACE AIRCRAFT BATTERY P/N: G-242 S/N: G03117584.
10 REMOVE & REPLACE ELT BATTERY P/N: BS2166 (EXP. 12/2022)
11 INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D) (DUE 12/22).

RAPHAEL LOPEZ - A&P 2709706

PERTINENT DETAILS ON FILE: W.O. 182041521

DATE: 04/15/21 **MODEL: A-36**
REG: N1825S **S/N: E-1898**
ANNUAL INSPECTION COMPLET
OR N/A AS LISTED IN AD LOG. I
WITH ***ANNUAL*** INSPECTION AN
APPROVED FOR RETURN TO SE

PERTINENT DETAILS ON FILE: W

DATE: 05/04/22 **MODEL: A-36**
REG: N1825S **S/N: E-1898**
1 C/W AD 2007-08-08 BY INSP. / LUBR
2 INSTALL NEW AIR FILTER ELEMEN
3 REPLACED ELT BATTERY P/N: BP-
4 INSPECTED ELT IN ACCORDANCE

PERTINENT DETAILS ON FILE: W.C

AMS
AIRCRAFT MECHANICAL SERVICES, Inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 04/15/21 **MODEL: A-36** **ACTT:** **TACH: 2075.71**

REG: N1825S **S/N: E-1898**

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH ***ANNUAL*** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.
APPROVED FOR RETURN TO SERVICE.

STEPHEN STEWART - IA 2129169

PERTINENT DETAILS ON FILE: W.O. 182041521

AMS
AIRCRAFT MECHANICAL SERVICES, inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 05/04/22 **MODEL: A-36** **ACTT:** **TACH: 2087.60**

REG: N1825S **S/N: E-1898**

1 C/W AD 2007-08-08 BY INSP. / LUBRICATION OF LANDING GEAR UPLOCK ROLLERS.
2 INSTALL NEW AIR FILTER ELEMENT P/N: BA7112.
3 REPLACED ELT BATTERY P/N: BP-1010 (EXP. 05/2029)
4 INSPECTED ELT IN ACCORDANCE WITH FAR 91.207(D) (DUE 05/29).

RAPHAEL LOPEZ - A&P 2709706

PERTINENT DETAILS ON FILE: W.O. 182050422

AMS
AIRCRAFT MECHANICAL SERVICES, Inc.
9519 Airport Drive, Hanger 19
Visalia, CA 93277

Airframe

DATE: 05/04/22 **MODEL: A-36** **ACTT:** **TACH: 2087.60**

REG: N1825S **S/N: E-1898**

ANNUAL INSPECTION COMPLETED THIS DATE. ALL APPLICABLE AD'S CHECKED AND C/W OR N/A AS LISTED IN AD LOG. I CERTIFY THAT THIS AIRFRAME WAS INSPECTED IN ACCORDANCE WITH ***ANNUAL*** INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.
APPROVED FOR RETURN TO SERVICE.

STEPHEN STEWART - IA 2129169

PERTINENT DETAILS ON FILE: W.O. 182050422

wo: 16244

TRANSIERRA TECHNOLOGY

Transierra Technology · 4130 Aviation Dr · Madera, California 93637 · 559-675-8320 · CRS#: DD3R445L

N1825S **BEECH, A36, S/N: E-1898** **April 19, 2023**
TACH: 2112.11

Replaced Garmin GTN 750 P/N 011-2282-00 S/N 1ZA000921 memory battery assembly K00-00696-00 with new in accordance with Garmin GTN 725/750 Maintenance Manual section 5.5.1 190-01007-01 Rev. 5 (March 2019).

With respect to the work performed, this airframe is approved for return to service. Details of work performed are on file with Transierra Technology under work order: 16244.

Chris Tharp CRS DD3R445L