YEAR 20	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
DATE	wo: WO_2085			Airframe · page 2 of a second
	13. Engine engine r14. Complie inspection	R/H mount mount IAW and with AD on. No defe to the work ogix under	removed for Piper PA-44 04-25-16 Rects noted. If performed, the work order:	Installed to facilitate engine overhaul IAW Piper PA-44-180 AMM 61-11-02. Or inspection performed by Aerospace welding W/O# 8616A. Reinstalled R/H-180 AMM 71-03-00. If Prevent failure of the fuel regulator shutoff valve. Complied with by visual Next due 04/2025. This airframe is approved for return to service. Details of work performed are of WO_2085

RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, I Entries must be endorsed with Name, Ratin, Technician or Repair Facility. (See back page	g and Certificate Number of pes for other specific entries.)	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alte Entries must be endorsed with Name, Rating and Certificate Nur Technician or Repair Facility. (See back pages for other specific
047B	s of Ohio L		PSD nch Hill Loveland Rd - Loveland, Ohio 45140 - 513300 ER, PA-44-180, S/N: 44-7995113	-	WO_2085	Flight	ogix - 4510 A	Airframe - page 1 of
time. No discre Tests and Inspe & F. 2. Using the Barlif System in acco erances at this 20,000 feet. Th 43, Appendices 3. Using the Barli February 02, 2 allowed toleran 3EE426371). found to compi 4. Removed the fa nologies, Inc. h. the calibration	obancies in actions reculd DPS-1 redance with time. No e Tests at E & F. Id DPS-1 v23), certificate at this ested to a with Parilled Altituodel A-30 of the Encork perfor LLC und	oted at this juired by CF 000 (S/N: 0 th FAR 91.4 discrepancind Inspection 000 (S/N: 0 the far 9	and installed a customer supplied New Encoder i gitizer Operation and Installation Manual A30M s ordance with Section 5 (Calibration). No discrepa- tionies is approved for solver to equippe Details	the #1 Pitol/Static System in ac within allowed tolerances at the 120. Tested to 20.000 feet. The mply with Part 43, Appendices E the Allitude Encoding Pitol/State and leaks were within allowed to A-30.9, S/N: 164280). Tested to ad and found to comply with Part 100 (S/N: 2000001128, calibrated All recorded values were within shorter: Garmin GTX 335, SN: 1,413 have been performed and an accordance with the ACK Techection 2 (Installation). Performed and ancies noted at this time.	D and Piper M. Condition. The Condition. The Condition air Battery capacia Performed ELT Retightened R. Due to corrosi Piper PA-44-11 Installed new Condor Tire 6. BUTYL TUBE Installed new 149-NL - SKY 1, Removed and	s aircraft h s following r rame AD c ty check pe // flap act on on UH flap act on on UH site and tul o0-6, 8 PL G15/6.00- orake calip g rivets on starter on TEC STAF reinstalled	PIPER, ach: 2059.3 as been insisteminole Seminole Seminole Semaintenance ompliance to riformed. The far 91.2070 aution arm to aileron bell 7-10-04. Oppose onto R/H y S/N: 3262 S. ere r shim IAW. R/H aileron L/H engine. TITLE of the right o	PA-44-180, S/N: 44-7995113 April 26, 202 pected in accordance with an annual inspection per 14 CFR 43 Appen ervice Manual P/N 761-664 and has been determined to be in airwor in terms were also performed during this inspection:. o 08-2024. est passed at 110%. D. Checks good. Next Due DEC 2024. bolt IAW AC43.13-18. Ops check good.

AR RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)	YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility (<i>See</i> back pages for other specific entries.)
Corvallis Maintena N3047B Piper PA44 Removed broken calip 1 certify that this Aircr W/O# 23-008 Corvallis Maintena N3047B Piper PA44 Rebuilt RH Caliper, R	-180 S/N er bolt and aft is in an nce Servi -180 S/N (R right Br	installed serval AIRWORT ce LLC 5 44-7995113 ake Pads, Ble	695 SW Airport Place Corvallis, OR. 97333 L. TACH:2016.2 DATE: 2/20/2023 viceable replacement. THY condition with respect to the soort performed. Hall C Howard 2777703 AP/IA 6695 SW Airport Place Corvallis, OR. 97333 Ed both sides. THY condition with respect to the york performed. Hall C Howard 2777703 AP/IA	Comple Shot o ELT by Lubed i and Em	ted Ani F Value Visaul & Flight Cer usency Re	val z Gorce Officerols, 1 lease - 1 v Bil	tup I. Cood, I Cood, I Good C Neally	39.5 AFIT: 11690.0 W FAR43(d) Clw AD 042546RI Free Reg. Due at Annus 1/100km. Clw FAR 91.2076A Pattery Date 12-2024, Next Due CAMMUS. Mys. Radends. Pectorned Lander, Gover Retentfort Legal Feel Science, Naw B35-1 Fitters, BAID File 20130B, No Naw AD apply at this time. Leak V Good and Returned to Service. 27 IA -tt

RECORDING TODAY'S TOTAL TACH FLIGHT TIME IN TIME SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)	YEAR 20 Date	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
Jendix S (200 Strus Magi d Aug 15 m 20 m 2 DNA by w left the at tube In 1 SB 1156 Dray Link Da at Due at Jack 2456. S eel Plu 66-62 (4). U ves, Pertouvel Petraet/ C Around Jun Desa	56.8 AFT: 11,607.3 Completed 100 hr Ing. 12 Just 2 Just 20 Just 25-16 RI Fiel 5-Cocat, Next Due 100 hrs theh 2056.3 About 10th AD 2022-16-03 Cont. Acro gland 5/N. New BA-10 Induction Fittens 5/N. New Ba-10 Induction 6/S00 hrs. New Bott PN NASHLAP4-27 8/S00 hrs. Nashlap4-27 8/S00 hrs. New Bott PN NASHLAP4-27 8/S00 hrs. Nashlap4-	C N:	3047B Piper I stalled new nos sertify that this /O# 22-091 orvallis Main 3047B Piper I seplaced LH fuel	PA44-180 e tire, 072 Aircraft is tenance: PA44-180 Bladder F	S/N 44-799 -308-0 and tu in an AIRW Service LLI S/N 44-795	C 5695 SW Airport Place Corvallis, OR. 97333 Jobe 097-908-0. ORTHY condition with respect 10 the work performed. Hal C Howard 2777703 AP/IA ORTHY condition with respect performed. C 5695 SW Airport Place Corvallis, OR. 97333 John CR623. Leak check good. ORTHY condition with respect performed. Hal C Howard 2777703 AP/IA

EAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility (<i>See</i> back pages for other specific entries)	YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
NJ NJ NJ NJ NJ NJ NJ NJ	ALITY CONTR REMOVED TR DIFFIGURED US MI STC DOC 19 N RFT 1218-C1 - TESTED AND I DMPLY WITH I ARMIN GTX 335	PRELIMID ROL MANI LANSPONI SED GTX3 10-00734-1 TNC, RIG NSPECTE FAR 91.22 5 P/N: 011- Kircraft an	TACH: UNK NARY INSPI UAL. NO DIS DER BENDI 335 PIN: 011- 0. SYSTEM 0 HIT ANGLE. D TRANSPO 7 AND FAR -03300-40 S/N	ECTION IN ACCORDANCE WITH CORVALLIS AERO SERVICES CREPANCIES NOTED. K KING K176° PN: 011-01156-0101 SN: X7265. INSTALLED AND 03300-40 SN: 3EE426371 IN ACOORDANC WITH GTX 3XX PART23 CHECKS GOOD. Installed PN: \$225396-1- BNC Fernale RG 58. Installed Installed PN: \$225396-1- BNC Fernale RG 58. Installed NDER SYSTEM AS REQUIRED BY 91.413 AND FOUND SYSTEM TO 43 APPENDIX F THE TRANSPONDER THAT WAS TESTED WAS		REQUIRED BY 5. INSTALLED 13.2B CHAPTE 6. REMOVED N A30 INSTALL N 7. REPAIRED I CHAPTER 7 AN	D INSPEC 91.411 AN AND SEA R 3 PARA 3 IARCO AR IANUAL F HOT WIRI ID CHAPT Aircraft :	TACH, UNITED ALTIME D FOUND SYLLED GARMI 509. 1-801 S/N 503-REV 6 DATED AND CIRCER II.	TER: STATIC SYSTEM AND ALTITUDE REPORTING EQUIPMENT AS SISTEM TO COMPLY WITH FAR 43 APPENDIX E AND F. N GA35 GPS ANTENNA SN: 215631 IN ACCORDANCE WITH AC43-42 AND INSTALLED ACK A30.9 SN:161453. IN ACCORDANCE WITH

RECORDING TODAY'S TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Hating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries)	20 TACH FLIGHT TIME IN SERVICE TIME IN SERVICE TO THE SERVICE TO T
Inspection the FARUS (Reg. Shutoff Value defed 22 Clu FAR 912071 Ext Ing Next The Annual 3 2023. Fuel Examp Indicators US Lubed Flight Controls, Gear Retraction/Ext Free Errons Institut N Ancapt Granded thru N Amara t Has been Ins	\$63.4 AFT. 11,513. 9 completed Ahmsel Al Piler VList. C/L AD CH-25-HORI Freel CDS Good Next Due at tech: 1963. 4 dunnel p. Visal & OP'S Cood - Battery effects 12-2024. New Piler AD 2022-03-15 datal 3-21-22 sing Garmin G-3X - Not Installed, DNA. Perleys, Hings, Red ends. Performed emonds Emergency Release - Good Cleaned Ver B3-51 Fithers, New BA-10 Induction Files & Leak Good. No New AD'S Apply at this stellar Good. No New AD'S Apply at this p. IAW Annual Insp. and Roturned May 15 April 2022-05. I Certify that this p. IAW Annual Insp. and Roturned May 15 April 2023-05.	Replaced Aft Nav light bulbe GE1073. I certify that this Airframe is in an airworthy condition with respect to the work performed. WO#22-024 Corvallis Maintenance Service 5695 SW Airport Place Corvallis, OR. 97333 N3047B Piper PA44-180 S/N: 44-7995113 (L)TACH: 1900.0 DATE: 3/21/2022 Disabled Parking Brake. The inoperative equipment does not constitute a hazard to the aircraft. I certify that this Airframe is in an airworthy condition with respect to the york performed. WO#22-026

RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Entries must be endorsed with Na Technician or Repair Facility. (See	, Tests, Repairs and Alterati me, Rating and Certificate Numbe back pages for other specific entr	r of 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
1840 New Ped New Decel Some Son Ce Person Ce Person and ATB Piper Placed right will be seed to the seed of the Person and the	Hydra Vac. 5-16 k H tach nter C Vactor I Ca tenance 14-180 g nav ligh	LEW Kig which your Reg EtH Latal 6 time: 18 ansole.— Lexten tity the Lyned to Sorvice S/N 44-799 at bulb, p/n V	th Eight Lawer Oil Cook fack Sensor (High) ors B35-1, New BA-12 20-05, Hester Fuel Regust 34.2 (100 ks). Adjust of Emergency Ext spn & Emergency Ext of This Anzion has o Service Well H 5695 SW Airport Place 5113 L. TACH:1781.0	Shotaft Value (e) (-C Latishtered Both Hen that Knobs, Prof Knobs wson - Chs Good been First IAW (1 Hypes APJ815927 Corvallis, OR. 97333 DATE: 9/2/2021	Cash	QUALITY CON 2. TESTED AN TO COMPLY V KT76C P/N: 00 3. TESTED AN AS REQUIRED E AND F.	ED PRELI NTROL MA ID INSPE WITH FAR 66-01156- ND INSPE D BY FAR	TACH: 1846. IMINARY IN ANUAL. NO CTED TRAN 143 APPENI 0101 S/N: X CTED ALTIN 91.411, AND	ISPECTION IN ACCORDANCE WITH CORVALLIS AERO SERVICES DISCREPANCIES WERE NOTED. ISPONDER SYSTEM AS REQUIRED BY 91.413 AND FOUND SYSTEM DIX F. THE TRANSPONDER THAT WAS TESTED WAS BENDIXINING

RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name. Rating and Certificate Number of Technician or Repair Facility (See back pages for other specific entries)	YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alteration Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility (<i>See</i> back pages for other specific entries
N3047B Replaced	Piper PA	r pump O-Ri	AIRWORTHY condition with respect to the specific of the distribution of the distributi	R S	Corvallis Ma (3047B Piper /R 8 Brake Pac erviced all Stru certify that this	PA44-18 ds, p/n 066 ats with Ni	0 S/N 44-7 i-06200. trogen.	
N3047B Serviced E	Piper P. Battery. at this A	A44-180 S	that C. Howard 2777703AP/IA	Check Insta Pla Brat	ted 100 Lust. Lu Lled New 272-312- e Discis	hr In abod left n O sly Ply 10	gp. IAL Flight Ce rain thre 8296Sc 54-216 ners W	1784.2 AFTT: 11,434.7 V FAR 43(d) and Piler PA44-180 Injection introls, Pulleys, Hinges, Clemat. Graced Linday Plu 072-37.05/h 0234160289, New nose to 021. Reported all wheel Bearings, Institled NOO, ALL New Bayle Things Plu 066-06200 th New O-Rings MSZ8775-222, Blad System Nove Gran Plu 67026-11 (P) New Center Diag Link Bott The ANS 57. NEW Lower Diag Link Bott The ANS 57.