

AIRCRAFT TECHNICAL RECORD

Section 3. ENGINE LOG

**AUTHORISED RELEASE CERTIFICATE
EASA FORM 1**

1. Approving Competent Authority / Country Austro Control GmbH Austria		3. Form Tracking Number AE048561
4. Organisation Name and Address Austro Engine GmbH Rudolf Diesel Straße 11 2700 Wr. Neustadt, AUSTRIA	5. Work Order / Contract / Invoice ES241088	

6. Item	7. Description	8. Part No.	9. Quantity	10. Serial No.	11. Status / Work
1	Engine Configuration A	E4A-00-000-BHY Iss. 014	1	E4-A-06873	New

12. Remarks
 General The engine conforms to the type design approved by Canadian Department of Transport Type Certificate IE-68.
 General The engine complies with the applicable airworthiness directives.
 Item 1 The engine conforms to EASA TCDS E.200 Issue 12; Damper assy P/N: D44-7306-30-00_1 (EASA Form1: AJ87604).
 Item 1 Fuel hose assy P/N: A24119-01 (EASA Form1: 248284). Cleaned and installed acc. AE APA_Pulsationsdämpfer-Aufbau_190618.



13a. Certifies that the items identified above were manufactured in conformity to:

approved design data and are in condition for safe operation

non-approved design data specified in block 12

14a. Part-145.A.50 Release to Service Other regulation specified in block 12

Certifies that unless otherwise specified in block 12 the work identified in block 11 and described in block 12 was accomplished in accordance with Part-145 and in respect to that work, the items are considered ready for release to service.

13b. Authorised Signature 	13c. Approval /Authorisation Number AT.21G.0010	14b. Authorised Signature	14c. Certificate / Approval Reference Number
13d. Name 	13e. Date (dd mmm yyyy) 20 MAR 2024	14d. Name	14e. Date (dd mmm yyyy)

USER / INSTALLER RESPONSIBILITIES
 This certificate does not automatically constitute authority to install the item(s). Where the user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1. Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

