



405 Yellowbird Road • Portland International Airport • Portland, ME 04102 (207) 780-1811 • Fax (207) 772-6900

CRS FSER011E

Date W	VO#	Registration	Type/Model	SN	ACTT	Engine TSN
Aret ac	8280	N611RJ	TSIO-550-C7	914300	933.2	933.2

Inspected iaw Cessna Model 400 Annual Inspection Guide

Inspected law Cessna Model 400 Admin Inspected filter—no contamination noted. Installed new CH48109-1 Filter and serviced with 8 qts. of Aeroshell 15W-50 oil

Performed cylinder compression check: #1 76/80 #2 70/80 #3 72/80 #4 74/80 #5 58/80 #6 72/80 The following discrepancies were noted and corrected:

- Removed #5 cylinder due to low compression. Replaced worn exhaust valve guide with new p/n 636242 Guide. Reinstalled cylinder with new gasket set iaw TCM TSIO-550 Overhaul Manual. Rechecked compression at 74/80
- Replaced 5 worn spark plugs with new p/n RHB32S Spark Plugs Engine run up—all ground checks satisfactory, no leaks noted.

MAINE AVIATION AIRC	CRAFT MAINTE	NANCE, L.L.C	with an Annual Inspection, and was determined to be in airworthy condition, engine is approved for return to service.  C, PORTLAND, MAINE
		1 1	
		+	
		+ -	

### **SEMCO Aerospace**

30 Sherwood Lane Suite 6 Fairfield, New Jersey 07004

Phone: (201) 507-8855 Fax: (201) 507-8863

FAA Repair Station # OD1R370K

WO. 1412-027

### WORKORDER

Work Order	<b>1412-027</b> Customer Nam	ne	Maine Aviation	PO Number	24502
Mfr. Model/Part No.	100N4000-2	Item	O-Oxygen Assembly	Serial No.	NN0623158
Approved Data.	DWG	DOM	04/08	Work Required	Inspected
PRELIMINAR	Y INSP / DISCREPANCY R	EPORT			
AIRWORTHINESS I	DIRECTIVES/SERVICE BULLETIN		X		

PRELIMINARY INSP / DISCREPANCY REPORT	
AIRWORTHINESS DIRECTIVES/SERVICE BULLETINS CHECKED THE FOLLOWING AD/SB'S WERE DUE AND COMPLETED NONE	X

CORRECTIVE ACTION		
Cleaned, Inspected	TECHNICIAN	INSPECTOR
Hydro tested Cylinder: 12/2014	S.O.H.	Gee Selbeau
	M.Z.	
Next Hydro Retest Due: 12/2019		

	SERVICES PERFO	<del></del>	Quantity	Part No.	Description Line
uantity	Part No.	Description Line	Quantity	Tale 140.	
	2-210 N1470-70	O'Ring			
			1	INSP-O HT	INSPECTION FEE - Oxygen Hydrotest
				[ <b>[ ]</b> ]	riyarotest
	:		:		
	- -			:	
	1			NTENANCE RELEASE	VES NO Date Dec/04/2014
				Jumpel Will	Dec/04/2014
	d		1	11	CAG-008

2 Form Tracking Number AUTHORIZED RELEASE CERTIFICATE Approving Civil Aviation Authority/Country: 1412-027 FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG **FAA/UNITED STATES** 5. Work Order / Contract / Invoice Number Organization SEMCO Aerospace, LLC 30 Sherwood Lane Suite 6 Fairfield, NJ 07004 Name and 24502 Address: **FAA REPAIR STATION #OD1R370K** 11. Status/Work: 8. 7. Part Number: Description: Inspected NN0623158 100N4000-1 Oxygen Assembly 1. Remarks 1412-027 detailing the actual work performed is attached. All work performed was done in Work Order accordance with FAA approved data. Date Completed: Dec/04/2014 Michael Villa Technician: S.O.H. M.Z. "SEMCO Aerospace certifies that the work specified in Block 11/12 was carried out in accordance with EASA Part 145 and in respect to that work, the article is considered ready for release to service under EASA approval number: EASA 145.5255." Front #38250 12/2019 **Next Hydro Retest Due:** Other regulation specified in Block 12 ¥ 14CFR 43.9 Return to Service 13a. Certifies the items identified above were manufactured in conformity to:

Approved design data and are in a condition for safe operation.

Non-approved design data specified in Block 12.

13b. Authorized Signature:

13c. Approval Authorization No.

13d. Name (Typed or Printed):

13e. Date (dd/mmm/yyyy):

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

14b. Authorized Signatur

Michael Villa

14c. Approval/Certificate No.:

**OD1R370K** 

NSN: 0052-00-012-9005

14e. Date (dd/mmm/yyyy)

04/Dec/2014

### User / Installer Responsibilities

It is important to understand that the existance of this Document alone does not automatically constitute authority to install the part/component/assembly.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airy ordiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Block 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

### **SEMCO Aerospace**

30 Sherwood Lane Suite 6 Fairfield, New Jersey 07004

Phone: (201) 507-8855 Fax: (201) 507-8863

FAA Repair Station # OD1R370K

WO. 1412-028

### WORKORDER

			WUR	VOKDI	YIV.		
Work Order	1412-028	Customer Name		Maine Aviation		PO Number	24502
lfr. Model/Part No.	1001	N4000-2	Item	O-Oxygen Asse	embly	Serial No.	NN0621732
approved Data.	D	WG	DOM	03/08		Work Required	Inspected
PRELIMINAR'	Y INSP / DISC	REPANCY REPO	ORT				
AIRWORTHINESS THE FOLLOWING A NONE	DIRECTIVES/SER AD/SB'S WERE D	VICE BULLETINS CH UE AND COMPLETED	ECKED X				
CORRECTIVE						TECHNICIAN	INSPECTOR
Cleaned, Inspecte Hydro tested Cylin						S.O.H.	Michael Villa
		lext Hydro Retest Du	e: 12/2019				
PARTS SERV	ICES PERFOR	RMED			1		
Quantity Part No	0.	Description Lin	ne	Quantity	Part No.	Des	cription Line
1 2-210 N	11470-70	O'Ring		: 1 1	INSP-O HT		PECTION FEE - Oxygen rotest
				MA	INTENANCE RELEA	ASE YES	NO D
i				Insp	hinned Wi	1	Date Dec/04/201
					Lange 1 may	A)	CAG-008

1.		2.	<del></del>	<u> </u>	· · · · · · · · · · · · · · · · · · ·	<del></del>	3. For	m Tracking Number:
Authorit	Civil Aviation y/Country:					RTIFICATE PPROVAL TAG	•	1412-028
4. Organization Name and Address:		SEMCO Aerosp		30 Sherwood		Fairfield, NJ 07004	5. Work Or	rder / Contract / Invoice Number:
6. Item 7.	Descr	iption:	8.	Part Number:	9. Quantity:	10. Serial Number:	11.	Status/Work:
1.	Oxygen As	ssembly	10	00N4000-2	1	NN0621732		Inspected
12. Remarks							1	
12. Remarks	Wor	rk Order 1	412-028			ormed is attached. All wor		2 16-06
	acco	ordance with FAA app	proved data.	CMM:	Dw. 6	Rev:	Date.	21004
	Technici	an: S.O.H.	M.Z.	Inspecto	or: M	lichael Villa	Date Completed	Dec/04/2014
					mo	¥ 387		
						Next Hydro Re	test Due:	12/2019
	Approved design	data and are in a conditions	dition for safe	and the second seco	Certifies that	unless otherwise specified bed in Block 12 was accongulations, part 43 and in receivice.	in Block 12, the v	lance with Title 14, Code
13b. Authorized	Signature:		13c. Approva	al Authorization No.:	14b. Authorized	Signature:		Approval/Certificate No.: OD1R370K
13d. Name (Typ	ed or Printed)		13e. Date (do	t/mmm/yyyy):	14d Name (Ty	ped or Printed):	14e.	Date (dd/mmm/yyyy):
					Michae	el Villa		04/Dec/2014

### User / Installer Responsibilities

It is important to understand that the existence of this Document alone does not automatically constitute authority to install the part/component/assembly.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Block 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

### **SEMCO Aerospace**

30 Sherwood Lane Suite 6 Fairfield, New Jersey 07004

Phone: (201) 507-8855 Fax: (201) 507-8863

FAA Repair Station # OD1R370K

WO. 1412-029

PO Number

## WORKORDER

	-029 Customer Nar	iic .	Maine Aviation	l	PO Number	24502
Afr. Model/Part No.	100N4000-1	Item	O-Oxygen Asso	embly	Serial No.	NN0621936
approved Data.	DWG	DOM	03/08	·	Work Required	inspected
RELIMINARY INSI	P / DISCREPANCY R	EPORT				
	TVES/SERVICE BULLETIN S WERE DUE AND COMPLI					
CORRECTIVE ACTI	ON				TECHNICIAN	INSPECTOR
Hydro tested Cylinder: 12	/2014				S.O.H. M.Z.	Michael Villa
			Occupation	Dout No.	Dosovi	ntion I inc
PARTS SERVICES Popularity Part No.			Quantity	Part No.	Descri	ption Line
	PERFORMED  Description		Quantity  1 1	Part No.  INSP-O HT		CTION FEE - Oxygen
uantity Part No.	PERFORMED  Description		1 1	INSP-O	INSPE0 Hydrote	CTION FEE - Oxygen est

15N

NSN: 0052-00-012-9005

1.	2.		<u> </u>			<b>3</b> . For	m Tracking Number:
Approving Civi Authority/Co			RIZED RELE				1412-029
FAA/UNITED	STATES	FAA FORM	8130-3, AIRWO	KTHINESS AI	PKOVAL TAG		
4. Organization Name and Address:	SEN	ICO Aerospace, LLC FAA	30 Sherwood I		airfield, NJ 07004		rder / Contract / Invoice Number:
6. <sub>Item</sub> 7.	Description:	8.	Part Number:	9. Quantity:	10. Serial Number:	11.	Status/Work:
1.	Oxygen Assemb	oly :	100N4000-1	1	NN0621936	:	Inspected
12. Remarks	Work Ord	er 1412-029	detailing the	actual work perfor	med is attached. All wo	ork performed was	done in
	accordance	e with FAA approved data.	CMM:	DWG	Rev:	Date:	2-16-06
	Technician:	S.O.H. <b>M</b> .Z.	Inspecto	r: <b>Mi</b>	chael Villa	Date Completed	Dec/04/2014
				3828 (P)	)		
					Next Hydro Re	etest Due:	12/2019
13a. Certifies the	items identified abo	ove were manufactured in c	onformity to:	14a. <b>X</b> 14Cl	FR 43.9 Return to Service	<b>X</b> Other regu	lation specified in Block 12
-		nd are in a condition for sa ata specified in Block 12.	fe operation.	11 and describe	ed in Block 12 was accoulations, part 43 and in	emplished in accord	work identified in Block dance with Title 14, Code k, the items are approved
13b. Authorized Sig	nature:	13c. Appro	oval Authorization No.:	14b. Authorized	Signature:	14c.	Approval/Certificate No.: OD1R370K
13d. Name (Typed	or Printed)	13e. Date	(dd/mmm/yyyy):	14d. Name (Type	ed or Printed):	14e.	Date (dd/mmm/yyyy):
		:	The state of the s	Michael	l Villa		04/Dec/2014

### User / Installer Responsibilities

It is important to understand that the existence of this Document alone does not automatically constitute authority to install the part/component/assembly.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her\_airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Block 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

15-0385

Approving Civil Aviation     Authority/Country:     FAA/I INITED STATES	AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG	CASE CER'	TIFICATE OVAL TAG	3. Form Tracking Number. S O # 3665601	ber. 5601	
4. Organization Name and Address:	GARMIN International 1200 E 151st Olathe, KS 66062 Certificate No. G6XR582Y	Certificate No. G6X	R582Y	5. Work Order/Contract/Invoice Number: S O # 3665601	Invoice Number: 501	
6. Item: 7. Description: 1. GMA340P	8. Part Number: 011-00401-10	9. Quantity:	9. Quantity: 10. Serial Number: 96295555		11. Status/Work: OVERHAULED	
<ol> <li>REMARKS: This unit complies with MOD 1 per Garmin's Service Bulletin No. 0208B.</li> <li>This unit complies with MOD 5 per Garmin's Service Bulletin No. 0200B.</li> <li>This unit complies with MOD 4 per Garmin's Service Bulletin No. 0210.</li> <li>This unit complies with MOD 5 per Garmin's Service Bulletin No. 0210.</li> <li>This unit complies with MOD 6 per Garmin's Service Bulletin No. 0212.</li> <li>This unit complies with MOD 7 per Garmin's Service Bulletin No. 0213.</li> <li>This unit complies with MOD 8 per Garmin's Service Bulletin No. 0221.</li> </ol>	<ol> <li>REMARKS: This unit complies with MOD 1 per Garmin's Service Bulletin No. 0103.</li> <li>This unit complies with MOD 3 per Garmin's Service Bulletin No. 0208B.</li> <li>This unit complies with MOD 4 per Garmin's Service Bulletin No. 0209.</li> <li>This unit complies with MOD 5 per Garmin's Service Bulletin No. 0210.</li> <li>This unit complies with MOD 6 per Garmin's Service Bulletin No. 0212.</li> <li>This unit complies with MOD 7 per Garmin's Service Bulletin No. 0213.</li> <li>This unit complies with MOD 8 per Garmin's Service Bulletin No. 0221.</li> </ol>					

This unit is Newly Overhauled. It has been analyzed, reworked, tested, and conforms to the Newly Overhauled process set forth by Garmin. This "Certifies that the work specified in block 11/12 was carried out in accordance with EASA Part-145 and in respect to that work the component is ready for release to service under EASA Part-145 Approval Number: EASA.145.5534". The work that was performed on this unit was done to meet the requirements of all sections of the maintenance manual part number 190-00149-02 Rev. B. Revision Date 6/7/2001. Reference: 010-N0152-10 is the Garmin stocking/shipping part number for the 011-00401-10 unit that was processed.

Replaced Germin Astin Pennel to fix intermetent back seat andro.

of the original factory warranty from the original purchase date, whichever is longer.	14a. [X] 14 CFR 43.9 Return to Service X Other regulations specified in Block 12	Certifies that unless otherwise specified in block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	14c. App	Stophan & Welle	1d. Name (Typed or Printed)	Stephen E. Abels 07 Nov 2014	Responsibilities
All repaired or replaced GARMIN units have a 90-day warranty or the continuation of the original factory warranty from the original purchase date, whichever is longer.	13a. Certifies the items identified above were manufactured in conformity to:	Approved design data and are in condition for safe operation Non-approved design data specified in block 12	13b. Authorized Signature 13c. Approval/Authorization No.: 14b. Authorized Signature:	N/A	13d. Name (Typed or Printed	N/A	User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the Airworthiness Authority of the country specified in block 1.

Statements in Block 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

150

# **AIRCRAFT EXHAUST SYSTEMS**

1-800-338-5420

FAX (262) 763-3735

Archan Arceroll	or rd Rd			700	SHROUD / Lil tee	CLAMPS	RISERS /	CONTACT	AD COMPLIANCE DUE UPON INSTALLATION (as determined by the installer)	54326,677005	resige office	Migmment.	Th with
NAME Maine Avetor	ADDRESS 406 4010 brod	S CITY	MAKE & MODE!	7 C C C C C	MUFFLER	STACKS	TAILPIPES	CUSTOMER PHONE NO.	ALL WORK PERFORMED IN ACCORDANCE WITH DAWLEY AVIATION PROCESS SPEC 1000	728337 684337 (88835)	Clean & mapert	Johnso Check	

(A) 03285 \$

WORK ORDER Nº 111326

Dawley

Pare Date Date Final 6 N Date 12 1-17 17-4-14 S Hidden Damage
P Hidden Damage
E Date
C In Progress Preliminary

Aviation

FAA Repair Station NJ5R069N

140 Industrial Drive Burlington, WI 53105

REPLACEMENTS	MENTS			
Flame Tubes, Cones, Cans Qty.		Inlay Qty.		
End Plate Overlay Qty.		Outer Shell		
Beaded End Qty.		Ring Qty.		
End Plates Qty.		Cuff		
Ball Joint Qty.		Tab		
Slip Joint Qty.		Bends	4 ·.	
Tailpipe Qty		Weld	A	Blast
Overlay Qty.	X55	Fab	-	Grind
Flange Qty.	AT	Pressure Test		

ᆫ
5
C
ũ
疽
$\overline{c}$
Ë
4
_
$\sim$
Ž
4
ব
Z
FAN
щ
_
$\bar{c}$
_

A REPAIR

FED X □

☐ NORMAL 

## MAINTENANCE RELEASE

h current Federal Aviation Regulations and was found airworthy for return to service. ne aircraft / component identified hereon was repaired and inspected in accordance Pertinent details of the repair are on file at this agency.

DITHORIZED AND CONDITIONS AGREED TO AS STATED ABOVE

DATE 12 4-14

TIFICATE 3. Form Tracking Number: PPROVAL TAG 4450535	S. Work Orbert S. Charity 10. Seria Number:	1 N/A	AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL.	14 CFR 41.9 Refurm to Service — Other regulation specified in Block 12. Certifies that unites otherwise specified in Block 15.0 for work idense with late of the service specified in Block 15.0 for work idense with late of the service of the servi	146. Authorited Signature. 146. Approvidi Certificate No.:	14d. Name (Types or Printed): 14e. Date (ddimenni)9999):	<u>190N P. WACY</u> In a proposed to undestand that the existence of this document alone does not automatically constitute authority to netall the aircraft engine/propalter/anticle.  Where the user/installer performs wark in accordance with the national regulations of an airworthness authority of affects that the airworthness authority of the country where the user/installer performs with the national regulations of an airworthness authority of affects that the airworthness authority of the country specified in Block 1. It is essential that the country specified in Block 1 and the properties authority of the country specified in Block 1 and the properties are properties and the properties of the country specified in Block 1. It and to not constant in small action certification. In all cases, aircraft maintenance records must contain an installation certification is accordance with the national regulators by the user/installer before the aircraft environment.
2. AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG	Cessna Aircraft Company (PC4)	805110-8	ROVAL - PARTS. THIS FORM		13c. Approval/Authorization No.:	ODA: DAD(Laramus, Ev):	<u>190N P. WACY</u> I is imported to undestinate destination of this document alone does not automatically constitute automy to result the aircraft engine/propaler/article. Where the user/installer preforms well as coordinate with the national regulations of an aircraft engines that the aircraft engines to the second and aircraft engines of the second are aircraft or the second are aircraft or the second are an aircraft or the second are an aircraft engines of the second aircraft engines in the second are specified in Block 1 and the aircraft engines automy of the county specified in Block 1 and 1
roving Civil Aviation Authority/Country: -AA/UNITED STATES	Cessna	12. Rounds: PLACARD-CA 2805110-8	AIRWORTHINESS APP	13a. Certifies the terms clanified above were manufactured in conformly to:    Some proceed design date and are in a condition for self-operation.   Non-approved design date specified in Block 12.	13b. Authorized Signature:	so with tryped of Printed):	HON P. MACY It is important to understand that the existence of this door. Where the operiment of the thing the operations will will apply the operation of the

Form Tracking Number

1. Approving Civil Aviation 2. AU Authority / Country: FAA F	AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG	e .	4451020
A Company Name		5. Work Order/	5. Work Order/Contract/Invoice Number:
and Address: Cessna Aircr	Cessna Aircraft Company (PC4)		1402005
Cessna Parts Distr	arts Distribution Dept. /UZ Pawnee Wichita. KS 67218	-	142232
ion:	9. Quantity:	10. Serial Number	11. Status/Work:
1 TIT PROBE 86245	1	N/A	New
12. Remarks:			
AIRWORTHINESS APPROVAL	AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL.	AN EXPORT	APPROVAL.
·	#30	PO4629	
13a. Certifies the terms clanified above were manufactured in conformity to:  X Approved design data and are in a condition for sele operation.  Non-approved design data specified in Stock 12	on contormy to:  14a.	vice Other regul wise specified in Block Block 12 was abcompil Aggustions, part 4.3 and return to service.	ation specified in block 12 12, the work identified in lahed in accordance with d in respect to that work,
13b. Authorized Signature:	13c. Approval/Authorization No.: 14b. Author		14c. Approval!Cerdficate No.:
Manden H. Yander	ODA-100129-CE		
13d. Name (Typed or Printed):	÷	(Typed or Printed): 1	14g. Name (Typed or Printed):   14e. Date (dd/mmm/yyyy):
MARILYN K. FARBER	22/DEC/2014		
It is important to understand that the existence of this Where the user/installer performs work in accordance specified in Block 1, it is essential that the user/install	Uper / Installer Responsibilities It is important to understand that the existence of this document alone force automorphism constitution to understand that the aircontiness sufficiently of the country Where the usershaller performs with the rational regulations of an aircontiness authority different that the aircontiness sufficient of the country Where the usershaller with the rational regulations of an aircontiness authority different that the aircontiness sufficient securities that the user installer evanises that nicker aircontiness authority accepts aircraft engine(s) propolete(s) article(s) from the securities that the user installer evanise that nicker aircraft-rivess authority accepts aircraft engine(s) propolete(s) article(s).	install the aircraft engine erent than the airworthine engine(s)/propeller(s)/art	a/propeller/article. sss authority of the country ticle(s) from the
ainvorthiness authority of the country specified in Block I ainvorthiness authority of the country specified in Block I all cases, aircro Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircro accounts the national regulations by the user/installar before the aircraft may be flown accordance with the national regulations by the user/installar before the aircraft may be flown.	ainvortness authority of the country specified in Block 1 Salaments lookes is Band to do not overline installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in Salaments in Blocks is Band risk do not conscribing installation certification by the user/installar block the disribing the user/installar block the disribing the support of the user in the national requisions by the user/installar block the disribing the support of the user in the properties of the user in the properties of the user in the properties of the user in the user i	ds must contain an install	llation certification issued in
			NSN: 0052-00-012-9005

NSN: 0052-00-012-9005 4a 14 CFR 43.9 Return to Service Other regulation specified in block 12 It is important to understand that the evisience of this obcounsert altons does not automatically consistive authority to install the alicrait engine/propeller/article. Whe here Learn-Britishe performs with in a accordance with the authority does not an another sea authority different than the alwaydriness authority of the county specified in Block 1, it is essential that the user/installer ensures that heart has a authority accepts aircraft engine(s)/propeller(s)/article(s) from the authoritiess authority of the county periodical Block 1 are periodical Block 1 are periodical Block 2 are periodical Block 2 are always and a season are a season and Certifies that unless otherwise specified in Block 12, the work identified in Block 12, and steerings in Block 12, as accomplished in scondards with the Block 12 and a specified in Block 12, and in respect to that work the lean are approved for return to sention. A single in Block 12, and in the specific that work in the senting in th 14e. Date (dd/mmm/yyyy): 1177255 1423218 1. Status/Work Confilles that unless otherwise specified in Block 13 the work identified in Block 12 and secretarial subject 13 and secretarial in successions with the 14, Code of Federal Regulations, part 3, and in respect to that work On Hamm are approved for return to service. New 18 🔝 14 CFR 43.9 Reduit to Service 🔝 Other regulation epecified in blook Ne≸ AIRWORTHINESS APPROVAL - PARTS, THIS FORM IS NOT AN EXPORT APPROVAL. AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL. 4450535 3. Form Tracking Number: 3423013 14d. Name (Typed or Printed): 10. Serial Number ✓P0# 24623 PO# 19634 N/A 1 N/A AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG AUTHORIZED RELEASE CERTIFICATE
FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG Cessna Aircraft Company (PC4)
Cessna Parts Distribution Dept. 702
5800 E Pawnee, Wichita, KS 67218 User / Installer Responsibilities Cessna Aircraft Company (PC4) Cessna Parts Distribution Dept. 702 5800 E Pawnee, Wichita, KS 67218 0DA-100129-CE 13e. Date (dd/mmm/yyyy): 23/DEC/2014 13c. Approval/Authorization No.: Α حک 9. Eligibility: 13a. Certifies the items identified above were manufactured in conformity to: . Certifies the items identified above were manufactured in conformity to: Approved design data and are in a condition for safe operation.

Non-approved design data specified in Block 12. Aptroved design data and are in a condition for safe operation.

Non-approved design data specified in Block 13. 1 PLACARD, 0 2805110-7 18 PLUG SPARK RHB32S Mandyn H. Harber MARILYN K. FARBER 1 Approving National Aviation Authority/Country: FAA/UNITED STATES Approving Civil Aviation Authority/Country: FAA/UNITED STATES 13d. Name (Typed or Printed): 13b. Authorized Signature FAA Form 8130-3 (02/14) 7. Description Authorized Signat Organization Name and Address. Organization and Address:

User / Installer Responsibilities MAR/22/2012 ODA-100129-CE 18. Date (m/d/ Leich Showypa KEITH THOMPSON 7. Name (Typed or Printed)

It is important to understand that the existence of this document alone does not adometically constitute authority to install the particomponentiasseneby.

Where the user/finested performs with the reflection of the amount of the courty specified in Block 1, it is essential that the user/finitable resurse that history additions authority decoupting block 1 is sessually because the user/finitable resurse that history administration of the courty according to the courty specified in Block 1 is essential that the user/finitable resurse that history and recountry specified in Block 1 is essentially and the user finite that the user/finitable in the courty according to the user/finitable in the serification is also set.

\* Installer must cross-check eligibility with applicable technical data. -AA Form 8130-3 (6-01)

1. Approving National Aviation 2. AUTHORIZED RELEASE CERTIFICATE 3 4 2 3 0 1 3  FAA Multiplication 2. Fear Fight Biggs, although Property 1. Separate Number of Cessina Parts Distribution Dept. 702 5800 E Pawnee, Wichita, KS 67218  18 PLUG SPARK RHB32S  AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL.	TIFICATE   3. Form Tracking   3. A. 2. A. 3. A. 2. A. 3. A	3.423013 3.423013 3.177255 5. Work Order/Contract/Invoice Number: 1177255 New New New New
Company (PC4) ion Dept. 702 ita, KS 67218  S E ENGENNY  N/A  RTS. THIS FORM I	10. Oxanuty 11. Serial Batch 1 N/A IN/A IS NOT AN EXPO	A Order/Contract/Invoice Number:  1177255 Number: 12. Status/Work: New IRT APPROVAL.
ion Dept. 702 ita, KS 67218 September N/A N/A RTS. THIS FORM I	10 Oceanity 11 Screetibath 1 N/A	Number: 12. Statuts/Work: New NRT APPROVAL.
N/A N/A THIS FORM I	10. Ouanity 11. SerialBatta 1  1 N/A  IS NOT AN EXPO	Number: 12. Status Work: New NRT APPROVAL.
N/A RTS. THIS FORM I	1 N/A	New DRT APPROVAL.
RTS. THIS FORM I	IS NOT AN EXPO	NT APPROVAL.
RTS. THIS FORM I	IS NOT AN EXPO	NT APPROVAL.
	PO# 19634	
*	Setura to Service	r regulation specified in block 13
Configuration	ni bellizade sejaretto sesim	Block 13, the work identified in
Title 14, Code	of Federal Projections and	43 and in napard to that work.
proval/Authorization No.:	70. Authorized Signature:	21. Approval/Cartificate No.
)A-100129-CE		
18. Date (m/d/y):	22. Name (Typed or Primed): 23. Deta (mid/y):	3. Deta (middy);
	Confirms the limits identified above were manufactured in conformity to:   No.   In section 4.8	16. L vi cre ca Ra 16. L vi cre ca Ra 16. L vi cre 16.

It is important to understand that the existence of this document alone does not adordinately constitute authority to install the particomponentiassembly, where the searchisted performs when the activation performs and only of the country specified in Block I, it is essential that the user/installe resurse that install ensures that install ensures authority accepts participation for the country specified in Block I, it is essential that the user/installe resurse that install ensures that install ensures authority accepts participation for the country specified in Block I, it is essentially ensured in the continue installation certification in all cases, alrictal maintenance records must contain an installation certification is sured in accordance with the rational regulators by the user/installar block to be strong the form.

MAR/22/2012

KEITH THOMPSON

FAA Form 8130-3 (6-01)

Installer must cross-check elinibility with applicable technical data.

NSN: 0052-00-012-9005

1177255 12. Status/Work New Cartifies that unises otherwise specified in Block 12, the work Identified Block 12 and described in Block 12 was accomplished in secrebanch with a let one of Federal Requiritions, part 42, and in respect to filed two file lines are apprecated for return to service. AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL. 3423013 19. I 14 CFR 43.9 Return to Service Other regulation specified PO# 19634 N/ AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG User / Installer Responsibilities Gessna Parts Distribution Dept. 702 5800 E Pawnee, Wichita, KS 67218 MAR/22/2012 ODA-100129-CE Eligibility: 18. Date (m/d/y): N/A Coeffes the flores dentified above were manufactured in conformity to:

| Approved design tests and as in a coordian for safe operation.
| Non-approved design data specified in Block 13. 18 PLUG SPARK RHB32S Approving National Aviation 2. Authority / Country: Leich Showyood 28280 FAA/UNITED STATES 9 KEITH THOMPSON 17. Name (Typed or Printed) Authorized Signature

install the part/component/assembly.  Irent than the airworthiness authority of the country intent than the airworthiness or proponents/assemblies from the airworthiness.	must contain an installation certification issued in	NSN: 0052-00-012-9005
It is important to understand that the existence of this document alone does not automatically constitute authority to install the pagicinopronetisessembly.  Where the user/installe profitness with it is activated legislations of an almorithmiss authority of the country supplied profitness with the user/installed ensures that lishfart almorithmiss suthority of the country supplied in the user/installed ensures that hishfart almorithmiss suthority activities and inventimess.	authority of the country specified in Block 1. Subanemis in Blocks 14 and 16 on ori constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in Subanemis in Blocks 14 and 16 on ori constitute installation before the aircraft may be flown.	* Installer must cross-check eligibility with applicable technical data.
It is important to understand that the Where the user/installer performs specified in Block 1, it is essential	authority of the country specified in Block 1 Statements in Blocks 14 and 19 do not const accordance with the national regulations by the	FAA Form 8130-3 (6-01)

NSN: 0052-00-012-9005 it is important to understand that the existence of this document alone does not automatically constitute authority to install the particomponent assembly. Where the user/installer performs work in accordance with the national regulations of an airworthriess authority different than the airworthriess authority of the country specified in Block 1, it is essembles from the airworthriess authority accepts participation and airworthriess authority accepts participation and airworthriess. authority of the country specified in Block 1

Subsements in 5000s 14 and 10 by the overfineation, or entireation, in all cases, aircraft maintenance records must contain an installation certification issued in Solderments in 1000s 14 and 10 by the overfineatier before the aircraft may be flown.

FAA Form 81:30:3 (6.01) Installation with applicable rechrical data.

NSN: 0052-00-012-90. 1177255 12. Status/Work New Coubbe, their unions otherwise searches in Stock 12 the work bleadth. Shock 12 and described in Nock 12 was exceepiblished in exemptions of the 14 the 14 their search in November 12 the 14 their search of the 15 th 15 th 15 the 16 the 16 th 16 th 16 their sea supported for return to search. AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL. 3423013 User / Installer Responsibilities one does not automatically constitute authority to install the part/component/assembly. 19. State of Ratio Regum to Service. Other 11. Serial/Batch PO# 19634 1 N/A AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG Cessna Parts Distribution Dept. 702 5800 E Pawnee, Wichita, KS 67218 MAR/22/2012 ODA-100129-CE 18. Date (m/d/y) N/A Certifies the Items identified above were manufactured in conformity to: Approved design data and are in a condition for safe operation. 3828c Non-approved design data specified in Block 13. 18 PLUG SPARK RHB32S Leak Showpow Approving National Aviation Authority / Country: Authority / Country: FAA / UNITED STATES KEITH THOMPSON 17. Name (Typed or Printed) Authorized Signature

AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL. . 18. 🗀 14 Cert. 43.9 Return to Service . 🗀 Other regulation specified in Mod 1177255 New Cardina that sinkes otherwise specified in Block 13, the work identify Block 12 and described in Block 13 and Block 12 and described in reconcilaries. This 14, Code of Foderal Republican, part 43 and in respect to that the black have see approved for return to service. 3. Form Tracking Number: 3423013 PO# 19634 N/A AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG User / Installer Responsibilities Gessna Aircraft Company (PC4) Cessna Parts Distribution Dept. 702 5800 E Pawnee, Wichita, KS 67218 MAR/22/2012 ODA-100129-CE Ϋ́ Certifies the items identified above were manufactured in conformity to: Approved design data and are in a condition for safe operation.

Non-approved design data specified in Block 13. 2878C 18 PLUG SPARK RHB32S αí Leich Showyow Approving National Aviation
Authority/Country:
FAA/UNITED STATES KEITH THOMPSON 17. Name (Typed or Printed): 45. Authorized Signature.

It is important to understand that the existence of this document alone does not automatically constitute authority to install the particomponentiassembly. Where the userstanding performs work in accordance with the national equations of an anovothness, authority offerent than the aim-ordinates building to exist specified on Block 1. It is essential that the user/installer ensures that aim-ordinatess authority accepts battle/components/assemblies from the aim-ordinates authority accepts battle/components/assemblies from the aim-ordinates authority of the country specified in Block 1. Set and 19 do not constitute installation retification, it all cases, acreat manifestors must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircreft may be flown.

Installer must cross-check eligibility with applicable technical data

15-R

Approving Civil Aviation Authority / Country: FAA/UNITED STATES	AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG	<b>TFICATE</b> PROVAL TAG	3. Form Tracking Number: 4383623	623
Logarization Name Cessna Aircraft Company (PC4 Cessna Parts Distribution Dept. 702 5800 E Pawnee, Wichita, KS 67218	t Company (PC4) tion Dept. 702 hita, KS 67218		5. Work Order/Con	5. Work Order/Contract/Invoice Number:
6. Item: 7. Description: 8. Part Number:		9. Quantity: 10. Senal Number:	Number:	11. Status/Work:
2 FILTER OIL CH48109-1		1 N/A		New
RTHINESS APPROVA	L - PARTS. THIS FORM B	S NOT AN E	XPORT AP	PROVAL.
F		PO# 24297	97	<del></del>
Cartiles the items identified above were manufactured in conformity to:     Approved design date and are in a condition for safe operation.     Non-approved design date specified in Block 12.	<b>□</b>	14 CFR 435 Reunn to Bevice Other regulation specified in block Certifies that times otherwise specified in Block 12, the work identified in Block 12, the work identified in Block 12, in and destinated in Block 12, as a complicated in processing with this set. Code of Pearle R. Organization, part 2 and in respect to this work.	Other regulation fled in Block 12, 11 was accomplished in part 43 and in regulation	Other regulation specified in block 12 setfled in Block 12 the work identified in 12 was accomplished in accordance with lions, and in respect to that work, in service.
13b. Authorized Signature: 13c. J	13c. Approval/Authorization No∴	14b. Authorized Signature:	377	14c. Approval/Certificate No.:
Johnny Der- 0	ODA-100129-CE	00.00		35 / 20 1007 / 100 1007 / 100 /
3d. Name (Typed or Printed):	13e. Date (dd/mmm/yyyy):	16d. Name (Typed or Printed):		14e. Date (dd/mmm/yyyy):
JOHNNY GLOVER	17/0CT/2014			
User/Insteller Responsibilities  It is important to understand that the existence of this document above doces or advantabilities with the transmission of the contract and the service of the contract and the co	User / Insteller Responsibilities t sone does not automatically constitute national regulations of an aimorthriess so is that his/er a immorthriess authority accordification. In all cases, aircraft mainte certification. In all cases, aircraft mainte	authority to install the authority different than the septs aircraft engine(s)/primence records must cor	aircraft engine/prop ne airworthiness au ropeller(s)/article(s ttain an installation	eller/article. Abority of the country if from the certification issued in
FAA Form 8130-3 (02/14)				VSN: 0052-00-012-9005

AUTHORIZED RELEASE CERTIFICATE  13 Form Tracking Number.  FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG  4 3 5 4 0 9 8	( PC4) S. Work Order/Contractinguism Number: 7.702 1400181	9 Cuantity 10, Serial Number. 11 SasuarMonic.	IS FORM IS NOT AN EXPORT APPROVAL.	38280 D156	14a. — 14 CPR 43.9 Return to Service. — Other regulation specified in block 12. Conflike that unless others a specified in block 12. Book 14 that the specified in block 12 was an occupied to the latest 12 to 12 to 20 of Federal Regulations, began specified with the latest 12 to 1. Code of Federal Regulations, part 43 and in respect to that work, the latest as appropriated for result is service.	ation No.: 14th Authorized Signature: 14th Approval/Certificits No.:	99-CF	/mmm/yyyy): 14d. Name (Typed or Printed):   14e. Date (dd/mmm/yyyy):	
TABProving Civil Aviation 2. AUTHORIZED REL Authority/Country: FAA/UNITED STATES FAA FORM 8130-3, AIRWC	4. Organization Names and Address Cessna Aircraft Company (PC4) Cessna Parts Distribution Dept. 702 FRO F Daymon Lichita K & K 5718	6. tenn 7. Description: 8. Part Mumber: 1 GUIDE 636242	12 Remonstratives APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL.	38	13e. Certifes the items doutlified above ware manufactures in conformity to:   Approved design data and are in a condition for safe operation.   Non-approved design data specified in Block 12.	13b. Authorized Signature: 13c. Approval/Authorization No.:	markyn H. Farber 00A-100129-CE	13d. Name (Typed or Printed): 13d. Date (dd/mmm/yyyy):	20/01

User/installer Responsibilities

It is important to understand the the existence of this document alone does not automatically constitute automy to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airvorthuses authority offerent than the airvorthuse underthissulter and the user/installer ensures that this the user/installer ensures authority accepts aircraft engine(s)/propeller(s)/article(s) from the Startments in Books 1.3s and 14s do not constitute installeron existation. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

accordance with the national regulations by the user/installer before the aircraft may be flown.

NSN: 0052.00-012-9005

NSN: 0052.00-012-9005

User / Installer Responsibilities

It is important to understand that the existence of this document does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airvorthiness authority of interent than the airvorthiners authority of interent than the airvorthiners authority of the country operation in Block 1. It is essential that the user/installer ensures that his/her airvorthiners authority of the country specified in Block 1. Statements in Blocks 15a and 14a do not constitute installation certification in all cases, aircraft maintenance records must contain an installation certification issued in agrociations with the user/installer before the aircraft may be flown. 14c. Approval/Certificate No. Cardins that unless otherwise specified in Block 12, the work identified in Block 12, the work identified in Block 12, the work identified in Block 12, the work and the block 12, the work is the second to block 12, the second for return to service. But in expect to that work in Block 12, the Authorized Signature. 14c. Approval Certificate Mo 14e. Date (dd/mmm/yyyy) 14s. 14 CFR 43.9 Return to Service Cother regulation specified in block Work Order/Contract/Invoice Number 1389942 New IRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL. 3. Form Tracking Number: 4310442 14d. Name (Typed or Printed): 10. Serial Number PO# 23977 1 N/A #3830 AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESŚ APPROVAL TAG 9. Quantity: Installer must cross-check eligibility with applicable technical data. Cessna Parts Distribution Dept. 702 5800 E Pawnee, Wichita, KS 67218 13e. Date (dd/mmm/yyyy): 11/AUG/2014 13c. Approval/Authorization No. ODA-100129-CE Certifies the items identified above were manufactured in conformly to.

 Approved design data and ere in a condition for safe operation.

 Non-approved design data specified in Block 12. 4g ., 8. Part Number 3 FILTER ELE BA345E αi naulyn H. Yarber MARILYN K. FARBER Approving Civil Aviation
Authority Country:
FAA/UNITED STATES ot/Batch # 2Q14 13d. Name (Typed or Printed) 13b. Authorized Signature: FAA Form 8130-3 (02/14) 7. Description: Organization Name and Address:

93	AUTHORIZED RELEASE CERTIFICATE	TIFICATE	3. Form Tracking Number:	
FAA / UNITED STATES FAA !	FAA FORM 8130-3, S. RWORTHINESS APPROVAL TAG	PROVAL TAG	4432556	556
4 Organization Name			5. Work Order/Contract/Invoice Number:	Vinvoice Number:
Cessna Aircr	aft Company (PC4)			
Cessna Parts Distribution Dept. 702	ibution Dept. 702		-	1418769
6. Item: 7. Description: 8. Part Number:		9. Quantity: 10. Serial Number	Number:	11. Status/Work:
1 TIT PROBE 86245		1 N/A		New
12. Remarks:				
AIRWORTHINESS APPROVAL -	- PARTS. THIS FORM IS NOT AN EXPORT APPROVAL.	IS NOT AN E	XPORT APP	ROVAL.
	12)			
	1	°0# 24531	31	
13a. Certifies the Items identified above were manufactured in conformity to:		14a. 🔲 14 CFR 43.9 Return to Service 🔝 Other regulation specified in block 12	Other regulation sp	ecified in block 12
Approved design data and are in a condition for safe operation   Non-approved design data specified in Block 12.		Cartifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14. Code of Federia Regulations, part 43 and in respect to that work, the farms are announced for mattern to service.	Ned in Block 12, the vess accomplished in the stand in resp.	work identified in accordance with ect to that work,
13b. Authorized Signature:	13c. Approvat/Authorization No.:	14b. Authorized Signature	ature: 14c. Appr	14c. Approvat/Certificate No.:
marly H. Farber	ODA-100129-CE			
13d. Name (Typed or Printed):	13e. Date (dd/mmm/yyyy):	14d. Name (Typed or Printed):	15.11	14e. Date (dd/mmm/yyyy):
MARILYN K. FARBER	04/DEC/2014			100 P

User/Intaller Responsibilities

It is important to undessand that the existence of this document alone does not automatically constitute authority to ristall the aircraft engine/propeler/article.

Where the user/installer petoms work in accordance with the national regulations of an airworkiness authority officent than the airworkiness authority of the country specified in Block I, it is essential that the user/installer ensures that institute airworkiness authority accepts aircraft engine/slypropeler(s)article(s) from the country accepts aircraft engine (s) propeler(s)article(s) from the California article (s) and the stational article of entitletion. In all cases, aircraft maniferance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

FAA Form 8130-3 (02/14)

FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG 3 878101	Cessna Aircraft Company (PC4)  Cessna Parts Distribution Dept. 702 5800 E Pawnee, Wichita, KS 67218	8. Part Number. 9. Eligibility 10. Outsrifty: 11. Serial Batch Number: 12. Status Minner. 9910306-1 N/A 1 N/A N/A New	AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL.		Condition for settle opposition.  Contribute and se	ODA-100129-CE	18. Date (m/dy): 22. Name (Typed or Printed): 23. Date (m/dy): JUN/13/2013	User (Installer Reponsibilities in portant to understand that the assistance of this occument above does not administrate the assistance of this occument above does not administrate another to accordance work in accordance with the national regulations of an innovitnities authority different than the annovitnities authority of the country standard in Block 1 is essential than the users installed ensures that higher altworthiness authority different than the annovitnities authority of the country standard in Block 1.	Occamente in books 1st and 19 do not constitute installation certification. In all casses, aircraft maintenance records must contain an installation certification. In all casses, aircraft maintenance records must contain an installation certification.
1. Approving National Aviation Authority/Country: FAA/UNITED STATES	Cessna Parts 5800 E Par	1. Remnars.	AIRWORTHINESS APF	38286 Discontinue the filter's	X Approved design data and are in a condition for early operation:   Non-approved design data specified in Block 13   15. Authorized Signature:	Change Stande	DAN J. EHMKE	it is important to understand that the exist Where the use/installer performs work in specified in Block 1, it is essential that the authority of the country specified in Block - Seamond in Block - Seamo	accordance with the national regulations by the user/installar before the above to all cases, aircraft

14a. ..... 14,0FR 43.9 Return to Service Other regulation specified in block 13

Tax Certifies the terms clientified above were manufactured in conformity to.

| Approved design data and are in a condition for sale operation.
| Non-approved design data specified in thest 12

D/5/Q

38286

PO# 24513

1418019 11. Status/Work:

10. Serial Number

9. Quantity:

Cessna Aircraft Company (PC4)
Cessna Parts Distribution Dept. 702
5800 F Pawnee, Wichita, KS 67218

1 GASKET SET 646565A1

N/A

4429509

AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG

Authority / Country: FAA / UNITED STATES

Approving Civil Aviation Authority / Country:

New

AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL.

Block 11 and described with the second secon

13c. Approval/Authorization No.:

14e. Date (dd/mmm/yyyy)

14d. Name (Typed or Printed):

13e. Date (dd/mmm/yyyy): 02/DEC/2014

ODA-100129-CE

Marileyn H. Yarber

13b. Authorized Signature;

13d. Name (Typed or Printed):

MARILYN K. FARBER

NSN: 0052-00-012-9005

User/Installer Responsibilities

Where the user/installer performs work in accordance with the national alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national advanced and provided in Block 1.1 is essential that the user/installer ensures that his there airwordiness authority different than the airwordiness authority of the country specified in Block 1.2 is a standard of the country specified in Block 1.2 is a standard of the properties of the country specified in Block 1.2 is a standard of the properties of the properties of the properties of the country specified in Block 1.2 is and 144 do not constitute in sealation certification. In all cases, aircraft mannerance accords must contain an installation certification in the sircraft may be flown.

FAA Form 8130-3 (02/14)

Authority/Country: FAA FORM 8130-3, ARWORTHINESS APPROVAL TAG  A 0 5 5 4 3 4	1. Approving National Aviation 2. Authority/Country: FAA/UNITED STATES
To Cessna Parts Distribution Dept. 702	4. Organization Name and Actries.  Cessna A.  Cessna A.
3800 t Pawnee, Wichita, KS 67218	5800 E Pawnee
1. GASKET GEETOE 1. COunty	6. Item: 7. Description: 8. Part I
	9 GASKET 652
AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT PPROVAL.	13. Remarks. AIRWORTHINESS APPRO
28280 (4)	6
PO# 632459	いながび
14. Certifies the items kinetical above were manufactured in conformly to:    Approved despit data appendix for safe operation   Approved despit data specified in the safe operation   The safe opera	14. Certifies the items identified above were manul.    X Approved design data and are in a condu
up set a congression to the first and procession and as and in case of the first set and the congression of	Non-approved design data specified in Bic
Dan P. Macy ODA-100129-CE	Johnny De
17. Name (Typed or Printed): 18. Dalle (m/d/y): 22 Name (Typed or Printed): 23. Date (m/d/y): DON P. MACY	17. Name (Typed or Printed):
	JOHNNY GLOVER
It is important to understand that the existence of this occurrent above does not accommon above the exponsibilities.  "Affiner the understand that the existence of this occurrent above does not automatically constitute authority to install the particomponentiassenbly.  Specified in Block 1, it is essential that the sestinable onsures that his/her aimvorthness authority different than the aimvorthness authority of a country authority give country specified in Block 1.	It is important to understand that the existence Where the user/installey performs work in acconspecified in Block 1, it is essential that the user.
Statements in 198,chs. 14 and 19 do not constitute histaliation certification. In all cases, aircraft maintenence records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.	authority of the country specified in Block 1 Statements in Blocks 14 and 19 do not constitut accordance with the national requisitions by the
FAA Form 8130-3 (6-01) * Installer must cross-check eligibility with applicable lednikal (data.	EAA Form 8130-3 (6.01)

Confident bits other some when a position in Block 13, the work loansfroad in Speck 12 and superhous man was accommission to incommens with Title 14. Code of Females Requisition, we shall be reported to the owner the farms as apparent for female to service. As the first specific service on No. | 20. Authorities Signature | 31. Approved (Confidents, No. 1200468 12. Status/Work: 19. [] / CFR 43.9 Return to Service . [] Other regulation specified in blook Ne⊮ VAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL. 3. Form Tracking Number: 3516722 23. Date (m(d/y): 11. Senal/Batch Number 22. Name (Typed or Printed). PO# 20053 × AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG 9 10. Quantity: User / Installer Responsibilities ircraft Company (PC4) istribution Dept. 702 , Wichita, KS 67218 JUN/22/2012 ODA-100129-CE Approval/Authorization No. 9. Eligibility: N/A 80 Disc 18. Date (m/d/y): actured in conformity to: on for safe operation. 458 ock 13.

It is important to understand that the existence of this document alone does not automatically electrical enterty to restall the participance interesting the performance with inscription of the county specified in Block 1, it is essential that the use-interesting electrical enterty control and automy of the county specified in Block 1, it is essential that the use-interesting enterty existence and the performance of the county specified in Block 1, it is essential that the use-interesting enterty expected in Block 1, it is essential that the use-interesting enterty expected in Block 1, it is essential that the use-interesting enterty expected in the interesting enterty expected in the interesting enterty expected in the interesting enterty expected in the interest in expected in the interest in the inte FAA Form 8130-3 (6-01

Installer must cross-check eligibility with applicable technical data.

NSN: 0052-00-012-9005

\* installer must cross-check eligibility with applicable technical data.

Approving National Aviation 2. A Authority/Country: FA	AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG	
ressna Alro na Parts Distr 30 E Pawnee, Wi	Cessna Parts Distribution Dept. 702 S800 E Pawnee, Wichita, KS 67218	5, Work Orden/Contract/Invoice Number: 463292
7. Description: 8. Part Number: B GASKET 636465	9. Eligibility: 10. Quantity: 1	11. SataviBarch Number: 12. Status/Work: N/A New
HINESS APPROVAL	Romande. AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL.	N EXPORT APPROVAL.
,206,207,210,310	182,188,206,207,210,310,320,335,337,401,402,P337,R182,T303	182, T303
3888	# 60 60% P 080%	PO# 7383
TO CERTIFIES the items identified above were manufactured in conformity to:	1 conformity to: 19. (4.0FF 419 Paylar to Service.	Other registrator specified in block 13.
The Approved design data and are in a contition for safe operation.	peration. It is a provided by the provided by	Scilled in Stock ca. the work Benthau in 1995 and mailfest in according to the 1985 part of that it selects to the work of service.
15. Authorized Stateadyer of id.	16. Approvally the graph No.: 14 Authorized Signature	21.8m ovalOeuffors No.
or Printed):	Tr. Name Typed or Printed: WYSOCKI SR., ODARF 12/03/2004	o).
It is important to understand that the existence of this doc Where the userlinstaller performs work in accordance with specified in Block 1, it is essential that the userfinistaller ea authority of the country specified in Block 1.	<u>Userdinstaller Responsibilities</u> It is important to understand that the existence of this document alone does not automatic prostitulae authority to hastall the particomponentiassembly. Where the userfinistaliar performs work in accordance with the anticomatic and an authority distinct than the atworthness authority of the country specified in the back. It is essential that the userfinistiller ensures that histher airworthness authority accepts perfectomponentials assembles from that airworthness authority of the country specified in Block 1.	ne part/component/assambly, an the airworthiness authority of the country nts/assembles from the airworthiness
ks 14 and 19 do not constitute installati e national regulations by the user/insta	Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenence records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.	ntain an installation certification issued in
(a 0.4) Installar milet pross	and the more chose chook aliability with applicable technical data	NSN: 0052-00-012-9005

FRAZUNITED STATES	RM 8130-3,	MAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG	PROVAL TAG	3422848	848
Lessna Aircraft Company (PC4)	aft Co	mpany (PC4)		5. Wark Order/Conli	5. Work Order/Contract/Invoice Number:
ressna rafits Distric T800 E Pawnee, Wic	hita, hita,	uept. /uz KS 67218			11//1/3
8. Part Number		9. Eligiblity:	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:
7 PACKING 633958-3	•	N/A	10 N/A	4	New
AMBIECT ABBOUAL	DADTC	, MOOD SINI	WA TON 21	EYBODT ADI	IVAUGO
ALEMAN FILITESS AFFROVAL - PARIS. ITIS FORM IS NOT AN EAFONT AFFROVAL.	PAKI3.	TITES FORM	NO TON ST	בערטאו ארו	NOTAL:
あられて リーロ	3		878	98280 DISCO	00
こく	l !		PO# 19	632	_/
it is in items identified above were manufactured in conformity to:	onformity to: peration.	•			
Non-approved design data specified in Block 13.					
15. Authorized Signature:	6. Approval/A	16. Approval/Authorization No.:			
Lech Shingpoo	0DA-4	ODA-100129-CE			
17. Name (Typed or Printed):	18. D.	18. Date (m/d/y):			
KEITH THOMPSON	Ψ	MAR/22/2012			

It is inportant to understand that the existence of inte document alone to does not automatically constitute authority to install the particomponent/assembly.

The the breakinghest performs with it is accordance with the national negatives to an atworthness authority different than the airworthness authority applied in Blood, it, it is essentially that the user/install ensures that history and authority accepts participate causes that history authority accepts participated that history authority are authority accepts participated to the airworthness authority of the occurry specified in the user/installer ensures that history and accepts and accepts and accepts and accepts and accepts and accordance in installation certification, in all cases, aircraft maintenance records must contain an installation certification is seed in accordance with life national regulations by the user/installer before he sincert maintenance records must contain an installation certification is seed in accordance with life national regulations by the user/installer before he sincert maintenance incords must contain an installation certification. User / Installer Responsibilities

1	
I	
ł	
İ	
İ	ū
j	윰
1	Ę,
١	튭
į	ě
ļ	ĕ.
l	효
	£
ı	3
ļ	蓍
ļ	뚭
١	nack etig
	ę
ı	st cross-ch
Į	S
ł	₹
ł	흝
	쁄
1	-
1	
1	
	듄
	é
-	Š
	뜛
ł	E
	FAF
1	Æ

NSN: 0052-00-012-9005

1 Appro	Approving National Aviation Authority Country: FAA/UNITED STATES	viation y: TES	2. AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG	RELEA AIRWORT	ISE CEF	RTIFICAT PPROVAL		346	3463024	4
Organization Name and Address:		sna	Cessna Aircraft Company (PC4	ıpany	(PC4	(		5. Work Orde	5. Work Order/Contract/Invoice Number:	sice Number:
ပိ	ssna Par 5800 E	ts D Pawn	Cessna Parts Distribution Dept. 702 5800 E Pawnee, Wichita, KS 67218	Dept. KS 6	702				118	1186999
6. Item:	6. Item: 7. Description:	8. P.	8. Part Number:	9. Eligibility:		16. Quantity:	11. Serial	10. Quantity: \$1. Serial/Batch Number:		12. Status/Work:
4	4 WASHER	20	501868	N/A		25	25 N/A			New
13. Remarks A I RWO	RTHINESS	APPR(	13 Remonds. AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL.	THIS	FORM	IS NOT	AN E	(PORT	APPROV	AL.

PO# 19794 5250 08ESE

Certifies that tiness otherwise sprooffied in Block 13, the work identified Block 12, and described in Block 13 was accomplished in secondar Title 14. Code of Federal Regulations, part 43 and in respect to the the lanes are appropried on return to service. 19: 14 CR 45.5 Rotum to Service Odior requietion speeiffed Name (Typed or Printed): MAY/01/2012 0DA-100129-CE 16. Approval/Authorization No.: Let Certifies the items identified above were manufactured in conformity to:
 Approved design data and see in a condition for safe operation
 Non-approved design data structured in the see ... Leich Showyood KEITH THOMPSON 17. Name (Typed or Printed): 15. Authorized Signature:

User / Installer Responsibilities
It is important to inderstand that the existence of this cocument axive closs for automatically constitute authority to install the perticomponent/assembly.
Where the user/installer performs work in accordance with the national regulations of a work-index submorthy of the count specified in Block 1. It is assemille that the issertizable nature that a fisher index authority deceived in Block 1. It is assemille in Block 1. It is accordance with the national regulation confirms and the performance of the count is periodical in Block 1. It and 19 do not constitute installation confirms and the periodical and 19 do not constitute installation confirms that the national regulations by the user/installer before the aircraft may be flown. 'Installer must cross-check eligibility with applicable technical data.

NSN: 0052-00-012-9

4429509 Form Tracking Number AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG Approving Civil Aviation Authority / Country: FAA / UNITED STATES

New 10. Serial Number N/A Cessna Aircraft Company (PC4)
Cessna Parts Distribution Dept. 702
5800 F Pawnee, Wichita, KS 67218 646985 2 SEAL

1418019

AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL.

2% 38280

PO# 24513

Speller and the special of the speci 14a 🔲 14 CFR 43.8 Return to Service 🕒 Other regulation specified in block Certifies the items identified above were manufactured in conformity to Kaproved design data and are in a condition for site operation Non-approved design data specified in Blook 12. Non-approved design data specified in Block 12. 3b. Authorized Signature:

14e. Data (dd/mmm/yyyy) 14d. Name (Typed or Printed): 13e. Date (dd/mmm/yyyy): 02/DEC/2014 ODA-100129-CE Marsh H. Yarber MARILYN K. FARBER 3d. Name (Typed or Printed):

User / Installer Responsibilities
Where the user/installer performs work in accordance with the retrong son rick advanced to the country alone does not automatically constitute authority to install the aircraft engine-propeller/article, specified in Block 1. it is essential that the user/installer ensures which the notify the country accepts aircraft engines are authority of the country of the country of the country of the country periodical of Block 1. it is essential that the user/installer ensures authority accepts aircraft engine(s) propeller(s) article(s) from the Statements in Blocks 13s and 14st do not constitute installation enfaction. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be 16vm.

FAA Form 8130-3 (02/14

### **SERVICEABLE**

Pertinent details of the exhaust system component repairs are on file at this repair station under: 3826

Work Order No. 111, 326

Inspected b

Dawley Aviation
140 Industrial Dr.
Burlington, WI 53105

1-800-338-5420

FAA CRS No. NJ5R069N