



Miscellaneous Records

1. Approving National Aviation Authority/Country: FAA/UNITED STATES		2. AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3 AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: AA051512	
4. Organization Name and Address: AIRCRAFT ACCESSORIES OF OKLAHOMA INC. 2740 North Sheridan Tulsa, OK 74115					5. Work order/Contract/Invoice Number: 51155		
6. Item:	7. Description:	8. Part number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Number:	12. Status / Work:	
1	GOVERNOR	C290D3R/T23	N/A	1	041292	OVERHAULED	
13. Remarks: THE PART IDENTIFIED ABOVE WAS OVERHAULED IN ACCORDANCE WITH FAA APPROVED DATA. THERE ARE NO APPLICABLE AIR WORTHINESS DIRECTIVES. WORK ORDER 51155 SHOWING THE ACTUAL WORK PERFORMED IS ON FILE AT THIS FACILITY.							
14. Certifies the items identified above were manufactured in conformity to. <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 13.			19. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulations specified in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.				
15. Authorized Signature		16. Approval Authorization No:	20. Authorized Signature: 		21. Approval Certificate Number: RV3R829L		
17. Name (Typed or Printed):		18. Date:	22. Name (Typed or Printed): DAVID DUTTON		23. Date: May 15, 2012		
User/Installer Responsibilities							
<p>It is important to understand that the existence of this Document alone does not automatically constitute authority to install the part/component/assembly. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer insures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.</p> <p>Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.</p>							

1. Approving National Aviation Authority/Country: FAA/UNITED STATES		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: H-M030975	
4. Organization Name and Address: HARTZELL ENGINE TECHNOLOGIES, 2900 SELMA HWY., MONTGOMERY, AL. 36108 (1HZR769B)					5. Work Order/Contract/Invoice Number: W/O: M910250		
6. Item:	7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:	
1	STARTER ***** *****	646275-1 MOD/NO END *****	N/A	1	H-M030975	OVERHAULED	
13. Remarks: COPY OF WORK ORDER AVAILABLE ON REQUEST FROM HARTZELL ENGINE TECHNOLOGIES CERTIFIES THAT THE WORK SPECIFIED IN BLOCK 12/13 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND WITH RESPECT TO THAT WORK THE AIRCRAFT COMPONENT IS CONSIDERED READY FOR RELEASE TO SERVICE UNDER EASA APPROVAL CERTIFICATE NUMBER EASA.145.4418 AND BY THE FAA AIR AGENCY CERTIFICATE NUMBER 1HZR769B. APPROVED FOR EXPORT THE ORIG. EQUIP. MFG. DATA APPEARS ON THE DATA PLATE IN THE LINES IDENTIFIED AS MOD/NO & ORIG. MFG. COMPLIES WITH PPS-9001 LATEST REVISION. OVERHAULED PER TCM SERVICE INSTRUCTION X30592, DATED 1/87.							
14. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 13.			19. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input checked="" type="checkbox"/> Other regulation specified in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.				
15. Authorized Signature:		16. Approval/Authorization No.:	20. Authorized Signature: <i>John Poole</i>		21. Approval/Certificate No: 1HZR769B		
17. Name (Typed or Printed):		18. Date (m/d/y):	22. Name (Typed or Printed): John Poole		23. Date (m/d/y): MAR 27 2012		
User/Installer Responsibilities							
It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.							
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.							
Statements in Block 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							

1. Approving National Aviation Authority/Country: FAA/United States FAA/UNITED STATES		AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: 0029071-100-2	
4. Organization Name and Address: WESTERN SKYWAYS 21 CREATIVE PLACE MONTROSE, COLORADO 81401 (WS9R575J)					5. Work Order/Contract/Invoice Number: 0029071		
6. Item:	7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:	
1	FUEL CONTROL	653353-8A1	N/A	1	A05DA306	OVERHAULED	
13. Remarks: 1. Overhauled in accordance with Overhaul Manual X30593A . 2. Complied with applicable SB's and AD's to date. A complete description of work performed is on file at the above referenced organization under the work order and system tracking reference number indicated in blocks 3 and 5.							
14. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 13.			19. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.				
15. Authorized Signature:		16. Approval/Authorization No.:		20. Authorized Signature: 		21. Approval/Certificate No.: WS9R575J	
17. Name (Typed or printed):		18. Date (m/d/y):		22. Name (Typed or Printed): RONALD LEE EPPERSON		23. Date (m/d/y): MAY 17 2012	
User/Installer Responsibilities							
<p>It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.</p> <p>Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.</p> <p>Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.</p>							

1. Approving National Aviation Authority/Country: FAA/United States FAA/UNITED STATES	2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG	3. Form Tracking Number: 0029071-100-1
--	---	--


4. Organization Name and Address: WESTERN SKYWAYS 21 CREATIVE PLACE MONTROSE, COLORADO 81401 (WS9R575J)	5. Work Order/Contract/Invoice Number: 0029071
---	--

6. Item:	7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:
1	MANIFOLD VALVE	646433-9A1	N/A	1	C05DA321	OVERHAULED

13. Remarks:
 1. Overhauled in accordance with Overhaul Manual X30593A .
 2. Complied with applicable SB's and AD's to date.

A complete description of work performed is on file at the above referenced organization under the work order and system tracking reference number indicated in blocks 3 and 5.

14. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 13.	19. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.
---	--


15. Authorized Signature:	16. Approval/Authorization No.:	20. Authorized Signature: 	21. Approval/Certificate No.: WS9R575J
17. Name (Typed or printed):	18. Date (m/d/y):	22. Name (Typed or Printed): RONALD LEE EPPERSON	23. Date (m/d/y): MAY 17 2012

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving National Aviation Authority / Country: FAA / UNITED STATES		AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: 120515122728-1-1	
4. Organization Name and Address: Airmotive Engineering Corporation (PQ0003SW) 9503 Middlex San Antonio, TX 78217				5. Work Order / Contract / Invoice Number: 122728			
6. Item:	7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Number:	12. Status /Wrk	
1	Cylinder Comp Assy EcPn TISN73.1CA	AEC654966 SN73.1	N/A	6EA	See Blk 13	NEW	
13. Remarks: Line#1-85520-06, 85520-09, 85520-10, 85520-11, 85520-13, 85520-15							
14. Certifies the items identified above were manufactured in conformity to: <input checked="" type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 13.				19. <input type="checkbox"/> 14 CFR 43.9 Return to service <input type="checkbox"/> Other regulation specified in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
15. Authorized Signature: 		16. Approval / Authorization Number: DMIR832976SW		20. Authorized Signature:		21. Approval / Certificate No:	
17. Name (Typed or Printed): Steven Thatcher		18. Date (mmm/dd/yyyy): May/15/2012		22. Name (Typed or Printed):		23. Date (mmm/dd/yyyy):	
User/Installer Responsibilities							
<p>It is important to understand that the existence of this Document alone does not automatically constitute authority to install the part/component/assembly. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the Airworthiness Authority of the country specified in block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts the parts/components/assemblies from the airworthiness authority of the country specified in block 1. Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.</p>							

1. Approving National Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: QAA # 74518	
4. Organization Name and Address: Quality Aircraft Accessories Inc. (QYIR334Y) 5746 East Apache Tulsa, OK 74115				Phone: 1-877-833-6948 918-835-6948 Fax: 918-835-2804		5. Work Order/Contract/Invoice Number: INV# 127603	
6. Item:	7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:	
1	MAGNETO	10-500556-101	N/A	1	D07HA048	OVERHAUL	
13. Remarks: <input checked="" type="checkbox"/> CSB641 CONDENSOR <input checked="" type="checkbox"/> MSB644 COIL & ROTOR (AD 94-01-03R2) <input checked="" type="checkbox"/> MSB645 500 HR. IMPULSE INSPECTION (AD 2005-12-06) <input type="checkbox"/> SB2-80C 500 HR. INSPECTION <input type="checkbox"/> SB1-98 250 HR. IMPULSE INSPECTION (AD-99-04-04) <input type="checkbox"/> SB2-08B BREAKER POINT CAM <input type="checkbox"/> SB3-08C CARBON BRUSH MANUAL # X42002-2 ISSUE DATE: 09/10 The work identified in Block 12 and described in Block 13 except as otherwise specified was carried out in accordance with EASA 145 and in respect to that work the aircraft component is considered ready for release to service under EASA acceptance Certificate number EASA 145.5982 See Attached Work Order Summary for details. (2) pages (MECH: KW)							
14. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 13.			19. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input checked="" type="checkbox"/> Other regulation specified in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.				
15. Authorized Signature:		16. Approval/Authorization No.:		20. Authorized Signature: <i>Ovette Mitchell</i>		21. Approval/Certificate No.: QYIR334Y	
17. Name (Typed or Printed):		18. Date (m/d/y):		22. Name (Typed or Printed): OVETTE MITCHELL		23. Date (m/d/y): SEP 22, 2011	
User/Installer Responsibilities							
<p>It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.</p> <p>Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.</p> <p>Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.</p>							

3

NR 24595

1. Approving National Aviation Authority/Country: FAA/United States	AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG	3. Form Tracking Number: 141908
--	--	---

4. Organization Name and Address: Continental Motors, 2039 Broad Street, Mobile, Alabama 36615	5. Work Order/Contract/Invoice Number: <small>Work Order</small> 224389 <small>Contract</small> 0000065181
--	---

6. Item	7. Description	8. Part Number	9. Eligibility: *	10. Quantity	11. Serial/Batch Number	12. Status/Work
1	IGN-HARNESS MAGNETO	10-423674-33	N/A	6	N/A	New

13. Remarks:
AIR WORTHINESS APPROVAL

14. Certifies the items identified above were manufactured in conformity to: <input checked="" type="checkbox"/> Approved design data and are in condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 13.	19. <input type="checkbox"/> 14 CFR 43.9 return to service <input type="checkbox"/> Other regulation specified in Block 13 <small>Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.</small>
---	---

Authorized Signature: <i>Daniel L. Nicholas</i>	16. Approval/Authorization No.: DMIR-511010-CE	20. Authorized Signature:	21. Approval/Certificate No.:
17. Name (Typed or Printed): Daniel L. Nicholas	18. Date (m/d/y): Jul/09/2011	22. Name (Typed or Printed):	23. Date (m/d/y):

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Block 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by user/installer before aircraft may be flown.

AUTHORIZED RELEASE CERTIFICATE

FAA FORM 8130-3 AIRWORTHINESS APPROVAL TAG

1. Approving National Aviation Authority/Country:
FAA/UNITED STATES

2.

3. Form Tracking Number:

AA050912

4. Organization Name and Address: AIRCRAFT ACCESSORIES OF OKLAHOMA INC.
2740 North Sheridan
Tulsa, OK 74115

5. Work order/Contract/Invoice Number:
51071

6. Item:	7. Description:	8. Part number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Number:	12. Status / Work:
1	ALTERNATOR	646843	N/A	1	0031A097	OVERHAULED

13. Remarks: THE PART IDENTIFIED ABOVE WAS OVERHAULED IN ACCORDANCE WITH FAA APPROVED DATA. THERE ARE NO APPLICABLE AIR WORTHINESS DIRECTIVES. WORK ORDER 51071 SHOWING THE ACTUAL WORK PERFORMED IS ON FILE AT THIS FACILITY.

RR 25695

14. Certifies the items identified above were manufactured in conformity to:

- Approved design data and are in a condition for safe operation.
- Non-approved design data specified in Block 13.

19. 14 CFR 43.9 Return to Service Other regulations specified in Block 13

Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

15. Authorized Signature

16. Approval Authorization No:

20. Authorized Signature:

21. Approval Certificate Number:

RV3R829L

17. Name (Typed or Printed):

18. Date:

22. Name (Typed or Printed):

23. Date:

DAVID DUTTON

May 9, 2012

User/Installer Responsibilities

It is important to understand that the existence of this Document alone does not automatically constitute authority to install the part/component/assembly. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer insures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.