Propeller Log

AIRCRAFT TECHNICAL LOGS

Section 2. RECORD OF INSTALLATIONS & MODIFICATIONS TO AIRCRAFT

AIRFRAME LOG

1.	Nati	ionality and Registration	N465US				
2.	Man	ufacturer's Designation	DA20-C1				
3.	Rec	ord of		1			
	(a) (b) (c) (d) (e) (f)	Engine Installations Propeller Installations Airworthiness Directives (A/D) Service Bulletins (S/B) Special Inspections (S/I) Modifications (MODS)					

RECORD OF ENGINE &

DATE	ENGINE OR PROPELLER MAKE & MODEL	SERIAL NO.	POSITION	DATE	DATE	
NOV 13 2006	CONTINENTAL 10-340-B	650223	q	OCT 2006		
NOV 13 2006	SENSENICH WIGEKT-63	A66026	CL	OCT 2006		PROPELLER INSTALLED
DEC 2007	SCHISENICH W69EX7-63	AG 6026	¢.		00	PROPELLER INSTALLA
De c 1007	CONTINEMPAL 10-240-B	650227	Z		DEC 2007	moraum
4PR 3 200 8	CONTINENTAL SO-240-B	824593R	Q	APR 2008	DECZON	- ALVA
4PR 3 2008	SENSENCY WESER 7-63G	AH3231	e			EXINE
1100000	White W / Hou Y	71113231	b_	AM 2001		PROPELLEN
						- Sescri
				-		
				_		
				+		
				-		
					-	
					+	
					-	+
					-	-
					ri ena	The second secon

	RECO						B.D.O.
	ENGINE OR PROPELLER	SERIAL NO.	POSITION	DATE	REMOVED		PROPELLER INSTALLATION 1
DATE	MAKE a me	650223	a	OCT 2006		ENGINE INSTAULO	REMARKS - REASON FOR CHANGE
NOV 13 2006	CONTINENTAL JO- 240-B		CL	OCT 2006		PROPELLER INSTALLED	NEW ON DARKEL CALLERY
NOV 13 2006	SENSENICH NAEKT-63	A66026	Ć.		DEC 2007	PROPEREN	NEW ON DAAD-CI S/N C0405
DEC 2007	SENSENICA 3	AG 6026			DECZOOT	ENGINE	REMOVED DAMAGED
	60-240-R	650223	Q.	APR 2008	301		Wat /
DEC 7007	CONTINOUTAL 10-240-B	824593R	<u> </u>	-		ENGINE	STOPPACE
APR 3 2008	5 ENG 104 8 ENG 7-63 G	AH3231	h	AM 2008		PROPEUM	THE PACTORY REMANUFACTURED ON COURS
APR 3 2008	WZ9EK 7-634						INSTALLED NEW ON DAZOCI SINCOYOS
							Corvallis Aero Service 5695 SW Airport Place
							N40011S The Politiace Corvellie OD 07222
							AlfCraft propeller formation DATE: 3/9/2019
							S/N AF6191. Installed repaired propeller IAW Installation operation & Maintenance Doc#W69EK7-63G Rev G 11-18-16.
							W/O 18-7441
						j	W/O 18-7441 Own All-MChelsea Curry-Ohlsen AP 4028641
							Corvallis Aero Service 5695 SW Airport Place Corvallis, OR. 97333
							Completed 100-hour inspection 14 W 14 CT 10 K
-							Maintenance Manual cheat-list and a repetitor Discourse Manufacturers
							2937.0hours tach time. I certify that this Propeller has been inspected IAW a 100 Hr Inspection and was
		-				· ·	W/O: 18-7566
				-			joel Maloney a/p 2832713 - for Markey
							Corvallis Aero Service 5695 SW Airport Place Corvallis OR 97333
							N465US TACH-2026 5 Hobbs 57000 Corvailis, OR 97333
							Completed Annual Inspection IAW FAR 43 App D requirements using manufacrtures check list as a guide. Torqued prop bolts IAWDoc # W69EK7-CF Rev. F. Next due 3036.5 hrs tach time.
							TOV. 1. Next due 3030.3 nrs tach time
				+			I certify that this Propeller has been inspected IAW Annual inspection and was determined to be in airworthy condition.
							Details on file
							WIO 19 7645
							Charles M Lawson AP3627356IA
							Corvallis Aero Service 5695 SW Airport Place Corvallis, OR. 97333
							Prop: Sensenich W60FK7 620 CB + FVCC
		+					N465US Diamond DA20-C1 S/N C0405 TACH: 3036.2 AFTT: 3938.1 DATE: 04/11/2019
							A 100hr inspection was a second at 12 and 12
							A 100hr inspection was performed per FAR 43 Appendix D requirements using Manufactures Maintenance Manual checklist as a guide.
				+			
				+			AD's current thru Bi-weekly 19-06 no new.
							Certify that this Propeller has been inspected IAW a 100 HR Inspection and is in an AIRWORTHY
							W/O# 19-7867 Hal C Howard 2777703AP/IA
							'Hal C Howard 2777703AP/IA
		_					
		+		+			
				+			
				+			
						2	ı,

Propeller Log

AIRCRAFT TECHNICAL LOGS

Section 2. RECORD OF INSTALLATIONS & MODIFICATIONS TO AIRCRAFT

RECORD OF ENGINE &

	ENGINE OR PROPELLER MAKE & MODEL	SERIAL NO.	POSITION	DATE INSTALLED	DATE REMOVED			
Co	rvallis Aero Service	5695 SW Airp	ort Place	Corvallis, C	OR. 97333			
Pro	op: Sensenich W69EK7-63G 65US DIAMOND DA20-C	S/N: AF6191 1 S/N C0505 TA	PTT: UNK S ACH: 3131.4	MOH: "ON CO AFTT: 4033.3	ONDITION" DATE: 8/6//	2019		
	100hr inspection was perform		endix D requiren	nents using Man	ufactures			
Ma	nintenance Manual checklist as W Sensenich maintenance doc							
A[AD's current thru Bi-weekly 19-16 no new.							
co	ertify that this Propeller has be noted in the world of	peen inspected IAW ork performed.	a 100 HR Inspec	Lall	AIRWORTHY LEWCLY 2777703AP/IA	/		
	+							
Corva	Illis Aero Service 5	695 SW Airport	t Place C	orvallis, OR.	97333			
	ensenich W69EK7-63G S/N: S DIAMOND DA20-C1 S		T: UNK SMOH: 3182.4 AFT		ION" ATE: 9/3/2019			
C/W W	769EK7-CF Rev.F Prop torque	e check. Next due ta	ach 3232.4.					
_ I certify	y that this Prop is airworthy re	espect to the work pe	erformed.	00 M	al			
W/O#	19-8086		Hal C H	oward 2777703	AP/IA			
Villamette	Aviation Service, LLC	23	115 Airport Rd.	. NE	Aurora, OR 9	7002		
Make: DIAM Date: 10/18			Model: DA 20-C1 Reg. No.: S/N: C0405 Tach Time					
Propeller L	og		Type: SensenichW69EK763G S/N: AF					
Complied	vith an annual inspection IAW with W69EK7-CF Rev.F, Nex	14 CFR Part 43 App	pendix D. Checke	d propeller torqu	ج ہو ue at 370 in/lb in			
accordance apply. I cert	tify that this propeller was insp y condition as of this date. Ste	ected in accordance	e with an annual i	rough biweekly a	2019-21 No new	AD's be in		
accordance apply. I cert an airworth	tify that this propeller was insp y condition as of this date. Ste	pected in accordance ephen J. Griffin A&P	e with an annual i 3288434 IA	inspection and w	2019-21, No new /as determined to	AD's be in		
accordance apply. I cert an airworth Corvall Prop: Sen N465US	is Aero Service seenich W69EK7-63G S/N: A DIAMOND DA20-C1 S/N	pected in accordance sphen J. Griffin A&P 95 SW Airport I 1F6191 PTT: 1 C0505 TACH: 3	Place Col UNK SMOH: " 280.1 AFTT:	rvallis, OR. 9	2019-21, No new vas determined to	AD's be in		
accordance apply. I cert an airworth Corvall Prop: Sen N465US C/W W69	itify that this propeller was inspect of this date. Steel senich W69EK7-63G S/N: A DIAMOND DA20-C1 S/N	95 SW Airport I 25 SW Airport I 26 C0505 TACH: 3	Place Con UNK SMOH: " 280.1 AFTT:	rvallis, OR. 9	2019-21, No new vas determined to 27333	AD's be in		
accordance apply. I cert an airworth Corvall Prop: Sen N465US C/W W69	is Aero Service Senich W69EK7-63G S/N: A DIAMOND DA20-C1 S/N PEK7-CF Rev.F Prop torque of the service service of the service	95 SW Airport I 25 SW Airport I 26 C0505 TACH: 3	Place Con UNK SMOH: " 280.1 AFTT: A h 3330.1. Cormed.	rvallis, OR. 9 ON CONDITION 4182.0 DAT	2019-21, No new vas determined to 27333 ON" TE: 1/2/2020	AD's be in		
accordance apply. I cert an airworth Corvall Prop: Sen N465US C/W W69	is Aero Service Senich W69EK7-63G S/N: A DIAMOND DA20-C1 S/N PEK7-CF Rev.F Prop torque of the service service of the service	95 SW Airport I 25 SW Airport I 26 C0505 TACH: 3	Place Con UNK SMOH: " 280.1 AFTT: A h 3330.1. Cormed.	rvallis, OR. 9 ON CONDITION DATE	2019-21, No new vas determined to 27333 ON" TE: 1/2/2020	AD's be in		
accordance apply. I cert an airworth Corvall Prop: Sen N465US C/W W69	is Aero Service Senich W69EK7-63G S/N: A DIAMOND DA20-C1 S/N PEK7-CF Rev.F Prop torque of the service service of the service	95 SW Airport I 25 SW Airport I 26 C0505 TACH: 3	Place Con UNK SMOH: " 280.1 AFTT: A h 3330.1. Cormed.	rvallis, OR. 9 ON CONDITION 4182.0 DAT	2019-21, No new vas determined to 27333 ON" TE: 1/2/2020	AD's be in		

PROPELLER INSTALLATION

REMARKS - REASON FOR CHANGE NEW ON DAZO-CI S/N CO405 NEW ON DAZO-CI S/N CO405 REMOVED DAMAGED REMOVED APPEN SUDDEN STOPPAGE [NSTAILED FACTORY REMANUFACTURED] ON CO405 [NSTAILED NEW ON DAZO-CI SIN CO405	
REMOVED DAMAGED REMOVED DAMAGED REMOVED AFTER SUDDEN STOPPAGE [NSTALLED FACTORY REMANUFACTURED) ON COYOT	
REMOVED DAMAGED REMOVED DAMAGED REMOVED AFTER SUDDEN STOPPAGE [NSTALLED FACTORY REMANUFACTURED) ON COYOT	7
REMOVED AFTER SUDDEN STUPPAGE [NSTALLED FACTORY REMANUFACTURED ON COYDS	5
REMOVED AFTER SUDDEN STUPPAGE [NSTALLED FACTORY REMANUFACTURED ON COYOT	
INSTALLED FACTORY REMANUFACTURED ON COYOT	-
INSTALLED FACTORY REMANUFACTURED ON (0905)	<u></u>
INSTALLED NEW ON DAZO-CI SIN CO405	
	-
Corvallis Aero Service 5695 SW Airport Place Corvallis, OR. 97333 N465US TACH: 2737.7 DATE: 3/9/2018 Aircraft propeller found to be beyond wear limits. Replaced with repaired propeller P/N W69EK7-63G S/N AF6191. Installed repaired propeller IAW Installation operation & Maintenance Doc#W69EK7-CF Rev G 11-18-16. W/O 18-7441 Corvallis Aero Service 5695 SW Airport Place Corvallis, OR. 97333 N465US TACH: 2837.0 Prop TT Unk Prop SMOH: 695.5 DATE: june 12 2018 Completed 100-hour inspection IAW 14 CFR 43 Appendix D requirements using Manufacturers Maintenance Manual checklist guide. Torqued prop bolts IAW Doc# W69EK7-CF Rev. F. Next due 2937.0hours tach time. I certify that this Propeller has been inspected IAW a 100 Hr Inspection and was determined to be in airworthy condition. W/O: 18-7566 joel Maloney a/p 2832715	
Corvallis Aero Service 5695 SW Airport Place Corvallis, OR 97333 N465US TACH:2936.5 Hobbs: 5702.2 PTT: DATE: 11/09/2018 Completed Annual Inspection IAW FAR 43 App D requirements using manufactures check list as a guide. Torqued prop bolts IAWDoc # W69EK7-CF Rev. F. Next due 3036.5 hrs tach time.	
I certify that this Propeller has been inspected IAW Annual inspection and was determined to be in airworthy condition.	-
Details on file W/O 18-7645 Details on file Corvallis Charles M Lawson AP3627356IA	-
Corvallis Aero Service 5695 SW Airport Place Corvallis, OR. 97333 Prop: Sensenich W69EK7-63G S/N: AF6191 PTT: UNK SMOH: n/a "On Condition" N465US Diamond DA20-C1 S/N C0405 TACH: 3036.2 AFTT: 3938.1 DATE: 04/11/2019 A 100hr inspection was performed per FAR 43 Appendix D requirements using Manufactures Maintenance Manual checklist as a guide.	
AD's current thru Bi-weekly 19-06 no new. I certify that this Propeller has been inspected IAW a 100 HR Inspection and is in an AIRWORTHY condition with respect to the work performed. W/O# 19-7867 Hal C Howard 2777703AP/IA	