

PROPELLER LOG BOOK



SENSEINICH PROPELLER MFG. CO.

Lititz, Pennsylvania 17543

Internet: <http://www.sensenich.com>.

THIS LOG BOOK IS TO BE KEPT
WITH THE PROPELLER
FOR RECORDING OF ALL PROPELLER MAINTENANCE WORK PERFORMED

PROPELLER MAINTENANCE RECORD

PROPELLER MODEL 76-EM8S14-0-62
 PROPELLER SERIAL NUMBER 106682K

TABLE OF PROPELLER ATTACHING BOLT WRENCH TORQUE
Sensenich Metal Propellers (the proper torque is also shown on Blade Information Decal)

PROPELLER SERIES**	BOLT DIA. (inches)	RECOMMENDED WRENCH TORQUE		
		In.-lb.	ft.-lb.	n.-m.
69CK, M69CK (6 bolts) 72CK (6 bolts) 74CK, M74CK (6 bolts) 76AK, M76AK (6 bolts) 76AM6, M76AM (6 bolts) 74DM6, M74DM (6 bolts) 74DR, M74DR (8 bolts)	$\frac{3}{8}$ (0.375)	280-300	23-25	32-34
74DM7 (6 bolts)	$\frac{7}{16}$ (0.4375)	480-540	40-45	54-61
72CC, 72FM8 (6 bolts) 74DC, M74DC (6 bolts) 76EM8, M76EMM (6 bolts) * 80BM8, M80BMM (bolts)	$\frac{1}{2}$ (0.500)	720-780	60-65	81-88

* Not in production

** These are the basic propeller models. Spacer addition does not affect recommended wrench torque.

