

| ATA / Item | Description                                   | Sym | Qty | Part Number | Unit Wt | Arm |
|------------|---|-----|-----|-------------|---------|-----|
| 31-01      | Air Conditioning                              | O   | -   | 30810-xxx   | 133.0   | 0.0 |
| 31-02      | Blower Fan Only                               | O   | -   | 31119-xxx   | 133.0   | 0.0 |
| 31-03      | Compressor Assembly                           | O   | -   | 31208-xxx   | 133.0   | 0.0 |
| 31-04      | Condenser Assembly                            | O   | -   | 31714-xxx   | 133.0   | 0.0 |
| 32-01      | Autoflight                                    | S   | 1   | 30828-xxx   | 133.0   | 0.0 |
| 32-02      | Gama Autopilot Controller, GMA 800            | S   | 1   | 12722-xxx   | 133.0   | 0.0 |
| 32-03      | Altitude Transducer                           | S   | 1   | 30828-xxx   | 133.0   | 0.0 |
| 32-04      | Communication                                 | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 33-01      | OMAS300 Audio Panel                           | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 33-02      | Electrical                                    | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 33-03      | Convenience System Controller                 | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 33-04      | Rear Seat Installation (See Part 33-03)       | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 33-05      | Rear Seat Restrain                            | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 33-06      | Rear bench seat installation (See Part 33-04) | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 33-07      | Portable Fire Extinguisher                    | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 33-08      | Flight Controls                               | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 33-09      | Yaw Servo Installation                        | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 33-10      | Lights  | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 33-11      | Landing Light Installation                    | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-01      | Gama 12" Display                              | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-02      | Gama 10" Display                              | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-03      | Gama 10" Display                              | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-04      | Altimeter                                     | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-05      | Airspeed Indicator                            | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-06      | Magnetic Compass                              | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-07      | Mahler Beacon Antenna                         | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-08      | GPS 2 Antenna/Inflator Combo Antenna          | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-09      | GPS NAVICOM1 GIB3W                            | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-10      | GPS NAVICOM2 GIB3W                            | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-11      | ADARRS GSU 75                                 | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-12      | DME (K1A1)                                    | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-13      | DME Antenna (K1A1)                            | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-14      | MG302 (S) Antenna                             | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-15      | Engine Monitoring                             | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-16      | RecUmt Installation, GEA 71                   | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-17      | Traffic Option                                | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-18      | Gama Traffic GTS 800                          | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-19      | Antenna, Monopole                             | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-20      | Antenna, Directional, GA 68                   | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-21      | Weather Option                                | O   | -   | 30828-xxx   | 133.0   | 0.0 |
| 34-22      | Stormscope Processor                          | O   | -   | 30828-xxx   | 133.0   | 0.0 |

**Model SR22**

**Serial Number:** 4554

**Registration Number:** N226RG

**Basic Empty Weight:** 2404 lb

**Total Moment/1000:** 337.178

**Center of Gravity:** F.S.140.2

The following pages list required, standard, and optional equipment, as well as gives the weight and arm of each listed item. This listing represents the airplane and all options available at the time of delivery and does not include any equipment installed after delivery.

**Note:**

Not all optional equipment in this listing was installed in the above serial number airplane. Equipment listed as optional but not installed in the airplane is indicated by a hyphen (-) in the quantity column for that piece of equipment.

**ATA - Item:**

Each item in the listing is provided a unique number. The first two digits of the number represent the ATA or GAMA Chapter reference number. These numbers are used industry wide and in the Cirrus Design SR22 Maintenance Documentation to locate items in the Maintenance Manuals and or Parts Catalogs. The two digits following the hyphen are sequence numbers for each item in that chapter.

**Description:**

This is the component, assembly, or installation name.

**Sym:**

Items in this listing are coded by a symbol indicating the status of the item. These codes are:

- C** Required item for FAA Certification.
- S** Standard equipment. Most standard equipment is applicable to all airplanes. Some equipment may be replaced by optional equipment.
- O** Optional equipment. Optional equipment may be installed in addition to or to replace standard equipment.

**Qty:**

The quantity of the listed item in the airplane. A hyphen (-) in this column indicates that the equipment was not installed

**Part Number**

This is the Cirrus Design Part Number for the component, assembly, or installation

**Unit Wt**

The weight, in pounds, of one each of the listed item.

**Arm**

The arm, in inches, of the listed item.



| ATA / Item               | Description   | Sym | Qty | Part Number         | Unit Wt | Arm   |
|--------------------------|---|-----|-----|---------------------|---------|-------|
| <b>21</b>                | <b>Air Conditioning</b>                               |     |     |                     |         |       |
| 21-01                    | Blower Fan Only                                       | O   | -   | 20970-xxx           | 7.3     | 133.0 |
| 21-02                    | Compressor Assembly                                   | O   | 1   | 21119-xxx           | 15.0    | 93.1  |
| 21-03                    | Condenser Assembly                                    | O   | 1   | 21209-xxx           | 17.0    | 132.8 |
| 21-04                    | Evaporator Assembly                                   | O   | 1   | 21114-xxx           | 17.5    | 199.5 |
| <b>22</b>                | <b>AutoFlight</b>                                     |     |     |                     |         |       |
| 22-01                    | Garmin Autopilot Controller, GMC 707                  | S   | 1   | 30528-xxx           | 0.6     | 126.5 |
| 22-02                    | Altitude Transducer                                   | S   | 1   | 12722-xxx           | 0.2     | 112.4 |
| <b>23</b>                | <b>Communication</b>                                  |     |     |                     |         |       |
| 23-01                    | GMA350/C Audio Panel                                  | O   | 1   | 29396-xxx           | 1.6     | 125.8 |
| <b>24</b>                | <b>Electrical</b>                                     |     |     |                     |         |       |
| 24-01                    | Convenience System Controller                         | O   | 1   | 36517-xxx           | 0.7     | 179.2 |
| <b>25</b>                | <b>Equipment &amp; Furnishings</b>                    |     |     |                     |         |       |
| 25-01                    | Fwd Seat & Restraint Inst. (Leather: add 0.4 lb each) | C   | 2   | 31981-xxx           | 27.0    | 149.3 |
| 25-02                    | Rear Seat Installation (Leather: add 0.4 lb each)     | C   | -   | 29492-xxx           | 21.8    | 180.0 |
| 25-03                    | Rear Seat Restraint                                   | C   | -   | 12491-xxx           | 2.3     | 180.0 |
| 25-04                    | Rear bench seat Installation (Leather: add 0.8 lb)    | C   | 1   | 31986, 31985, 31983 | 26.9    | 183.0 |
| 25-05                    | Rear Seat Restraint 3 point - 2 seat belt             | C   | -   | 29405-xxx           | 3.3     | 200.0 |
| 25-06                    | Rear Seat Restraint 3 point - 3 seat belt             | C   | 1   | 29405-xxx           | 5.1     | 200.0 |
| <b>26</b>                | <b>Fire Protection</b>                                |     |     |                     |         |       |
| 26-01                    | Portable Fire Extinguisher                            | C   | 1   | 12533-xxx           | 2.5     | 118.4 |
| <b>27</b>                | <b>Flight Controls</b>                                |     |     |                     |         |       |
| 27-01                    | Yaw Servo Installation                                | O   | 1   | 29680-xxx           | 5.4     | 236.0 |
| <b>33</b>                | <b>Lights</b>   |     |     |                     |         |       |
| 33-01                    | Landing Light Installation                            | S   | 1   | 18983-xxx           | 1.9     | 80.0  |
| <b>34</b>                | <b>Navigation &amp; Pitot Static</b>                  |     |     |                     |         |       |
| 34-01                    | Com 1 Antenna   | C   | 1   | 12740-xxx           | 0.5     | 178.5 |
| 34-02                    | Com 2 Antenna   | S   | 1   | 12741-xxx           | 0.5     | 204.6 |
| 34-03                    | Garmin 12" Display                                    | O   | 1   | 36739-xxx           | 5.8     | 118.5 |
| 34-04                    | Garmin 12" Display                                    | C   | 1   | 36739-xxx           | 5.8     | 117.0 |
| 34-05                    | Garmin 10" Display                                    | O   | -   | 36739-xxx           | 4.5     | 118.5 |
| 34-06                    | Garmin 10" Display                                    | C   | -   | 36739-xxx           | 4.5     | 117.0 |
| 34-07                    | Altimeter   | C   | -   | 12102-xxx           | 1.1     | 116.1 |
| 34-08                    | Airspeed Indicator                                    | C   | -   | 13568-xxx           | 0.7     | 116.9 |
| 34-09                    | Magnetic Compass                                      | C   | 1   | 12451-xxx           | 0.3     | 132.7 |
| 34-10                    | Attitude Gyro   | C   | -   | 24668-xxx           | 2.2     | 114.5 |
| 34-11                    | Marker Beacon Antenna                                 | S   | 1   | 12743-xxx           | 0.6     | 200.0 |
| 34-12                    | GPS 1 Antenna   | C   | 1   | 12744-xxx           | 0.4     | 136.2 |
| 34-13                    | GPS 2 Antenna/Iridium Combo Antenna                   | S   | 1   | 29301-xxx           | 0.4     | 200.0 |
| 34-14                    | Transponder Antenna                                   | C   | 1   | 12739-xxx           | 0.1     | 105.0 |
| 34-15                    | GPS/NAV/COM#1 GIA63W                                  | S   | 1   | 24662-xxx           | 6.3     | 110.5 |
| 34-16                    | GPS/NAV/COM#2 GIA63W                                  | S   | 1   | 24662-xxx           | 6.3     | 111.0 |
| 34-17                    | ADAHRS GSU 75   | O   | 2   | 36741-xxx           | 1.4     | 112.5 |
| 34-18                    | CO Detector   | O   | 1   | 24660-xxx           | 0.2     | 104.0 |
| 34-19                    | FMS Keyboard, GCU 479 Controller                      | S   | 1   | 36749-xxx           | 0.6     | 124.0 |
| 34-20                    | DME (KNA61)   | O   | -   | 24658-xxx           | 2.8     | 122.0 |
| 34-21                    | DME Antenna (KA61)                                    | O   | -   | 24658-xxx           | 0.2     | 114.5 |
| 34-22                    | MD302 (Standby Attitude Module)                       | C   | 1   | 30499-xxx           | 1.5     | 116.1 |
| <b>Engine Monitoring</b> |   |     |     |                     |         |       |
| 34-23                    | Rack/Unit Installation, GEA 71                        | S   | 1   | 24666-xxx           | 2.2     | 111.5 |
| <b>Traffic Option</b>    |   |     |     |                     |         |       |
| 34-24                    | Garmin Traffic GTS 800                                | O   | 1   | 26659-xxx           | 9.9     | 139.0 |
| 34-25                    | Antenna, Monopole                                     | O   | 1   | 26656-xxx           | 0.2     | 180.0 |
| 34-26                    | Antenna, Directional, GA 58                           | O   | 1   | 26659-xxx           | 0.8     | 157.2 |
| <b>Weather Option</b>    |   |     |     |                     |         |       |
| 34-27                    | Stormscope Processor                                  | O   | -   | 12745-xxx           | 1.7     | 199.0 |
| 34-28                    | Stormscope Antenna                                    | O   | -   | 12745-xxx           | 0.9     | 191.0 |
| 34-29                    | GSR 56 Iridium Satellite Receiver                     | O   | -   | 29307-xxx           | 4.2     | 231.1 |

| ATA / Item | Description                               | Sym | Qty | Part Number | Unit Wt | Arm   |
|------------|---|-----|-----|-------------|---------|-------|
|            | <b>Transponder Option</b>                 |     |     |             |         |       |
| 34-30      | GTX 345 Mode S UAT Transponder            | O   | 1   | 36745-xxx   | 3.1     | 230.0 |
| 34-31      | GTX 335 Mode S w/ES Transponder           | O   | -   | 36745-xxx   | 2.8     | 230.0 |
|            | <b>XM Satellite Options</b>               |     |     |             |         |       |
| 34-32      | XM WX/Radio Receiver                      | O   | 1   | 24657-xxx   | 2.7     | 230.3 |
| <b>35</b>  | <b>Oxygen</b>                             |     |     |             |         |       |
| 35-01      | Bottle Assembly - Empty                   | O   | -   | 100N0020-4  | 19.9    | 262.3 |
| 35-02      | Full                                      |     |     |             | 23.8    | 265.3 |
| <b>61</b>  | <b>Propeller</b>                          |     |     |             |         |       |
| 61-01      | Light Weight Hub Propeller Installation   | O   | -   | 13599-xxx   | 63.2    | 48.0  |
| 61-02      | Hartzell Propeller Installation           | C   | 1   | 13599-xxx   | 79.8    | 48.0  |
| 61-03      | Hartzell Composite Propeller Installation | O   | -   | 18973-xxx   | 67.2    | 48.0  |
| 61-04      | McCauley Propeller Installation           | O   | -   | 15827-xxx   | 78.0    | 50.0  |
| 61-05      | MT Propeller                              | O   | -   | 18606-xxx   | 56.2    | 48.6  |
| 61-06      | Propeller Governor                        | C   | 1   | 21285-xxx   | 3.2     | 61.7  |
| <b>72</b>  | <b>Engine</b>                             |     |     |             |         |       |
| 72-01      | Tanis Engine Pre-heater                   | O   | 1   | 25028-xxx   | 2.1     | 61.0  |
| <b>95</b>  | <b>Special Equipment</b>                  |     |     |             |         |       |
| 95-01      | Enhanced Vision System                    | O   | 1   | 24737-xxx   | 1.2     | 161.0 |