

Delivered Weight Data & Equipment List

Model SR22

| | |
|-----------------------------|-------------------|
| Serial Number: | 10669 |
| Registration Number: | N725AA |
| Basic Empty Weight: | 2403 |
| Total Moment/1000: | 337517.019 |
| Center of Gravity: | 140.482 |

The following pages list required, standard, and optional equipment, as well as gives the weight and arm of each listed item. This listing represents the airplane and all options available at the time of delivery and does not include any equipment installed after delivery.

Note:

Not all optional equipment in this listing was installed in the above serial number airplane. Equipment listed as optional but not installed in the airplane is indicated by a hyphen (-) in the quantity column for that piece of equipment.

ATA - Item:

Each item in the listing is provided a unique number. The first two digits of the number represent the ATA or GAMA Chapter reference number. These numbers are used industry wide and in the Cirrus Design SR22 Maintenance Documentation to locate items in the Maintenance Manuals and or Parts Catalogs. The two digits following the hyphen are sequence numbers for each item in that chapter.

Description:

This is the component, assembly, or installation name.

Sym:

Items in this listing are coded by a symbol indicating the status of the item. These codes are:

S Standard equipment. Most standard equipment is applicable to all airplanes. Some equipment may be replaced by optional equipment.

O Optional equipment. Optional equipment may be installed in addition to or to replace standard equipment.

Qty:

The quantity of the listed item in the airplane. A hyphen (-) in this column indicates that the equipment was not installed

Part Number

This is the Cirrus Design Part Number for the component, assembly, or installation

Unit Wt

The weight, in pounds, of one each of the listed item.

Arm

The arm, in inches, of the listed item.

| ATA / Item | Description | Sym | Qty | Part Number | Unit Wt | Arm |
|------------|--|-----|-----|-------------|---------|-------|
| 21 | Air Conditioning | | | | | |
| 21-01 | Blower Fan Only | O | - | 20970-xxx | 7.3 | 133.0 |
| 21-02 | Compressor Assembly | O | 1 | 21119-xxx | 15.0 | 93.1 |
| 21-03 | Condenser Assembly | O | 1 | 21209-xxx | 17.0 | 199.5 |
| 21-04 | Evaporator Assembly | O | 1 | 21114-xxx | 17.5 | 132.8 |
| 22 | AutoFlight | | | | | |
| 22-01 | Garmin Autopilot Controller, GMC 707 | S | 1 | 30128-xxx | 0.6 | 124.4 |
| 22-02 | Servo Actuator Power Lever, GSA 87 | S | 1 | 44076-xxx | 2.3 | 117.0 |
| 22-03 | Servo Actuator Mixture Lever, GSA 87 | S | 1 | 44076-xxx | 2.3 | 135.9 |
| 22-04 | Autopilot (Pitch) Servo Actuator, GSA 87 | S | 1 | 44076-xxx | 2.3 | 188.7 |
| 22-05 | Yaw Servo | S | 1 | 44076-xxx | 2.3 | 240.9 |
| 22-06 | Roll Servo | S | 1 | 44076-xxx | 2.3 | 172.8 |
| 23 | Communication | | | | | |
| 23-01 | GMA 36B Remote Audio Panel | S | 1 | 30060-xxx | 1.9 | 111.8 |
| 24 | Electrical | | | | | |
| 24-01 | Convenience System Controller | S | 1 | 36517-xxx | 0.7 | 179.2 |
| 25 | Equipment & Furnishings | | | | | |
| 25-01 | Pilot Seat & Restraint (Leather: add 0.4 lb each) | S | 1 | 44511-xxx | 33.8 | 149.3 |
| 25-02 | Co-Pilot Seat & Restraint (Leather: add 0.4 lb each) | S | 1 | 46545-xxx | 33.8 | 149.3 |
| 25-03 | Aft Bench Seat (Leather: add 0.8 lb) | S | 1 | 44522-xxx | 13.8 | 183.0 |
| 25-04 | Aft LH Seat Back (Leather: add 0.4 lb each) | S | 1 | 44513-xxx | 9.7 | 180.0 |
| 25-05 | Aft RH Seat Back (Leather: add 0.4 lb each) | S | 1 | 44512-xxx | 7.1 | 180.0 |
| 25-06 | Cargo Net | S | 1 | 29305-xxx | 3.04 | 223.3 |
| 26 | Fire Protection | | | | | |
| 26-01 | Portable Fire Extinguisher | S | 1 | 12533-xxx | 2.4 | 117.7 |
| 27 | Flight Controls | | | | | |
| 27-01 | Yaw Servo | S | 1 | 44076-xxx | 2.3 | 240.9 |
| 31 | Indicating and Recording | | | | | |
| 31-01 | GDL 60 Datalink | S | 1 | 46837-xxx | 1.6 | 230.3 |
| 31-02 | Cellular Antenna | S | 4 | 42304-xxx | 0.7 | 230.3 |
| 33 | Lights | | | | | |
| 33-01 | Landing Light Installation | S | 1 | 24946-xxx | 1.9 | 80.0 |
| 34 | Navigation & Pitot Static | | | | | |
| 34-01 | Garmin 12" Display | O | - | 44387-xxx | 5.5 | 116.5 |
| 34-02 | Garmin 12" Display | O | - | 44387-xxx | 5.5 | 117.0 |
| 34-03 | Garmin 14" Display | O | 1 | 44387-xxx | 6.5 | |
| 34-04 | Garmin 14" Display | O | 1 | 44387-xxx | 6.5 | |
| 34-05 | GTC 585 Touchscreen Controller | S | 1 | 30127-xxx | 4.5 | 122.6 |
| 34-06 | GTC 585 Touchscreen Controller | S | 1 | 30127-xxx | 4.5 | 122.6 |
| 34-07 | Magnetic Compass | O | - | 46479-xxx | 0.3 | 126.0 |
| 34-08 | Marker Beacon Antenna | S | 1 | 12743-xxx | 0.6 | 200.0 |

| | | | | | | |
|-----------|--|---|---|------------|------|-------|
| 34-09 | GPS Antenna w/ XM (GA37) | S | 1 | 12744-xxx | 0.5 | 136.0 |
| 34-09 | GPS Antenna w/o XM (GA36) | S | - | 12744-xxx | 0.47 | 136.0 |
| 34-10 | GPS 2 Antenna/Iridium Combo Antenna | S | 1 | 29301-xxx | 0.4 | 200.0 |
| 34-11 | Transponder Antenna | S | 1 | 12739-xxx | 0.1 | 105.0 |
| 34-12 | GPS/NAV/COM#1 GIA 64W | S | 1 | 24662-xxx | 6.3 | 110.5 |
| 34-13 | GPS/NAV/COM#2 GIA 64W | S | 1 | 24662-xxx | 6.3 | 111.0 |
| 34-14 | ADAHRS GSU 75 | S | 1 | 36741-xxx | 1.4 | 112.5 |
| 34-15 | ADAHRS GSU 75 | S | - | 36741-xxx | 1.4 | 112.5 |
| 34-16 | CO Detector | S | 1 | 24660-xxx | 0.2 | 104.0 |
| 34-17 | DME (KNA61) | O | - | 24658-xxx | 2.8 | 122.0 |
| 34-18 | DME Antenna (KA61) | O | - | 24658-xxx | 0.2 | 114.5 |
| 34-19 | MD302 (Standby Attitude Module) | O | - | 30499-xxx | 1.3 | 113.0 |
| 34-20 | ADAHRS GI 275 | O | 1 | 47435-xxx | 2.4 | 110.0 |
| 34-21 | Radar Altimeter GRA 55 | O | 1 | 40436-xxx | 4.3 | 178.8 |
| 34-22 | GRA 55 Antenna 1 | O | 1 | 40437-xxx | 0.2 | 178.8 |
| 34-23 | GRA 55 Antenna 2 | O | 1 | 40437-xxx | 0.2 | 178.8 |
| | Traffic Option | | | | | |
| 34-24 | Garmin Traffic GTS 800 | O | 1 | 26659-xxx | 9.9 | 139.0 |
| 34-25 | Antenna, Monopole | O | 1 | 26656-xxx | 0.2 | 180.0 |
| 34-26 | Antenna, Directional, GA 58 | O | 1 | 26659-xxx | 0.8 | 157.2 |
| | Weather Option | | | | | |
| 34-27 | Stormscope Processor | O | - | 12745-xxx | 1.7 | 199.0 |
| 34-28 | Stormscope Antenna | O | - | 12745-xxx | 0.9 | 191.0 |
| 34-29 | GSR 56 Iridium Satellite Receiver | O | - | 29307-xxx | 4.2 | 231.1 |
| | Transponder Option | | | | | |
| 34-30 | GTX 345 Mode S UAT Transponder | O | 1 | 36745-xxx | 3.1 | 230.0 |
| 34-31 | GTX 335 Mode S w/ES Transponder | O | - | 36745-xxx | 2.8 | 230.0 |
| | XM Satellite Options | | | | | |
| 34-32 | XM WX/Radio Receiver | O | 1 | 24657-xxx | 2.7 | 230.3 |
| 35 | Oxygen | | | | | |
| 35-01 | Bottle Assembly - Empty (add 4.0 lb if Full) | O | - | 100N0020-4 | 19.9 | 262.3 |
| 61 | Propeller | | | | | |
| 61-01 | Light Weight Hub Propeller Installation | S | 1 | 47023-xxx | 62.4 | 48.0 |
| 61-02 | Propeller Governor | S | 1 | 19865-xxx | 3.2 | 61.7 |
| 61-03 | 3-blade Composite FIKI | O | 1 | 18975-xxx | 57.3 | 48.0 |
| 61-04 | 3-blade Composite non-FIKI | O | - | 18975-xxx | 55.3 | 48.0 |
| 61-05 | 3-blade Aluminum FIKI | O | - | 14070-xxx | 74.9 | 48.0 |
| 61-06 | 3-blade Aluminum non-FIKI | O | - | 14070-xxx | 72.9 | 48.0 |
| 72 | Engine | | | | | |
| 72-01 | Tanis Engine Pre-heater | O | 1 | 25028-xxx | 2.1 | 61.0 |
| 77 | Engine Indicating | | | | | |
| 77-01 | Rack/Unit Installation, GEA 71 | S | 1 | 24666-xxx | 2.2 | 111.5 |
| 93 | Surveillance | | | | | |
| 93-01 | Enhanced Vision System | O | 1 | 24737-xxx | 1.2 | 161.0 |